





What the LENOX® Heritage of Quality and Performance Means for You.



The LENOX® name is inspired by the speed, strength and sharp teeth of the wolves that once roamed the hills near the western shore of Loch Lomond in Scotland - home to the Earl of LENOX®.

With that inspiration, we began our company in 1915, making the first LENOX® hacksaw blades with just ten employees. Now, over 95 years later, LENOX® remains dedicated to producing the highest quality, best performing cutting products. As a result, we have grown to employ more than 600 people. Most of them work at our ISO 9001 certified facility in East Longmeadow, Massachusetts, U.S.A., where we design, test and manufacture a broad range of power tool accessories and hand tools. Professionals count on the performance of our products in more than 70 countries around the world.

We continue to invest in our facilities, strongly supporting research and development and integrating the most advanced manufacturing technology. The result is the breakthrough performance and endurance of our newest products - including our LENOX® Speed Slot T2 Hole Saw.

Above all, we are committed to fully meeting the needs of our customers and ensuring complete satisfaction with our products and services. If you are new to LENOX®, thank you for the opportunity to earn your business.

Contents

	Page
Power Tool Accessories	2
Reciprocating Saw Blades	2
Jigsaw Blades	7
Hole Saws	8
Arbors	10
Hole Saw Kits	10
Hole Cutters & Drilling Products	11
Diamond® Hole Saws	12
Vari-Bit Step Drill Bits	12
PROTOOL LUBE Lubricant	13
Hand Tools	14
Handsaws	14
Hacksaw Frames & Blades	15
Plastic Tubing Cutters	17
Metal Tubing Cutters	19
Pipe Slices	20



Reciprocating Saw Blade Selection Guide

	WOOD	NAIL-EMBEDDED WOOD	NON-FERROUS METAL	DEMOLITION	FIRE & RESCUE	PLASTICS & COMPOSITES	THICK METAL	MEDIUM METAL	THIN METAL	DRYWALL/PLASTER	CEMENT BOARD	CAST IRON	ABRASIVES
													
BEST	LENOX Gold™									CARBIDE TIPPED	LENOX DIAMOND™		
BETTER	BI-METAL	LAZER™	BI-METAL	LAZER™	BI-METAL	LAZER™	BI-METAL	LAZER™	BI-METAL	BI-METAL	LENOX DIAMOND™	CARBIDE GRIT	
GOOD	-	BI-METAL	-	BI-METAL	-	BI-METAL	-	BI-METAL	-	CARBIDE GRIT	-	-	-

LENOX®
Gold™



Why use the new T2™ Blades?

Lasts longer: Up to 100%*

Cuts faster: Up to 25%*

Shatter resistant: Bi-Metal

*vs previous Lenox blades

T2™ proprietary technology now available across the entire Gold Reciprocating Saw Blades line.

Longest Lasting Blade. Ever.

EXTENDED BLADE LIFE

T2™ Technology and precision applied titanium coating help dissipate heat making blades last longer

FASTER CUTS

Titanium coating makes teeth more wear resistant so they stay sharp for quicker cuts

DURABLE CONSTRUCTION

Bi-metal design stands up to the most demanding applications

LENOX Gold™ Titanium Edge Reciprocating Saw Blades



LENOX Gold™ Wood Cutting, 5 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
21060656GR	656G 152 x 19 x 1,3mm 6TPI	082472201606	500	5
21061156GR	156G 305 x 19 x 1,3mm 6TPI	082472201613	250	5
21062956GR	956G 229 x 19 x 1,3mm 6TPI	082472201620	250	5
21063676GR	676G 152 x 11 x 1,3mm 6TPI	082472201637	500	5

LENOX Gold™ Metal Cutting, 5 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
21064610GR	610G 152 x 19 x 0,9mm 10TPI	082472210644	500	5
21065810GR	810G 203 x 19 x 1,3mm 10TPI	082472210651	250	5
21066414GR	414G 102 x 19 x 0,9mm 14TPI	082472210668	500	5
21067614GR	614G 152 x 19 x 0,9mm 14TPI	082472210675	500	5
21068418GR	418G 102 x 19 x 0,9mm 18TPI	082472210682	500	5
21069618GR	618G 152 x 19 x 0,9mm 18TPI	082472210699	500	5
21070818GR	818G 203 x 19 x 0,9mm 18TPI	082472210705	250	5
21071424GR	424G 102 x 19 x 0,9mm 24TPI	082472210712	500	5
21072624GR	624G 152 x 19 x 0,9mm 24TPI	082472210729	500	5
21073824GR	824G 203 x 19 x 0,9mm 24TPI	082472210736	250	5

LENOX Gold™ Demolition, 5 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
210886066GR	6066G 152 x 22 x 1,6mm 6TPI	082472210880	500	5
21089960GR	960G 229 x 22 x 1,6mm 10TPI	082472210897	250	5
21090966GR	966G 229 x 22 x 1,6mm 6TPI	082472210903	250	5
21091106GR	106G 305 x 22 x 1,6mm 6TPI	082472210910	250	5

LENOX Gold™ Heavy Metal Cutting (LAZER™), 5 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
210926108GR	6108G 152 x 25 x 1,1mm 8TPI	082472210927	500	5
210969108GR	9108G 229 x 25 x 1,1mm 8TPI	082472210965	250	5
210936110GR	6110G 152 x 25 x 1,1mm 10TPI	082472210934	500	5
210979110GR	9110G 229 x 25 x 1,1mm 10TPI	082472210972	250	5
2110012110GR	12110G 305 x 25 x 1,1mm 10TPI	082472211009	250	5
210946114GR	6114G 152 x 25 x 1,1mm 14TPI	082472210941	500	5
210989114GR	9114G 229 x 25 x 1,1mm 14TPI	082472210989	250	5
2110112114GR	12114G 305 x 25 x 1,1mm 14TPI	082472211016	250	5
210956118GR	6118G 152 x 25 x 1,1mm 18TPI	082472210958	500	5
210999118GR	9118G 229 x 25 x 1,1mm 18TPI	082472210996	250	5
2110212118GR	12118G 305 x 25 x 1,1mm 18TPI	082472211023	250	5



Multi Material Reciprocating Saw Blades, 5 Pack



Item No.	Description	EAN	Master Pack	Blades Per Pack
1769340	635R 152 x 19 x 0,9mm 10/14TPI	5706915078565	500	5
1769341	835R 203 x 19 x 0,9mm 10/14TPI	5706915078572	250	5

LENOX 



Technology

Lazer™ Reciprocating Saw Blades



Technology

LENOX Lazer™ Blades, 5 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
201706110R	6110R 152 x 25 x 1,1mm 10TPI	082472201703	500	5
201726114R	6114R 152 x 25 x 1,1mm 14TPI	082472201727	500	5
201746118R	6118R 152 x 25 x 1,1mm 18TPI	082472201741	350	5
201769110R	9110R 229 x 25 x 1,1mm 10TPI	082472201765	250	5
201789114R	9114R 229 x 25 x 1,1mm 14TPI	082472201789	250	5
201809118R	9118R 229 x 25 x 1,1mm 18TPI	082472201802	200	5
2018212110R	12110R 305 x 25 x 1,1mm 10TPI	082472201826	250	5
2018412114R	12114R 305 x 25 x 1,1mm 14TPI	082472201840	250	5
2019012118R	12118R 305 x 25 x 1,1mm 18TPI	082472201901	200	5

LENOX Lazer™ Blades, 25 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20173B6114R	6114R 152 x 25 x 1,1mm 14TPI	082472201734	500	25
20175B6118R	6118R 152 x 25 x 1,1mm 18TPI	082472201758	500	25
20179B9114R	9114R 229 x 25 x 1,1mm 14TPI	082472201796	350	25
20185B12114R	12114R 305 x 25 x 1,1mm 14TPI	082472201857	250	25

Demolition Reciprocating Saw Blades



Demolition Blades, 2 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20500106R	106R 305 x 28 x 1.6mm 6TPI	082472205008	120	2
205126066R	6066R 152 x 28 x 1.6mm 6TPI	082472205121	240	2
20597960R	960R 229 x 28 x 1.6mm 10TPI	082472205978	120	2
20598966R	966R 229 x 28 x 1.6mm 6TPI	082472205985	120	2

Demolition Blades, 5 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20371966R5	966R 229 x 28 x 1,6mm 6TPI	082472203714	250	5
20372960R5	960R 229 x 28 x 1,6mm 10TPI	082472203721	250	5

Why use the new T2™ Blades?

Lasts longer: Up to 100%*

Cuts faster: Up to 25%*

Shatter resistant: Bi-Metal

*vs previous Lenox blades

T2™ proprietary technology now available across the entire LAZER Reciprocating Saw Blades line.

Longer lasting: Lasts 45% longer than standard bi-metal blades

Greater strength and durability: Unique blade geometry reinforces traditional weak areas, creating stronger and more durable blades

Shatter resistant: Bi-metal blades bend and resist breaking and extend blade life

Optimised performance: Thicker (1.1 mm) and wider (25 mm) blades minimise whipping for straighter and smoother cuts



Technology

T2™ TECHNOLOGY

Tooth design delivers up to 2x the life versus previous model making demolition jobs faster and easier

MAXIMUM DURABILITY

The tallest blade on the market (28mm) prevents bending and provides maximum control in the toughest demolition applications

OPTIMISED BLADE GEOMETRY

Each blade has a unique configuration including an aggressive tang angle and tapered blade shape to allow for cutting in tight areas

LENOX®



Shatter resistant: Bi-metal blades bend and resist breaking and extend blade life
Optimised performance: Thicker (1,3mm) and wider (20mm) blades minimise whipping for straighter and smoother cuts
Extreme versatility: Designed to cut easily through the toughest materials. Cuts dimensional lumber, angle iron, fasteners and metal pipe - simultaneously

Demolition Blades, 25 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20514B6066R	6066R 152 x 28 x 1,6mm 6TPI	082472205145	500	25
20524B960R	960R 229 x 28 x 1,6mm 10TPI	082472205244	250	25
20523B966R	966R 229 x 28 x 1,6mm 6TPI	082472205985	250	25
20485B106R	106R 305 x 28 x 1,6mm 6TPI	082472204858	250	25

Heavy-Duty Reciprocating Saw Blades



Heavy-Duty Blades, 2 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20592650R	650R 152 x 19 x 1,3mm 10/14TPI	082472210644	240	2

Heavy-Duty Blades, 5 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20374650R5	650R 152 x 19 x 1,3mm 10/14TPI	082472203745	500	5
20577850R	850R 203 x 19 x 1,3mm 10/14TPI	082472205770	250	5

Heavy-Duty Blades, 25 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20515B650R	650R 152 x 19 x 1,3mm 10/14TPI	082472205152	500	25

ER-Style Reciprocating Saw Blades



ER-Style Blades, 5 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20482110ER	110ER 298 x 25 x 0,9mm 10/14TPI	082472204827	250	5
20483608ER	608ER 140 x 25 x 1,6mm 8TPI	082472204834	250	5
20484708ER	708ER 200 x 25 x 1,6mm 8TPI	082472204841	250	5

Diamond Grit Reciprocating Saw Blades



Diamond Grit Blades, 1 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
10833800RDG	800RDG 200 x 19 x 1mm Diamond Grit	082472108330	90	1
1766338	800DTDG 225 x 19 x 1mm Diamond Grit, Double Tang	885363000740	90	1
1766356	100DTDG 275 x 19 x 1mm Diamond Grit, Double Tang	885363000757	90	1

LENOX®



Cuts Cast. Fast.
Cuts 3x faster* Narrowed kerf edge removes a thinner cross-section of material for faster cutting
Lasts 3x longer* Industrial diamonds embedded in high-strength nickel alloy braze

*compared to Lenox® carbide grit reciprocating saw blades

Master-Grit™ Blades, 2 Pack



Item No.	Description	EAN	Master Pack	Blades Per Pack
20505600RG	600RG 152 x 20 x 0,8mm MCG	082472205053	240	2
20506100RG	100RG 254 x 20 x 1,3mm MCG	082472205060	100	2
20576800RG	800RG 203 x 20 x 1,0mm MCG	082472205763	100	2



Long lasting: Super hard (RA 90-93) cutting edge cuts through even the toughest materials

Abrasive cutting: Cuts through cast iron, fibreglass, ceramic tile, clay, pipe, stone, brick, plaster and marble

Smooth cutting: MASTER-GRIT™ does not snag or chip, providing smooth cuts

Carbide Tipped Reciprocating Saw Blades, 1 Pack

Fast cutting LENOX® triple chip tooth grind cuts 25% faster than standard carbide blades.

Extreme performance Designed to cut through fibreglass, cement board, rubber and other difficult to cut materials.

Item No.	Description	EAN	Master Pack	Blades Per Pack
205956563RCT	6563RCT 152 x 19 x 1,3mm 6TPI, Contour Bk	082472205954	150	1
205966565RCT	6565RCT 152 x 19 x 1,3mm 6TPI, Straight Bk	082472205961	150	1
205998535RCT	8535RCT 203 x 19 x 1,3mm 3TPI, Straight Bk	082472205992	100	1

Standard Bi-Metal Reciprocating Saw Blades, 5 Pack



Item No.	Description	EAN	Master Pack	Blades Per Pack
20449456RP	456RP 102 x 19 x 1,3mm 6TPI	082472204490	500	5
20520314RC	314RC 92 x 8 x 0,9mm 14TPI	082472205206	250	5
20521318RC	318RC 92 x 8 x 0,9mm 18TPI	082472205213	500	5
20550414R	414R 102 x 19 x 0,9mm 14TPI	082472205503	500	5
20552418R	418R 102 x 19 x 0,9mm 18TPI	082472205527	500	5
20554424R	424R 102 x 19 x 0,9mm 24TPI	082472205541	500	5
20556676RC	676RC 152 x 11 x 1,3mm 6TPI	082472205565	500	5
20560606R	606R 152 x 19 x 0,9mm 6TPI	082472205602	500	5
20562610R	610R 152 x 19 x 0,9mm 10TPI	082472205626	500	5
20564614R	614R 152 x 19 x 0,9mm 14TPI	082472205640	500	5
20566618R	618R 152 x 19 x 0,9mm 18TPI	082472205664	500	5
20568624R	624R 152 x 19 x 0,9mm 24TPI	082472205688	500	5
20570636RP	636RP 152 x 19 x 1,3mm 6TPI	082472205701	500	5
20572656R	656R 152 x 19 x 1,3mm 6TPI	082472205725	500	5
20575634R	634R 152 x 19 x 1,3mm 4TPI	082472205756	500	5
21519814R	814R 203 x 19 x 0,9mm 14TPI	082472215199	250	5
20578818R	818R 203 x 19 x 0,9mm 18TPI	082472205787	250	5
20579824R	824R 203 x 19 x 0,9mm 24TPI	082472205794	250	5
20580810R	810R 203 x 19 x 1,3mm 10TPI	082472205800	250	5
20582956R	956R 229 x 19 x 1,3mm 6TPI	082472205824	250	5
20583110R	110R 305 x 19 x 1,3mm 10/14TPI	082472205831	250	5
20585156R	156R 305 x 19 x 1,3mm 6TPI	082472205855	250	5
21510118R	118R 305 x 19 x 1,3mm 18TPI	082472215106	250	5

Why use the new T2™ Blades?

Lasts longer: Up to 100%*

Cuts faster: Up to 25%*

Shatter resistant: Bi-Metal

*vs previous Lenox blades

T2™ now available on 6, 10, 10/14, 14, 18 and 24TPI on the wood and metal blades

T2™ TECHNOLOGY

Tooth design delivers up to 2x the life versus previous model

OPTIMISED BLADE GEOMETRY

Each blade has a unique configuration including an aggressive tang angle and tapered blade shape to allow for cutting in tight areas

ENGINEERED FOR PERFORMANCE

Special design minimises friction and heat build up while cutting through the widest variety of metal materials

NEW PLUNGE CUTTING TOOTH

New tip design prevents blade from walking to deliver faster, easier, plunge cuts. Only available on 656R

LENOX



Technology

Why use the new T2™ Blades?

Lasts longer: Up to 100%*

Cuts faster: Up to 25%*

Shatter resistant: Bi-Metal

*vs previous Lenox blades



Fast, durable and precise cutting in all masonry materials 5 TPI blades for high-quality cuts in clay brick, limestone and Poroton blocks
1.5 TPI blades for high-quality cuts in light and aerated concrete



Shatter resistant: Bi-metal blades bend and resist breaking and extend blade life

Maximum durability: For pneumatic machine cutting

Long lasting: High-speed Steel teeth provide a strong, long lasting cutting edge

Standard Bi-Metal Reciprocating Saw Blades, 25 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20487B818R	B818R 203 x 19 x 0,9mm 18TPI	082472204872	250	25
20488B414R	B414R 102 x 19 x 0,9mm 14TPI	082472204889	500	25
20491B110R	B110R 305 x 19 x 1,3mm 10/14TPI	082472204919	250	25
20492B606R	B606R 152 x 19 x 0,9mm 6TPI	082472204926	500	25
20493B610R	B610R 152 x 19 x 0,9mm 10TPI	082472204933	500	25
20494B614R	B614R 152 x 19 x 0,9mm 14TPI	082472204940	500	25
20529B618R	B618R 152 x 19 x 0,9mm 18TPI	082472205299	500	25
20530B656R	B656R 152 x 19 x 1,3mm 6TPI	082472205305	500	25
20558B956R	B956R 229 x 19 x 1,3mm 6TPI	082472205589	250	25
20590B810R	B810R 203 x 19 x 1,3mm 10TPI	082472205909	250	25
21511B118R	B118R 305 x 19 x 0,9mm 18TPI	082472215113	250	25

Reciprocating Saw Blade Kits

Item No.	Description	EAN	Master Pack	Blades Per Pack
1073415RKG	15RKG 15 Piece Wood & Metal : 5 x 614R, 5 x 618R, 5 x 656R	082472107340	8	-

Reciprocating Masonry Blades



Item No.	Description	EAN	Master Pack	Blades Per Pack
21103235BLP	235BLP 235 x 20 x 1,2 5TPI	5706915078497	25	1
21104300BLP	300BLP 300 x 50 x 1,2 5TPI	5706915078503	25	1
21105450BLP	450BLP 450 x 50 x 1,2 5TPI	5706915078510	25	1
21106235LC	235LC 235 x 20 x 1,2 1,5TPI	5706915078527	25	1
21107300LC	300LC 300 x 50 x 1,2 1,5TPI	5706915078534	25	1
21108450LC	450LC 450 x 50 x 1,2 1,5TPI	5706915078541	25	1

Pallet Cutting Bi-Metal Reciprocating Saw Blades, 250 Pack



Item No.	Description	EAN	Master Pack	Blades Per Pack
10729810RPC	810RPC 200 x 19 x 0,9mm	082472107296	250	250
107301010RPC	1010RPC 250 x 19 x 0,9mm	082472107302	250	250

Air Saw Blades, 5 Pack



Item No.	Description	EAN	Master Pack	Blades Per Pack
20426418T	418T 100 x 13 x 0,64mm 18TPI	082472204261	500	5
20427424T	424T 100 x 13 x 0,64mm 24TPI	082472204278	500	5
20428432T	432T 100 x 13 x 0,64mm 32TPI	082472204285	500	5

Jigsaw Blades

The LENOX® Advantage

Carbon T-Shank Jigsaw Blades for Wood Cutting, 5 Pack



Item No.	Description	EAN	Master Pack	Blades Per Pack
20295CF450	CF450SR 100 x 10 x 1,5mm 10TPI	082472202953	500	5
20296CF450	CF450S 100 x 10 x 1,5mm 10TPI	082472202960	500	5
20297CF456S	CF456S 100 x 10 x 1,5mm 6TPI	082472202977	500	5
20298CFS406S	CFS406S 100 x 10 x 1,3mm 6TPI	082472202984	500	5
20299CF320	CF320SC 92 x 6 x 1,3mm 20TPI	082472202991	500	5



Ideal for woodworking: Designed for optimal performance in wood cutting, including hard woods

Smoother finish: Ground to precision sharpness for straighter cuts and a smoother finish

Greater precision: Super sharp to cut fast without deflection

Bi-Metal T-Shank Jigsaw Blades



Bi-Metal T-Shank Jigsaw Blades, 2 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20305BT406S	406S 100 x 10 x 1,3mm 6TPI, Wood Cutting	082472203059	250	2
20306BT410S	410S 100 x 10 x 1,3mm 10TPI, Wood Cutting	082472203066	250	2
20309BT686S	686S 150 x 10 x 1,3mm 6TPI, Wood Cutting	082472203097	250	2
20311BT320	320SC 92 x 5 x 1,3mm 20TPI, Wood Cutting	082472203110	250	2
20312BT416*	416SC 100 x 6 x 1,3mm 6TPI, Wood Cutting	082472203127	250	2
20313BT450	450S 100 x 8 x 1,3mm 10TPI, Wood Cutting	082472203134	250	2
20314BT450	450SR 100 x 8 x 1,3mm 10TPI, Wood Cutting	082472203141	250	2
20315BT456	456S 100 x 8 x 1,3mm 6TPI, Wood Cutting	082472203158	250	2
20301BT314S	314S 92 x 10 x 0,9mm 14TPI, Metal Cutting	082472203011	250	2
20302BT318S	318S 92 x 10 x 0,9mm 18TPI, Metal Cutting	082472203028	250	2
20303BT324S	324S 92 x 10 x 0,9mm 24TPI, Metal Cutting	082472203035	250	2
20308BT518S	518S 135 x 10 x 1,3mm 18TPI, Metal Cutting	082472203080	250	2
20803BT332S	332S 92 x 10 x 0,9mm 32TPI, Metal Cutting	082472208030	250	2

Shatter resistant: Bi-metal technology flexes and resists breaking and extends blade life



*Carbon blade

Bi-Metal T-Shank Jigsaw Blades, 25 Pack

Item No.	Description	EAN	Master Pack	Blades Per Pack
20812B406S	406S 100 x 10 x 1,3mm 6TPI, Wood Cutting	082472208122	500	25
20813B410S	410S 100 x 10 x 1,3mm 10TPI, Wood Cutting	082472208139	500	25
20814B450S	450S 100 x 8 x 1,3mm 10TPI, Wood Cutting	082472208146	500	25
20815B314S	314S 92 x 10 x 0,9mm 14TPI, Metal Cutting	082472208153	500	25
20816B318S	318S 92 x 10 x 0,9mm 18TPI, Metal Cutting	082472208160	500	25
20817B324S	324S 92 x 10 x 0,9mm 24TPI, Metal Cutting	082472208177	500	25

Carbide Grit T-Shank Jigsaw Blades, 2 Pack



Item No.	Description	EAN	Master Pack	Blades Per Pack
20300GT300S	300S 75 x 8 x 0,8mm Abrasive cutting	082472203004	250	1

Longer lasting performance in abrasive materials: fiberglass, tile, brick

Diamond T-Shank Jigsaw Blades, 1 Pack



Item No.	Description	EAN	Master Pack	Blades Per Pack
12149DG300S	300S 75 x 8 x 0,8mm Diamond Grit	082472121490	125	1



Hole Saw Selection Guide

WOOD	NAIL-EMBEDDED WOOD	NON-FERROUS	PLASTICS & COMPOSITES	METAL	STAINLESS STEEL	DRYWALL & PLASTER	CAST IRON	CEMENT BOARD	ABRASIVES	TILE	STONE
CARBIDE TIPPED								DIAMOND			
BI-METAL								BI-METAL		CARBIDE TIPPED	

SPEED SLOT®: Unique staircase design for easy plug removal

Longer Life: Up to 2X Life in Metal Cutting vs. prior model

Cutting Efficiency: The hole saw is 10 percent taller than the previous model to deliver cleaner cuts through two-by lumber

Resists tooth strippage: Bi-metal construction creates a hardened edge to minimise tooth stripping

Use standard or SNAP-BACK arbor



Bi-metal **SPEED SLOT®** Hole Saws

NEW

Item No.	Description		Fits Arbor No.	EAN	Master Pack	Shelf Pack
300099L	9L	14mm	1L, 4L or 5L	082472300093	10	1
3001010L	10L	16mm	1L, 4L or 5L	082472300109	10	1
3001111L	11L	17mm	1L, 4L or 5L	082472300116	10	1
3001212L	12L	19mm	1L, 4L or 5L	082472300123	10	1
3009820MMHS	20MM	20mm	1L, 4L or 5L	082472300987	10	1
3001313L	13L	21mm	1L, 4L or 5L	082472300130	10	1
3001414L	14L	22mm	1L, 4L or 5L	082472300147	10	1
3001515L	15L	24mm	1L, 4L or 5L	082472300154	10	1
3001616L	16L	25mm	1L, 4L or 5L	082472300161	10	1
3001717L	17L	27mm	1L, 4L or 5L	082472300178	10	1
3001818L	18L	29mm	1L, 4L or 5L	082472300185	10	1
3001919L	19L	30mm	1L, 4L or 5L	082472300192	10	1
3002020L	20L	32mm	2L, 3L or 6L	082472300208	10	1
3002121L	21L	33mm	2L, 3L or 6L	082472300215	10	1
3002222L	22L	35mm	2L, 3L or 6L	082472300222	10	1
3002323L	23L	37mm	2L, 3L or 6L	082472300239	10	1
3002424L	24L	38mm	2L, 3L, 6L or 7L	082472300246	10	1
3002525L	25L	40mm	2L, 3L, 6L or 7L	082472300253	10	1
3002626L	26L	41mm	2L, 3L, 6L or 7L	082472300260	10	1
3002727L	27L	43mm	2L, 3L, 6L or 7L	082472300277	10	1
3002828L	28L	44mm	2L, 3L, 6L or 7L	082472300284	10	1
3002929L	29L	46mm	2L, 3L, 6L or 7L	082472300291	5	1
3003030L	30L	48mm	2L, 3L, 6L or 7L	082472300307	5	1
3003232L	32L	51mm	2L, 3L, 6L or 7L	082472300321	5	1
3003333L	33L	52mm	2L, 3L, 6L or 7L	082472300338	5	1
3003434L	34L	54mm	2L, 3L, 6L or 7L	082472300345	5	1
1816241	35L	56mm	2L, 3L, 6L or 7L	0885363008951	5	1
3003636L	36L	57mm	2L, 3L, 6L or 7L	082472300369	5	1
3003838L	38L	60mm	2L, 3L, 6L or 7L	082472300383	5	1
1816242	39L	62mm	2L, 3L, 6L or 7L	0885363008968	5	1
3004040L	40L	64mm	2L, 3L, 6L or 7L	082472300406	5	1
3004141L	41L	65mm	2L, 3L, 6L or 7L	082472300413	5	1
3004242L	42L	67mm	2L, 3L, 6L or 7L	082472300420	5	1
3004343L	43L	68mm	2L, 3L, 6L or 7L	082472300437	5	1
3004444L	44L	70mm	2L, 3L, 6L or 7L	082472300444	5	1
3004646L	46L	73mm	2L, 3L, 6L or 7L	082472300468	5	1
3004848L	48L	76mm	2L, 3L, 6L or 7L	082472300482	5	1
3005050L	50L	79mm	2L, 3L, 6L or 7L	082472300505	5	1
3005252L	52L	83mm	2L, 3L, 6L or 7L	082472300529	5	1
3005454L	54L	86mm	2L, 3L, 6L or 7L	082472300543	5	1
3005656L	56L	89mm	2L, 3L, 6L or 7L	082472300567	5	1
3005858L	58L	92mm	2L, 3L, 6L or 7L	082472300581	1	1
3006060L	60L	95mm	2L, 3L, 6L or 7L	082472300604	1	1
3006262L	62L	98mm	2L, 3L, 6L or 7L	082472300628	1	1
3006464L	64L	102mm	2L, 3L, 6L or 7L	082472300642	1	1
3006666L	66L	105mm	2L, 3L, 6L or 7L	082472300666	1	1
3006868L	68L	108mm	2L, 3L, 6L or 7L	082472300680	1	1
3007070L	70L	111mm	2L, 3L, 6L or 7L	082472300703	1	1

Bi-metal SPEED SLOT® Hole Saws

NEW

LENOX 

Item No.	Description	Fits Arbor No.	EAN	Master Pack	Shelf Pack
3007272L	72L 114mm	2L, 3L, 6L or 7L	082472300727	1	1
3007474L	74L 118mm	2L, 3L, 6L or 7L	082472300741	1	1
3007676L	76L 121mm	2L, 3L, 6L or 7L	082472300765	1	1
3008080L	80L 127mm	2L, 3L, 6L or 7L	082472300802	1	1
1816243	83L 133mm	2L, 3L, 6L or 7L	0885363008975	1	1
3008888L	88L 140mm	2L, 3L, 6L or 7L	082472300888	1	1
1816245	127L 146mm	2L, 3L, 6L or 7L	0885363008982	1	1
3009696L	96L 152mm	2L, 3L, 6L or 7L	082472300963	1	1
3106106L	106L 168mm	2L, 3L, 6L or 7L	5706915081633	1	1
3112112L	112L 177mm	2L, 3L, 6L or 7L	5706915081640	1	1
3132132L	132L 210mm	2L, 3L, 6L or 7L	5706915081657	1	1



Hole Saw Accessories & Parts

Item No.	Description	Chuck Size mm	Fits Arbor No.	EAN	Master Pack	Shelf Pack
30297123CT	123CT Carbide Tip Pilot Drill	6	1L/2L/4L/7L	082472302974	250	1
3029865CTPD	65CTPD Carbide Tip Pilot Drill	6	3L/5L/6L/7L	082472302981	150	1
10507941	Pilot Drill Bit Diamond Hole Saw	6	1L/2L/3L/4L/5L/6L/7L	5706915079418	250	1
1779771	4321 Pilot Drill	6	1L/2L/4L	885363004663	250	1
1779810	56PD Pilot Drill	6	3L/5L/6L/7L	885363004823	250	1
3084310X	250mm Extension	10 +	5L/6L/7L	082472308433	20	1
3084655X	140mm Extension	13 +	1L/2L/3L	082472308464	20	1
3084712X	300mm Extension	13 +	1L/2L/3L	082472308471	20	1
3084818X	450mm Extension	13 +	1L/2L/3L	082472308488	20	1
30857AA1	Arbor Adaptor	-	1L/4L/5L	082472308570	100	1



Carbide Tipped Hole Saws




Item No.	Description	Fits Arbor No.	EAN	Master Pack	Shelf Pack
3021111CT	11CT 17mm	1L, 4L or 5L	082472302110	10	1
3021212CT	12CT 19mm	1L, 4L or 5L	082472302127	10	1
3021414CT	14CT 22mm	1L, 4L or 5L	082472302141	10	1
3021616CT	16CT 25mm	1L, 4L or 5L	082472302165	10	1
3021818CT	18CT 29mm	1L, 4L or 5L	082472302189	10	1
3022020CT	20CT 32mm	2L, 3L or 6L	082472302202	10	1
3022222CT	22CT 35mm	2L, 3L or 6L	082472302226	10	1
3022424CT	24CT 38mm	2L, 3L, 6L or 7L	082472302240	10	1
3022626CT	26CT 41mm	2L, 3L, 6L or 7L	082472302264	10	1
3022828CT	28CT 44mm	2L, 3L, 6L or 7L	082472302288	10	1
3023232CT	32CT 51mm	2L, 3L, 6L or 7L	082472302325	5	1
3023434CT	34CT 54mm	2L, 3L, 6L or 7L	082472302349	5	1
3023636CT	36CT 57mm	2L, 3L, 6L or 7L	082472302363	5	1
3023838CT	38CT 60mm	2L, 3L, 6L or 7L	082472302387	5	1
3024040CT	40CT 64mm	2L, 3L, 6L or 7L	082472302400	5	1
3024141CT	41CT 65mm	2L, 3L, 6L or 7L	082472302417	5	1
3024242CT	42CT 67mm	2L, 3L, 6L or 7L	082472302424	5	1
3024343CT	43CT 68mm	2L, 3L, 6L or 7L	082472302431	5	1
3024848CT	48CT 76mm	2L, 3L, 6L or 7L	082472302486	5	1
3025252CT	52CT 83mm	2L, 3L, 6L or 7L	082472302523	5	1
3025454CT	54CT 86mm	2L, 3L, 6L or 7L	082472302547	5	1
3025656CT	56CT 89mm	2L, 3L, 6L or 7L	082472302561	5	1
3025858CT	58CT 92mm	2L, 3L, 6L or 7L	082472302585	-	1
3026060CT	60CT 95mm	2L, 3L, 6L or 7L	082472302608	-	1
3026464CT	64CT 102mm	2L, 3L, 6L or 7L	082472302646	-	1
3026666CT	66CT 105mm	2L, 3L, 6L or 7L	082472302660	-	1
3026868CT	68CT 108mm	2L, 3L, 6L or 7L	082472302684	-	1
3027272CT	72CT 114mm	2L, 3L, 6L or 7L	082472302721	-	1
3027676CT	76CT 121mm	2L, 3L, 6L or 7L	082472302769	-	1
3028080CT	80CT 127mm	2L, 3L, 6L or 7L	082472302806	-	1
3028888CT	88CT 140mm	2L, 3L, 6L or 7L	082472302882	-	1
3029696CT	96CT 152mm	2L, 3L, 6L or 7L	082472302967	-	1

Long tool life: Heat-resistant carbide teeth for long life in tile and stainless steel
Added durability: Thick backing plate resists damage and increases life
Unique tooth configuration: Engineered design provides ability to cut stainless steel like no other
Use standard or SNAP-BACK arbor
Note: We recommend the use of a carbide tipped pilot drill when cutting ceramic wall tile. Pilot drill 123CT fits the 1L, 2L, 4L or 7L arbors. Pilot drill 65CTPD fits the 5L and 6L arbors





SNAP-BACK™ Quick-Change Arbors



Item No.	Description	EAN	Master Pack	Shelf Pack
1768811	Snap-Back 2L Quick-Change Arbor	5706915077667	-	1
1768812	Snap-Back 5L Quick-Change Arbor	5706915077674	-	1
1768813	Snap-Back 6L Quick-Change Arbor	5706915077681	-	1

Hole Saw Arbors



Added durability: Hardened carbon steel for strength through the cross-section

Starts on contact: Split-point pilot drill bit for faster penetration and less walking

Simple plug ejection: 7L arbor is designed with sliding pins to easily eject plugs from hole saws

Item No.	Description/Fits Holesaw/Shank	Shank Size	EAN	Master Pack	Shelf Pack
1779774	1L 9L-19L Hex	13+	885363004755	90	1
1779801	2L 20L-96L Hex	13+	885363004762	90	1
1779802	3L 20L-96L Solid / Hex	13+	885363004779	54	1
1779803	4L 9L-19L 3-Sided	6+	885363004786	90	1
1779804	5L 9L-19L Hex	10+	885363004793	90	1
1779805	6L 20L-96L Hex	10+	885363004809	90	1
1779806	7L 24L-96L Hex	10+	885363004816	65	1

Bi-metal **SPEED SLOT®** Hole Saws Kits

NEW

Item No.	Description	EAN	Master Pack	Shelf Pack
1768436	9 pcs Plumber's Hole Saw Kit: 19, 22, 29, 38, 44, 68mm, Arbors: 2L, 5L, 1 x Arbor Adapter	5706915078022	-	1
1768556	17 pcs Electrician's Hole Saw Kit: 16, 19, 22, 25, 29, 32, 35, 38, 44, 51, 68, 76mm, Arbors: 1L, 2L, 2 x 4321 Pilot Drill Bits, 1 x 56PD Pilot Drill Bit	5706915078046	-	1
1768559	21 pcs Electrician's Hole Saw Kit: 19, 22, 25, 29, 35, 38, 44, 51, 57, 68, 76, 83, 92, 95, 105, 121mm, Arbors: 1L, 2L, 2 x 4321 Pilot Drill Bits, 1 x 56PD Pilot Drill Bit	5706915078053	-	1
1768662	8 pcs Electrician's Hole Saw Kit: 16, 20, 25, 32, 38, 51mm, Arbors: 1L, 2L	5706915078060	-	1
1768668	9 pcs Electrician's Hole Saw Kit: 16, 20, 25, 32, 41, 51, 64mm, Arbors: 1L, 2L	5706915078077	-	1
1768695	17 pcs Electrician's Hole Saw Kit: 19, 22, 29, 35, 44, 51, 64, 68, 76, 92, 105, 121mm, Arbors: 2L, 5L, 2 x 4321 Pilot Drill Bits, 1 x 56PD Pilot Drill Bit	5706915078107	-	1
1768696	10 pcs Electrician's Hole Saw Kit: 22, 29, 35, 44, 51, 64mm, Arbors: 2L, 5L, 1 x 4321 Pilot Drill Bit, 1 x Arbor Adapter	5706915078114	-	1
1768698	26 pcs Big Daddy™ Hole Saw Kit: 19, 22, 25, 29, 35, 38, 44, 51, 54, 57, 64, 68, 76, 83, 86, 92, 95, 105, 114, 121mm, Arbors: 1L, 2L, 5L, 2 x 4321 Pilot Drill Bits, 1 x 56PD Pilot Drill Bit	5706915078121	-	1
1768793	9 pcs General Purpose Hole Saw Kit: 22, 25, 32, 35, 38, 44, 54mm, Arbors: 5L, 6L	5706915078138	-	1
1768794	10 pcs Plumber's Hole Saw Kit: 19, 22, 29, 38, 44, 57mm Arbors: 2L, 5L, 1 x 4321 Pilot Drill Bit, 1 x Arbor Adapter	5706915078145	-	1
1768795	17 pcs General Purpose Hole Saw Kit: 16, 19, 22, 25, 29, 32, 35, 38, 44, 51, 64, 76mm, Arbors: 1L, 2L, 3 x 4321 Pilot Drill Bits	5706915078152	-	1
1768796	14 pcs Electrician's & Plumber's Hole Saw Kit: 19, 22, 29, 35, 38, 44, 51, 57, 64, 68mm, Arbors: 2L, 5L, 1 x 4321 Pilot Drill Bit, 1x Hex Key	5706915077698	-	1
1768797	8 pcs General Purpose Hole Saw Kit: 22, 25, 29, 32, 38mm Arbor: 5L, 1 x 4321 Pilot Drill Bit, 1x Hex Key	5706915077704	-	1



Carbide Tipped Hole Saw Kits

Item No.	Description	EAN	Master Pack	Shelf Pack
1768435	8 pcs Electrician's & Plumber's Carbide Tipped Hole Saw Kit: Hole Saws: 22, 29, 32, 35, 51, 65mm Arbors: 1L, 2L	5706915078039	-	1



One Tooth Wood Hole Cutters

Item No.	Description	Fits Arbor No.	EAN	Master Pack	Shelf Pack
2543434HC	34HC	54mm	082472254341	-	1
2543636HC	36HC	57mm	082472254365	-	1
2544141HC	41HC	67mm	082472254419	-	1
2545151HC	51HC	80mm	082472254518	-	1
2545454HC	54HC	86mm	082472254549	-	1
2545656HC	56HC	92mm	082472254563	-	1
2546464HC	64HC	102mm	082472254648	-	1
2546969HC	69HC	109mm	082472254693	-	1
2547474HC	74HC	117mm	082472254747	-	1
2548080HC	80HC	127mm	082472254808	-	1
2548787HC	87HC	140mm	082472254877	-	1
25312DIAF1	DIAF1 Diamond File		082472253122	-	1
25310SB38	SB38 10mm Pilot Bit		082472253108	-	1

Long lasting: High-speed steel tooth can cut over 300 holes before re-sharpening

Cuts fast: 10mm stubby spade bit helps remove material quickly

Unique cutting application: Provides the ability to cut at an angle

Rough wood cutting: Cuts wet, frozen, pressure treated and hard woods without binding

Easy to use: Allows for easy plug ejection

Use standard arbor



Carbide Hole Cutters

Item No.	Description	Fits Arbor No.	EAN	Master Pack	Shelf Pack
2385913CHC	20MMCHC 20mm	5L	082472238594	-	1
2009314CHC	14CHC 22mm	5L	082472200935	-	1
2009416CHC	16CHC 25mm	5L	082472200942	-	1
2009618CHC	18CHC 29mm	5L	082472200966	-	1
2009820CHC	20CHC 32mm	3L	082472200980	-	1
2010022CHC	22CHC 35mm	3L	082472201000	-	1
2010224CHC	24CHC 38mm	3L	082472201024	-	1
2010328CHC	28CHC 44mm	3L	082472201031	-	1
2385135PD	35PD 6mm Split Point Pilot Bit 3 x		082472238518	-	1
238523CHCAS	3CHC-AS Plug Ejector Spring for CHC 3 x		082472238525	-	1

Accurate, burr-free holes: Precision ground carbide teeth for fast cutting of clean, round holes

Long tool life: Heat-resistant carbide teeth for long life in sheet metal and stainless steel

Will not damage work: Over-drill stopper prevents the tool from penetrating beyond the hole

Starts on contact: Split-point pilot bit for faster penetration and less walking

Use standard arbor





Lenox DIAMOND® Hole Saws



The complete solution for cutting holes in porcelain, ceramics, granite, marble, glass, slate, fiberglass, travertine, cement board

Long lasting: Brazed diamond edge for more holes in tile and stone

Durable: Robust design for greater durability in tough applications

Fast cutting: The thin kerf enables a fast and easy cutting

Perfect centering: The high-performance carbide tipped pilot drill bit helps guiding the hole saw in the hardest ceramic materials

Easier plug removal: The round holes make removing plugs faster and easier

Use standard arbor

Note: Each LENOX DIAMOND™ Holesaw shelf pack contains a carbide tipped pilot drill bit and a hex key. Please read the usage instructions for high-quality cutting results.

Item No.	Description	Fits Arbor No.	EAN	Master Pack	Shelf Pack
10507823	DHS 19mm	1L, 4L or 5L	5706915078237	100	1
10507824	DHS 20mm	1L, 4L or 5L	5706915078244	100	1
10507825	DHS 22mm	1L, 4L or 5L	5706915078251	100	1
10507826	DHS 25mm	1L, 4L or 5L	5706915078268	100	1
10507827	DHS 29mm	1L, 4L or 5L	5706915078275	50	1
10507828	DHS 32mm	1L, 4L or 5L	5706915078282	50	1
10507829	DHS 35mm	2L, 3L or 6L	5706915078299	50	1
10507830	DHS 38mm	2L, 3L or 6L	5706915078305	50	1
10507831	DHS 44mm	2L, 3L, 6L or 7L	5706915078312	50	1
10507832	DHS 48mm	2L, 3L, 6L or 7L	5706915078329	50	1
10507833	DHS 51mm	2L, 3L, 6L or 7L	5706915078336	50	1
10507834	DHS 54mm	2L, 3L, 6L or 7L	5706915078343	50	1
10507835	DHS 57mm	2L, 3L, 6L or 7L	5706915078350	50	1
10507836	DHS 60mm	2L, 3L, 6L or 7L	5706915078367	50	1
10507837	DHS 64mm	2L, 3L, 6L or 7L	5706915078374	50	1
10507838	DHS 68mm	2L, 3L, 6L or 7L	5706915078381	50	1
10507839	DHS 76mm	2L, 3L, 6L or 7L	5706915078398	50	1
10507840	DHS 83mm	2L, 3L, 6L or 7L	5706915078404	20	1
10507841	DHS 102mm	2L, 3L, 6L or 7L	5706915078411	20	1
10507842	DHS 114mm	2L, 3L, 6L or 7L	5706915078428	20	1

Vari-Bit™ Step Drill Bits



Accurate, burr-free holes: Two flute design cuts fast, clean, round holes

Starts on contact: Split-point design for faster penetration and less walking

Long tool life: Steam oxide coating adds durability. Enhanced flute design removes chips rapidly, ensuring longer tool life

Item No.	Description	Chuck Size	EAN	Master Pack	Shelf Pack
30881VB1	VB1 13 steps 3, 4, 4.5, 5.5, 6, 7, 8, 8.5, 9.5, 10, 11, 12, 12.5mm	6	082472308815	-	1
30882VB2	VB2 9 steps 12.5, 14, 16, 17.5, 19, 20.5, 22, 23.5, 25mm	10	082472308822	-	1
30883VB3	VB3 9 steps 6, 8, 9.5, 11, 12.5, 14, 16, 17.5, 19mm	10	082472308839	-	1
30884VB4	VB4 6 steps 4.5, 6, 8, 9.5, 11, 12.5mm	6	082472308846	-	1
30886VB6	VB6 2 steps 9.5, 12.5mm	6	082472308860	-	1
30887VB7	VB7 1 step 22mm	10	082472308877	-	1
30908VB8	VB8 12 steps 4.5, 6, 8, 9.5, 11, 12.5, 14, 16, 17.5, 19, 20.5, 22mm	10	082472309089	-	1
30909VB9	VB9 3 steps 22, 28.5, 31mm	10	082472309096	-	1
30888VB11	VB11 2 steps 22, 28.5mm	10	082472308884	-	1
30912VB12	VB12 5 steps 22, 28.5, 31, 32, 35mm	10	082472309126	-	1
30925VBX8	VBX8 Extension 204mm Fits 9.5mm drill chuck & larger 1 per clam	-	082472309256	-	1

Vari-Bit™ Step Drill Bits, Metric

Item No.	Description	Chuck Size	EAN	Master Pack	Shelf Pack
30960MVB412	MVB412 9 steps 4, 5, 6, 7, 8, 9, 10, 11, 12mm	6	082472309607	-	1
30961MVB1424	MVB1424 7 steps 14, 16, 18, 20, 22, 24, 25mm	10	082472309614	-	1
30962MVB618	MVB618 7 steps 6, 8, 10, 12, 14, 16, 18mm	10	082472309621	-	1
30963MVB2034	MVB2034 8 steps 20, 22, 24, 26, 28, 30, 32, 34mm	10	082472309638	-	1
30964MVB528PG	MVB528PG 10 steps 5, 7.5, 10, 12.5, 15.2, 18.6, 20.4, 22.5, 25.5, 28.3mm	10	082472309645	-	1

Vari-Bit™ Step Drill Bit Kits

Item No.	Description	EAN	Master Pack	Shelf Pack
30889889	3pcs Kit - VB1, VB2, VB3 in plastic case	082472308891	-	1
30926VBK4	4pcs Kit - VB1, VB2, VB7, VB8 in plastic case	082472309263	-	1
30927VBKA6	6pcs Kit - VB1, VB2, VB6, VB7, VB8, VB11 in plastic case	082472309270	-	1

PROTOOL LUBE™ Lubricant

A unique synthetic blend designed to increase tool life: When cutting, milling, reaming, tapping and drilling metal, wood and plastics

Shortens cutting time by up to 50%: Provides smoother, cleaner cutting and dramatically longer blade life

Reduces heat and friction: Water-soluble, so it cleans up with water. Bio-degradable and non-toxic

Item No.	Description	EAN	Master Pack	Shelf Pack
68040LNX	ProTool Lube™ 0, 17 litre, 12 pcs. in Display	082472680409	-	12
68047	ProTool Lube™ 3,8 litre	082472680478	-	1





Close Quarter™ Saw



Fits into tight spots: Allows for cutting overhead or behind walls

Item No.	Description	EAN	Master Pack	Shelf Pack
20908908	CLOSE QUARTER™ SAW	082472209082	120	1
20906906	Replacement blades, 10pk, 150 x 64 x 0,35 mm x 32T	082472209068	50	1

PVC/ABS Plastic Pipe Handsaw



Breezes through material: Unique pull cutting teeth cut quickly through all plastic pipe and wood
Durable blade: Rigid carbon blade with hardened teeth for long life

Comfortable handle: Large opening for work gloves

Item No.	Description	EAN	Master Pack	Shelf Pack
20985HSF12	300mm blade & handle, 10TPI	082472209853	-	5
20980HSF18	450mm blade & handle, 10TPI	082472209808	-	5
20982HSB12	300mm replacement blade, 10TPI	082472209822	50	5
20981HSB18	450mm replacement blade, 10TPI	082472209815	50	5

Tri-Fold™ Saws



Convenient blade storage: Safely fold blade into handle

Compact design: Fits easily into pocket or tool box
Replaceable blades: Uses any standard reciprocating saw blade

Rugged design: Heavy-duty aluminium handle has a comfortable hand grip

Multi-purpose: Push button design locks blade into three different positions for multiple cutting applications

Item No.	Description	EAN	Master Pack	Shelf Pack
20997EU	Tri-Fold™ Saw with two blades: Multi Material and Plaster cutting	082472209976	-	5

Hacksaw Frames & Blades

The LENOX® Advantage

HT50 High-Tension Hacksaw



CONVERT TO A JAB SAW
Accepts a Lenox Recip blade



max. 5x
CONVENIENT BLADE STORAGE
No tool needed to store up to 5 extra blades



max. 12x
TENSIONS QUICKLY
in 12 turns maximum



45°
45° ANGLE BLADE
position for flush cutting

TIGHTENING MECHANISM

- Reduces blade bend wobble by 33%
- Maintains tension when not in use
- Loses less than 10% of tension over two weeks
- Able to continually tighten

COMFORTABLE GRIPS
Rubberised handles allow for confident handling even in wet or dirty environments




HIGHEST TENSION. EVER
Unique I-Beam construction: allows blade to tension up to 50,000 psi, resulting in fast, straight cuts.



Item No.	Description	EAN	Master Pack	Shelf Pack
10507542	HT50 high-tension Hacksaw, 300mm	5706915075427	-	5

Low Profile Hacksaw Frame



Item No.	Description	EAN	Master Pack	Shelf Pack
209205012	5012 Low profile, high tension hand hacksaw frame	082472209204	-	5

Fits into tight spots: Low-profile tip easily handles close-quarter cuts
Fast, straight cuts: Tensions up to 28,000PSI



88300 Lightweight Hacksaw



COMFORTABLE GRIP




HIGH-TENSION
Front tension knob tightens
for up to 30,000 psi

ERGONOMIC GRIPS
Front hand rest reduces fatigue in
continuous cutting applications



Item No.	Description	EAN	Master Pack	Shelf Pack
10507543	88300 Lightweight Hacksaw, 300mm	5706915075434	-	5


Hacksaw



Rugged design: Heavy-duty aluminium handle
Fits into tight spots: Allows for flush cutting
applications

Item No.	Description	EAN	Master Pack	Shelf Pack
20975975	975 Hacksaw with 250mm bi-metal blade	082472209754	45	5

Bi-Metal Hacksaw Blades



Shatter resistant: Bi-metal construction allows
blades to bend and flex

Item No.	Description	EAN	Master Pack	Shelf Pack
20116218HE	218HE 300 x 13mm 18TPI, 100pk	082472201161	5	1
20117224HE	224HE 300 x 13mm 24TPI, 100pk	082472201178	5	1
20118232HE	232HE 300 x 13mm 32TPI, 100pk	082472201185	5	1
20143V214HE	V214HE 300 x 13mm 14TPI, 10pk	082472201437	50	1
20144V218HE	V218HE 300 x 13mm 18TPI, 10pk	082472201444	50	1
20145V224HE	V224HE 300 x 13mm 24TPI, 10pk	082472201451	50	1
20146V232HE	V232HE 300 x 13mm 32TPI, 10pk	082472201468	50	1

Plastic Tubing Cutters

The LENOX® Advantage



The blade on the LENOX® Plastic Tubing Cutters is made with serrated stainless steel that requires 25% less cutting force than other cutters on the market; providing a straight, burr-free cut. The specifically designed jaw holds pipe in place while cutting with the serrated stainless steel blade.



R1 PVC Tube Cutter

STRAIGHT, EFFORTLESS CUTS

Specifically designed jaw holds pipe in place while cutting with the serrated stainless steel blade. The blade on the LENOX® Plastic Tubing Cutter is made with serrated stainless steel that requires 25% less cutting force than other cutters on the market; providing a straight, burr-free cut.



SPRING LIFE TESTING

Spring failure is typically catastrophic to a plastic tubing cutter tool. Rather than replacing the spring, a user typically replaces the tool itself. LENOX® performed tests on the Plastic Tubing Cutter spring testing rig to determine spring life. After 153,632 cycles, the cutters were removed from the rig. And after those 153,632 cycles, the springs still functioned perfectly. It would take an average user more than 10 years of consistent use to make that amount of cuts.

Item No.	Description	EAN	Master Pack	Shelf Pack
10507481	R1 PVC Cutter, 42mm	5706915074819	10	1
10507533	R1B-PVC Replacement Blade	5706915075335	25	1

Cuts up to 1-1/4" nominal (1-5/8" Max. OD - 42mm)
For all types of plastic tubing like PVC, CPVC, PEX, PE & PB tubing, flexible hose

R2 PVC Tube Cutter



Item No.	Description	EAN	Master Pack	Shelf Pack
10507482	R2 PVC Cutter, 60mm	5706915074826	-	1
10507534	R2B-PVC Replacement Blade	5706915075342	25	1

Cuts up to 2" nominal (2-3/8" MAX. OD - 60mm)
For all types of plastic tubing like PVC, CPVC, PEX, PE & PB tubing, flexible hose



S1 PEX Tube Cutter



Cuts up to 1" nominal (1-5/16" max. OD - 33mm)
For all types of plastic tubing like PEX, PE & PB tubing, flexible hose.

Item No.	Description	EAN	Master Pack	Shelf Pack
10507479	S1 PEX Cutter, 33mm	5706915074796	20	5
10507484	S1B-PEX Replacement Blade	5706915074840	25	1

S2 CPVC Tube Cutter



Cuts up to 1" nominal (1-5/16" max. OD - 33mm)
For all types of plastic tubing like PVC, CPVC, PEX, PE & PB tubing, flexible hose

Item No.	Description	EAN	Master Pack	Shelf Pack
10507480	S2 CPVC Cutter, 33mm	5706915074802	20	5
10507532	S2B-CPVC Replacement Blade	5706915075328	25	1


CU-INOX PRO Tube Cutter

The LENOX® Cu-INOX Pro Tube Cutters are heavy-duty, high precision tube cutters with telescopic action. With a zinc die-cast body and stainless steel rollers (4 rolls for better grip of the tube).

This cutter won't 'walk' during cutting thanks to its four-roller tracking system: 4 Rollers give smoothness and uniformity of cut and also permit a better grip of the tube.

The cutters will also clean and easily deburr pipes with the replaceable machinist's reamer.

Easy and quick to operate due to special arbor and ergonomic knob. With an oversized handle for quick and smooth operation and convenient wheel storage, this cutter includes one additional special copper cutting wheel (19 x 5mm) fixed inside the handle.



Material:

- Copper (Al + Cu for fast cuts) for max. tube wall thickness: 2mm
- INOX (Stainless Steel) for max. tube wall thickness: 2.5mm

Item No.	Description	Cutting Size	EAN	Master Pack	Shelf Pack
10507460	CU-INOX PRO 35	3-35mm	5706915075604	30	1
10507461	CU-INOX PRO 45	3-45mm	5706915075611	30	1

CU-INOX Multi 67 Tube Cutter



This Tubing Cutter can be used on plastic tube and Multi-layer pipes up to 67mm as well as applicable for copper tubes and stainless steel pipes. MULTI 67 cuts 6 -67mm (1/4" - 2-5/8") Cu + INOX + PVC + Multi-layer Tube

Item No.	Description	Cutting Size	EAN	Master Pack	Shelf Pack
10507462	CU-INOX MULTI 67	6-67mm	5706915074628	15	1



Mini Tube Cutters

Lenox Mini Tube Cutters are lightweight with an ergonomic knob and optimal tool size. The ideal solution for cutting tubes in difficult-to-access spaces.



Item No.	Description	Cutting Size	EAN	Master Pack	Shelf Pack
10507457	CU-INOX MINI 16	3-16mm	5706915074574	60	5
10507458	CU-INOX MINI 25	3-25mm	5706915074581	60	5
10507459	CU-INOX MINI 30	3-30mm	5706915074598	60	5

Close Quarter Tube Cutters

Single-action automatic tube cutting. These close quarter cutters are ideal for optimal accessibility in tight and confined spaces, even tight against a wall. Cuts copper with only a few turns. The cutter tightens onto the tube, cutting as you twist, without adjusting. Spare Wheels available.



Tightens onto the tube. Cutting as you twist, without adjusting

Item No.	Description	Cutting Size	EAN	Master Pack	Shelf Pack
10507464	CQ12	12mm	5706915074642	64	4
10507975	CQ14	14mm	5706915079753	64	4
10507465	CQ15	15mm	5706915074659	64	4
10507466	CQ16	16mm	5706915074666	64	4
10507467	CQ18	18mm	5706915074673	64	4
10507468	CQ22	22mm	5706915074680	64	4
10507469	CQ28	28mm	5706915074697	64	4

Spare Cutting Wheels, 4 Pack



Item No.	Description	Cutting Size	EAN	Master Pack	Wheels Per Pack
10507470	Cu-AI WHEEL	Multi 67/ PRO/ MINI 30	5706915074703	-	4
10507471	PVC WHEEL	Multi 67	5706915074710	-	4
10507472	INOX WHEEL	Multi 67/ PRO/ MINI 30	5706915074727	-	4
10507473	CQ WHEEL	CQ12-28	5706915074734	-	4
10507967	Cu-AI / INOX WHEEL	MINI 16/MINI 25	5706915079678	-	4

**The LENOX®
Advantage**





The LENOX®
Advantage





LENOX 





Belgium, Netherlands & Luxemburg

Newell Rubbermaid bv
IRWIN Industrial Tools
Edisonstraat 8
5051 DS Goirle - The Netherlands
Tel: Netherlands +31 (0)20 20 61 636
Fax: +32 (0)20 70 06 026

Eastern Europe

Iftode Universal
bd.G.Cosbuc nr.156
Galati,Romania
0236.310555, 0749.203585
office350@universalconstruct.ro

France

Newell Rubbermaid-
IRWIN Industrial Tools
122, avenue du Général Leclerc
92100 Boulogne Billancourt Cedex - France
Tel: +33 (0) 1 57 32 35 72
Fax: +33 (0) 2 40 38 79 99

Germany, Switzerland and Austria

Newell Rubbermaid -
IRWIN Industrial Tools GmbH
Erching 10 (Schloßgut)
85399 Hallbergmoos - Germany
Tel: +49 (0)69 38 07 89 435
Fax: +49 (0)69 38 07 89 542

Italy

Newell Rubbermaid-
IRWIN Industrial Tools
Viale Edoardo Jenner 55
20159 Milano - Italy
Tel: +39 (0)02 - 66 80 67 61
Fax: +39 (0)02 - 66 80 03 83

Middle East & Africa

Newell Rubbermaid
Dubai Airport Free Zone
West Wing, Building 6W
Block-B, Office 640, PO Box - 54554
Dubai - United Arab Emirates
Tel: +971-4-2923444
Fax: +971-4-2923437

Northern Europe

Newell Rubbermaid A/S
Stamholmen 157, 3 sal
2650 Hvidovre - Denmark
Tel: +45 43 68 22 12
Fax: +45 43 68 22 13

Finland

Puh: +358 972 51 92 52
Faksi: +358 972 51 92 53

Sweden

Tel: +46 (0) 8-517 61 670
Fax: +46 (0) 8-517 61 671

Norway

Tel: +47 24 15 99 24
Fax: +47 24 15 99 25

Spain

NEWELL Iberia
Parque Empresarial Las Mercedes
C/ Campezo Nº 1, Edificio 4
3ª planta derecha.
28022 Madrid - Spain
Tel: +34 91 354 48 00

UK

Newell Rubbermaid -
IRWIN Industrial Tools
Halifax Avenue, Fradley Park
Lichfield, Staffordshire WS13 8SS - UK
Main Tel: +44 (0) 1543 44 70 01
Customer Service Tel: 0844 412 1190
Customer Service Fax: 0844 412 1184

Europe, Middle East and Africa (EMEA) Headquarters

Newell Rubbermaid Europe Sarl
Chemin de Blandonnet 10
CH-1214 Vernier / Geneve
Switzerland
Tel: +41 (0) 22 419 00 00
Fax: +41 (0) 22 419 01 92

NewellRubbermaid
Brands That Matter