

Iftode Universal
sisteme de construcții

b u i l d i n g t o o l s

**ONE TOOL
AHEAD**



80
YEARS
OF INNOVATIONS



1937 - 2017

SUMMARY

2017 - 2018 GENERAL CATALOGUE

HISTORY	5
INTRODUCTION.....	6
DRYWALL TOOLS.....	8
Metal studs and tracks cutting solutions	10
Metal studs and tracks setting solutions	12
Plasterboard handling solutions.....	16
Insulating materials cutting solutions.....	20
Plasterboard cutting solutions.....	21
Measuring and marking solutions.....	27
Fastening solutions.....	30
Suspended ceiling solutions.....	32
Drywall solutions.....	34
Drywall taping solutions	36
Drywall sanding solutions.....	44
Cutting solutions	45
Drywall tools displays.....	46
MASONRY TOOLS	48
Masonry solutions	50
EXTERNAL THERMAL INSULATION TOOLS (E.T.I.C.S.)	56
Styrofoam cutting solutions	58
Mineral wool cutting solutions	64
External thermal insulation solutions	66
ROOFING TOOLS.....	68
Natural slate cutting and punching solutions	70
Slate roofing renovation solutions	74
Punching solutions	75
Roofing solutions	76
Metal seaming solutions	77
Cutting solutions	88
Roofing solutions	94
Measuring and marking solutions	98
Sealing solutions.....	100
Pipe crimping solutions.....	104
Fiber cement siding solutions.....	106
Plumbing solutions.....	107
Roofing tools displays	108
FLOORING TOOLS.....	110
Laminate, vinyl and PVC flooring solutions	112
Decoration tools solutions	117
WOODEN DECKING TOOLS.....	120
Wooden decking solutions	122
Leveling solutions.....	124
WIRE NET FENCING TOOLS.....	126
Wire net fencing solutions.....	128
Gabion solutions.....	134
Concertina razor wire solutions.....	136
Hog ring pliers solutions.....	137
Hog rings.....	138
SPARE PARTS	142
NEW WEBSITE	146

BAILLET-EN-FRANCE (95) - PRODUCTION / R&D PLANT



SAINT-RAPHAEL (83) - LOGISTIC / COMMERCIAL PLANT





Michel MARCON

Roger MALAGNOUX

HISTORY



Pierre GRÉHAL - 1907-1985

- 1937** : Creation of the private company Pierre GREHAL.
- 1950** : Launching of the famous EDMA® nibbler shears available in 6 specific models.
- 1953** : EDMA® becomes a registered trademark.
- 1984** : Roger MALAGNOUX, Mr. Pierre GREHAL's son-in-law, takes the leadership of the firm. He owns many French and international patents.
- 1993** : "Silver Key" award for the export activity by SIO (French Tool Manufacturing Industry Association).
- 1994** : "Mercury" award for the export activity, by the Chamber of Commerce of Yvelines-Val d'Oise.
- 1995** : Michel MARCON, Mr. Pierre GREHAL's last son-in-law, managing director since 1977, takes the leadership of the company.
- 1996** : INPI award for regional innovation at QUOJEM trade fair for a unique rack expansion tool : ULTRA-FIX®.
- 2002** : New environmentally-friendly packaging for the tools : "PACK ECO".
Translated into 9 languages, with 6 colors referring to each range of tools, and the use of pictograms.
Ets P. GREHAL is awarded TÜV ISO 9002 quality certificate.
- 2004** : Certification TÜV ISO 9001.
EDMA® becomes an international trademark.
Patent registration for the GT handles (EDMA® design, 2 colors and 2 materials).
- 2005** : The EDMA® brand becomes EDMA S.A.S., a subsidiary of Pierre Grehal.
- 2006** : Creation of EDMA S.A.S., subsidiary of Pierre GREHAL company, located on a 3.300 m² site in Saint-Raphaël (83-FRANCE).
EDMA S.A.S. new structure is certified TÜV ISO 9001.
- 2007** : INPI award for regional innovation.
Michel MARCON, president of the group, is elected chairman of the French Tool Manufacturing Industry Association (S.I.O.), which is associated with the Mechanic Industry Federation (F.I.M.).
- 2010** : Development of « SUPERPROSERIE » tools for professional builders only. Creation of a new ergonomic handle.
- 2012** : 75 years of activity.
Transfer of our plant from Saint-Brice (95) to Baillet-en-France (95).
New plant of 4.200 m² located in an industrial park.
- 2013** : Sébastien NEGRE, financial director, succeeds Michel MARCON for the group management.
- 2016** : Launching of the new generation panel lifter EDMAPLAC®.
- 2017** : P. GREHAL S.A. and EDMA® celebrate their 80 years anniversary.

INTRODUCTION



Since 1937, EDMA® company has been manufacturing hand tools for professional constructors.

Today, EDMA® product line is dedicated for 7 different ranges :

- DRYWALL TOOLS
- MASONRY TOOLS
- EXTERNAL WALL INSULATION TOOLS
- ROOFING TOOLS
- FLOOR COVERING TOOLS
- DECKING TOOLS
- GABION AND FENCING TOOLS

The company strategy is to develop innovative tools for time-saving and effort-saving solutions to professional contractors.



ENVIRONMENT-FRIENDLY PRODUCTION

To preserve the environment, EDMA® has always had a strategy of sustainable development. EDMA® manufacturing process emits no toxic substances into the atmosphere.

EDMA® headquarters are based in an ISO 14001 certified industrial technopark, where each company must meet rigorous standards in terms of ecology, such as waste management or reduction of energy consumption.

EDMA® production sites are set up in France in order to reduce the transport of goods and therefore limit greenhouse gas emissions. All the EDMA® tools are manufactured according to the REACH standard prohibiting the use of toxic chemicals harmful to consumers. The EDMA® packaging is designed to highlight the advantages of the tools on a minimal communication space.

The «TOUCH PACK» packaging offers an opportunity to see and touch the product. They are made from recycled plastic and 100% recyclable paper sheets printed under the «IMPRIM VERT» green label.

USER SAFETY

EDMA® tools are designed to limit efforts in use and help fight against musculoskeletal disorders (MSDs).

EDMA® tools are reliable to use and produce no noise or volatile dust, that can be harmful to user health.

The EDMA® tools with SUPERPRO SERIE® label, are designed for heavy-duty use, thanks to high quality manufacturing processes, the finest raw materials and new ergonomic and antiskid plastic handles (registered design) for user comfort.

EDMA QUALITY

Since 1937, EDMA® has developed «sustainable tools for a sustainable environment®.»

For this purpose, the group is certified ISO 9001 : 2015 for all its business processes.

To ensure its customers optimum and constant product quality EDMA® designs and manufactures its tools in France. Each EDMA® tool is tested in situations prior to marketing.



INNOVATION

The Research & Development department of EDMA® is dedicated to continually meet the needs of professionals and develop the construction and public works market in France and internationally.

EDMA® innovations are the result of an extensive field study in collaboration with a network of professional craftsmen to meet their application requirements.

EDMA® strives to develop practical and ergonomic tools, saving time and effort for the user.

A constant registration process of patents, trademarks and models accompanies the launch of new EDMA® tools.



WARRANTIES

All EDMA® tools are 2 years warranty*.

*except pneumatic, electrical tools and EDMAPLAC® : one year ; and laminate flooring guillotines : five years.

EDMA® replaces faulty products in case of manufacturing defect when the tool is used normally.

For each client claim about faulty product, our quality department gives an appropriate reply within 10 days.



A TEAM AT YOUR SERVICE

The logistics department of the group is equipped with the best storage and shipping equipment to meet order preparation deadlines within 48 hours.

Our 4 sales secretaries speak French, English, Spanish and German. They are at your disposal for all commercial requests.

Our sales team covers the entire territory to assure frequent visits to our customers.

EDMA® is established in over 60 countries worldwide across the 5 continents. Our export salesmen are EDMA® ambassadors globally and all our foreign partners are visited each year to ensure optimum commercial development.

EDMA® also attends many international construction equipment exhibitions.





DRYWALL TOOLS



010755

FLYER'S


Forged aviation snip

Iftode Universal
sisteme de construcții


shop tehnic



- Effortless cut.
- Cutting capacities :
 - 1.2 mm : sheet metal, galvanised, zinc.
 - 0.8 mm : stainless steel.
- Blade length : 42 mm.
- Drop forged chromium molybdenum steel jaws.
- Powerful and long lasting handle spring.
- One hand automatic latch release.
- Finger guard.
- New SUPERPRO SERIE grip.



Gencod : 3476063107807 4885 g



Gencod : 3476060001078 450 g


010955

APOLLO

Forged aviation snip right cut



- Effortless cut.
- Cutting capacities :
 - 0.9 mm : stainless steel.
 - 1 mm : blue sheet steel.
 - 1.2 mm : galvanised sheet, zinc.
 - 1.5 mm : copper, brass, sheet metal.
- Blade length : 35 mm.
- Drop forged chromium molybdenum steel jaws.
- Powerful and long lasting handle spring.
- One hand automatic latch release.
- Finger guard.
- New SUPERPRO SERIE grip.




Gencod : 3476060001092 525 g

109055 LEFT CUT



Gencod : 34760600010902 525 g



074555

PLURICOUPE' ERGO

Multi purpose pliers with angled blades



- Light and handy.
- 42 mm stainless steel polished serrated blades.
- Ergonomic handles and easy-to-close latch.
- Applications : home improvement, painting, gardening, textile industry, maintenance, construction, industry.
- Angled blades for an optimum comfort while cutting.



Gencod : 3476063745108 2000 g



Gencod : 3476060007452 167 g




- From 30 mm to 125 mm max. width and 60 mm max. height.
- Effortless clean cut without burr.
- Time-saving.
- Noise free.
- No risk of fire because of the lack of sparks.
- To cut ceiling suspension system and metal corner beads.
- Foldable body for an easier carriage and storage.



shop tehnic

VIDEO



METAL STUDS AND TRACKS CUTTING SOLUTIONS

DRYWALL TOOLS

**060055****PROFIL****Section setting pliers for studs and tracks****Iftode Universal**
sisteme de construcții**shop tehnic***«The Original»***PATENTED**

- Max. capacity : 1 + 1 mm.
- New patented punch.
- Fastening 60 % stronger.
- 30 % less effort.



350 mm




Gencod : 3476060006004 930 g

**060155****PUNCHING BLADE FOR PROFIL**

Gencod : 3476060006011 45 g

**061055****PROFIL 2 RM****Section setting pliers for studs and tracks***«The Original»***PATENTED**

- Special renovation.
- Max. capacity : 0,8 + 0,8 mm.
- For right and left setting.
- Articulated head which is ideal along the wall.
- New patented punch.
- Fastening 60 % stronger.
- 30 % less effort.



330 mm

**061855****PUNCHING BLADE FOR PROFIL 2 RM**




Gencod : 3476060006189 10 g



Gencod : 3476060006103 700 g

062055**MASTER PROFIL®****One hand section setting pliers for studs and tracks***«The Original»***PATENTED**

- One handed operation.
- Max. capacity : 1 + 1 mm.
- Sprung handle.
- New patented punch.
- Fastening 60 % stronger.
- 30 % less effort.



260 mm

**062155****PUNCHING BLADE FOR MASTER PROFIL®**

Gencod : 3476060006219 17 g

**062255****5 SPRINGS FOR MASTER PROFIL®**

Gencod : 3476060006226 31 g



Gencod : 3476060006202 720 g



«The Original»

PATENTED

300 mm



- For all types of studs and tracks.
- Max. capacity : 1 + 1 mm.
- Articulated head which is ideal along the wall.
- For right and left setting.
- New patented punch.
- Fastening 60 % stronger.
- 30 % less effort.



Gencod : 3476060006196 760 g



O61855

PUNCHING BLADE
FOR ERGOTOP®

Gencod : 3476060006189 10 g



O66855

ULTRA PROFIL®

One hand section setting pliers for all types of studs and tracks, without any effort

PATENTED



300 mm



- For all types of studs and tracks.
- One handed operation to crimp studs and tracks without any effort, thanks to its ratchet system (3 notches to move the punch to the metal framing and 1 notch and a half to crimp).
- Max capacity : 1 + 1 mm.
- New patented punch.
- Fastening 60 % stronger.
- 30 % less effort.



Gencod : 3476060006684 825 g



566855

PUNCHING BLADE
FOR ULTRA PROFIL®

Gencod : 34760600056689 34 g




16O455

DUO PROFIL

Section setting pliers for back-to-back studs

Iftode Universal
sisteme de construcții

- Specially designed to crimp back-to-back metal studs.
- Recommended in case of ceiling above 2,50 m height.
- Regular stud-to-track crimping from 90 mm width.
- Max. capacity : 1 + 1 mm.



26O455

REPLACEABLE PUNCHING
BLADE FOR DUO PROFIL

Gencod : 3476060026040 34 g



Gencod : 3476060016041 1490 g

O6O355


TWIN PROFIL®

Section setting pliers for back-to-back studs

PATENTED



- Large opening jaw to crimp back-to-back studs in one shot.
- Easy to use and time-saving.
- Regular stud-to-track crimping from 90 mm width.
- Max. capacity : 1 + 1 mm.



O61855

PUNCHING BLADE
FOR TWIN PROFIL®

Gencod : 3476060006189 10 g



Gencod : 3476060603555 1385 g


PATENTED


- To crimp all types of studs and tracks (even F530 studs for ceiling application).
- No crimping effort : let the drill do the job !
- Max. capacity : 1 + 1 mm.
- It fits all types of power drills/screwdrivers (from 14,4 Volts).


O61855
**PUNCHING BLADE
FOR POWER PROFIL**


**O64055****DUOPLAC****2 board carrier handles****Iftode Universal**
sisteme de construcții**shop tehnic**

- It carries up to 2 boards.
- Soft rubber grips.
- Durable tool.
- Can be hooked on the belt.
- Ø 15 mm steel handles to carry board by 2 persons.

**VIDEO**

Gencod : 3476060006400 1260 g

O64555**TRANSPLAC****Heavy duty board lifter**


- To carry boards and sheets by just one person.
- New wide base for better stability.

**VIDEO**

Gencod : 3476060006455 1240 g

O66055**FOOTPLAC****Board lever with steel stirrup**

- To lift panel for an accurate positioning thanks to its rocker system.
- Wide base to avoid panel damage.
- Also ideal to unhinge doors.
- New extra wide loop suitable for all safety footwear.

**VIDEO**

Gencod : 3476060006608 925 g



- position while screwing it to the metal framing.
- Durable tool and easy to use.
 - Offset handle.
 - Beveled edge to avoid damaging the plasterboard.



Gencod : 3476060006653 1515 g

O66355

SMALL QUICK SUPPORT

75-125 cm



- To block equipments during transport.
- Extendable from 75 cm to 125 cm.
- 90° max. support : 60 kg.
- 65° max support : 20 kg.
- Safety lock.
- Articulated top and bottom pads.
- Certified GS German norm.



Gencod : 3476060006639 1370 g

O66155

MEDIUM QUICK SUPPORT

160-290 cm



- To hold plasterboard to the top.
- Extendable from 160 cm to 290 cm.
- 90° max. support : 60 kg.
- 65° max support : 20 kg.
- Safety lock.
- NEW articulated top and bottom pads (20 x 6 cm).
- Certified GS German norm.



Gencod : 3476060006615 2200 g

O67855

GIANT QUICK SUPPORT

210-390 cm



- To hold plasterboard to the top.
- Extendable from 210 cm to 390 cm.
- 90° max. support : 60 kg.
- 65° max support : 20 kg.
- Safety lock.
- NEW articulated top and bottom pads (20 x 6 cm).
- Certified GS German norm.



Gencod : 3476060006783 3100 g



267355

EDMAPLAC[®] 450

New generation panel lifter

Iftode Universal
sisteme de construcții**PATENTED**

WITH 4 PATENTS

MAXIMUM LOAD : 80 KG *shop tehnic***MAXIMUM HEIGHT WITH EXTENSION : 4,50 M****MAXIMUM HEIGHT IN VERTICAL POSITION
WITH 2.50 M HEIGHT PANEL : 6,25 M**

- To lift plasterboard in every positions : horizontal (ceiling installation), angled (sloping ceiling installation) and vertical (wall installation).
- Ergonomic design with bi-material handle to tilt the top rack up to vertical position.
- Tool carrier wooden board included.
- Easy to pass through doorway thanks to its foldable feet.
- 3 wheels including 2 wheels with brake.
- Innovative braking system with 2 handles (main brake + safety brake) to lower the panel quickly under control.
- Automatic operation thanks to power drill assistance.
- Its rack and pinion system allows to lift plasterboards with less effort than other panel lifters.
- No noise while lifting on job sites.
- CE certified.
- In conformity with European directive «MACHINERY»-2006/42/CE.
- Approved by the VERITAS conformity report# 628 8214-1.

SPECIFICATIONS :

- Maximum board dimensions : 1,20 x 3,60 m
- Minimum board dimensions : 0,15 x 0,60 m
- Maximum height with extension part : 4,50 m
- Maximum height without extension part : 3,50 m
- Minimum height : 161 cm
- Maximum height for vertical lifting with 2,50 m height board : 6,25 m
- Board loading height without extension part : 84 cm
- Minimum width in moving/storage position : 63 cm
- Total gross weight : 53 kg

**MANUAL****AUTOMATIC**

CEILING INSTALLATION



SLOPING CEILING INSTALLATION



WALL INSTALLATION



Demo video



How-to video

Gencod : 3476060026736 53000 g



MAXIMUM LOAD : 65 KG

MAXIMUM HEIGHT : 3,60 M

PATENTED

WITH 3 PATENTS



- To lift plasterboard in horizontal (ceiling installation) and angled position (sloping ceiling installation).
- Ergonomic design with bi-material handle to tilt the top rack easily.
- 3 wheels including 2 wheels with brake.
- Innovative braking system with 2 handles (main brake + safety brake) to lower the panel quickly under control.
- Automatic operation thanks to power drill assistance.
- Its rack and pinion system allows to lift plasterboards with less effort than other panel lifters.
- No noise while lifting on job sites.
- CE certified.
- In conformity with European directive «MACHINERY»-2006/42/CE.
- Approved by the VERITAS conformity report# 628 8214-1.

SPECIFICATIONS :

- Maximum board dimensions : 1.20 x 3.60 m
- Minimum board dimensions : 0.15 x 0.60 m
- Maximum height : 3.60 m
- Minimum height : 166 cm
- Board loading height : 89 cm
- Minimum wheelbase width : 98 cm
- Total gross weight : 39 kg



MANUAL



AUTOMATIC



CEILING INSTALLATION



SLOPING CEILING INSTALLATION



Demo video



O69055

CANALCUT





Precision insulation cutter

Iftode Universal
sisteme de construcții

shop tehnic



- Groove stainless steel blade for making 35 mm (width) x 35 mm (depth) channel to insert pipes up to 32 mm diameter.
- 2 interchangeable blades :
 - 1/ 35 mm groove blade.
 - 2/ 80 cm blade for curved shape removal.
- Thermal bridges are easily avoided while cutting.
- Scoring E.P.S. plasterboard.
- Roofing water insulation grading.
- To cut insulation material.
- Complies with RT 2012.
- For all types of insulation materials, such as : E.P.S., polyurethane, rock wool, glass wool, underfloor heating.



O69555

SPARE BLADES - TWIN
35 X 35 MM FOR CANALCUT

Gencod : 3476060006950 105 g



O68155

4 BLADES SET 40, 60, 80,
100 MM FOR CANALCUT

Gencod : 3476060006813 135 g



Gencod : 3476060006905 850 g

O66455

300 MM INSULATION CUTTER



- Easy to use for all types of insulation materials.
- 2 different tooth shapes.
- Holster included.
- Symmetrical bi-material handle.
- To cut without any effort rock wool, glass wool, wood wool or hemp insulating panels, flax, cellulose wadding panels, etc...



Gencod : 3476060006646 255 g

168055

420 MM INSULATION CUTTER



- Easy to use for all types of insulation materials.
- 2 different tooth shapes.
- Holster included.
- Symmetrical bi-material handle.
- To cut without any effort rock wool, glass wool, wood wool or hemp insulating panels, flax, cellulose wadding panels, etc...



Gencod : 34760600016805 286 g

O64755

VARIO RAP

Plane for plasterboards & wood

Iftode Universal
sisteme de construcții

shop tehnic



257 mm



- 3 adjustable working positions.
- Replaceable rasps.



164755

FLAT RASP
FOR VARIO RAP

Gencod : 3476060016478 47 g



264755

ROUNDED RASP
FOR VARIO RAP

Gencod : 3476060026477 50 g



VIDEO



Gencod : 3476060006479 425 g

O66755

EASY RAP

Mini plane for plasterboard



- Replaceable rasp.
- Ergonomic design.



257 mm

Gencod : 3476060006677 185 g



166755

FLAT RASP
FOR EASY RAP

Gencod : 3476060016676 32 g



O60655

FOLDABLE SAFETY KNIFE WITH HOLSTER



- Foldable utility knife PRO for trapeze blades ref. 199255 and hook blades ref. 199655.
- 4 blades storage compartment.
- Holster included.



360655

FOLDABLE SAFETY KNIFE
DISPLAY BOX

199255

10 LARGE CUTTING UTILITY
BLADES

Gencod : 3476060036063 2000 g

Gencod : 3476060019929 51 g

Gencod : 3476060006066 278 g

PLASTERBOARD CUTTING SOLUTIONS

DRYWALL TOOLS

21



161055

PRESS PLAC PRO

Clamping press for plasterboard


Iftode Universal
sisteme de construcții**shop tehnic**

- Holding height : 32 cm.
- Locking screw for perfect holding.
- Carriage handle.
- To cut, drill or plane plasterboards in small area.



Gencod : 3476060016102 9350 g

163155

DRYWALL SCORING SQUARE

- Fast and clean cut.
- Max. 62 cm.
- Ideal to score and cut plasterboard.
- Compatible with all types of utility knife.
- Double measurement units : inch/mm.



Gencod : 3476060016317 615 g

262155

PRECYTAPE®

5 m x 30 mm measuring tape for drywall applications

Iftode Universal
sisteme de construcții

PATENTED



- New patented hook especially designed to cut plasterboard.
- Wide hook for easy use.
- Double marking : horizontal and vertical.
- With a built-in stopper button.
- Accuracy : class II (0,5 mm/m).
- Nylon leash included.



shop tehnic



Gencod : 3476062621557 350 g



• Horizontal marking.



• Vertical marking.



462155

PRECYTAPE® DISPLAY BOX




x 48

Gencod : 3476064621555 15625 g

160655

DRYWALL UTILITY KNIFE

With 25 mm snap-off blades



- 3 spare blades included.
- Security locking blade action.
- Ergonomic and heavy duty design.



160600

DRYWALL UTILITY KNIFE
DISPLAY BOX

x 12



160755

10 25 MM SNAP-OFF BLADES



Gencod : 3476061606005 3420 g

Gencod : 3476060016072 188 g

Gencod : 3476060016065 290 g


PLASTERBOARD CUTTING SOLUTIONS

DRYWALL TOOLS

23

**O67055****CROCOPLAC II****150 mm jab saw with teeth on both sides and holster included**


- Keyhole saw to cut plasterboard, cellular concrete, wooden panels, etc...
- Triple bezel blade.
- Teeth on both sides for multidirectional cutting.
- Light and easy to handle.
- Ergonomic bi-material handle.
- Holster included.

**Iftode Universal**
sisteme de construcții**shop tehnic**



Gencod : 3476060006707 203 g

O67255**CROCOPLAC II****250 mm jab saw with teeth on both sides and holster included**

- Keyhole saw to cut plasterboard, cellular concrete, wooden panels, etc...
- Triple bezel blade.
- Teeth on both sides for multidirectional cutting.
- Light and easy to handle.
- Ergonomic bi-material handle.
- Holster included.



Gencod : 3476060006721 238 g

O62955**PLAC & ROLL****150 mm drywall stripper**

- To cut 150 mm width plasterboard strips.
- Stainless steel wheels.
- Up to 18 mm thick with guide handle.
- To reshape boards with damaged and dirty corners due to bad handling.
- Panel height and width adjustment.

**162955****SET OF 2 SPARE WHEELS FOR PLAC & ROLL**

Gencod : 3476060016294 18 g

Gencod : 3476060006295 1068 g



- To cut plasterboard neatly and securely.
- Cutting capacity = max. 600 mm width and max. 25 mm thickness.
- Avoids to use utility knife.
- Replaceable stainless steel wheels (ref. 162955).
- Protection cap.
- Bi-material handle.



162955

SET OF 2 SPARE WHEELS FOR
PLAC & ROLL

**O62855****CORNER FIX****Hand tool for fixing metal corner beads****Iftode Universal**
sisteme de construcții**shop tehnic****262855**

NYLON TIP



Gencod : 3476060026286



50 g

**162855**

SET OF 2 JAWS FOR CORNER FIX






Gencod : 3476060016287



25 g



- For crimping metal corner bead on outside corner.
- Nylon tip.
- Ergonomic design.
- Replaceable jaws.
- Easy punching.

**O69255****RAP-PLAC VERSATILE****Chamfering plane for plasterboard**

- Chamfering angle : from 22 to 45°.
- Zinc plated steel body = durable tool.



300 mm

**199255**



10 LARGE CUTTING UTILITY BLADES



Gencod : 3476060019929



51 g





Gencod : 3476060006929



570 g




- Adjustable angle.
- Can be folded to 0° in order to save space.
- 7 mm thickness aluminium = light and durable.



Gencod : 3476060017307 1023 g




- 90 cm aluminium level profile.
- Stud slots and markers at 40 and 60 cm for standard stud layout.
- Slot width : 51 mm.
- Finds studs behind drywall sheets with layout markers on the level's side.
- 2 epoxy locked, solid acrylic vials : vertical vial and horizontal vial.
- Milled surface.
- Shockproof end caps.
- Accuracy : 0.5 mm/m.




275255

90 CM DRYWALL LEVEL XL
DISPLAY BOX

X 10



UV Resistant

Shockproof
Vials

0.5 mm/m

Plumb site®
Vial viewer

Magnetic

Gencod : 3476061752559 660 g



- Slot width : 40.7 mm.

Gencod : 3476062752558 8160 g

Gencod : 3476061751552 630 g



175055

5 M x 25 MM MEASURING TAPE

With nylon leash included

Iftode Universal
sisteme de construcții

shop tehnic

NEW



- Antishock rubber box.
- Tape width : 25 mm.
- Braking system and stopper button built-in.
- Accuracy : class II (0,5 mm/m).
- Belt hook.
- Nylon leash included.



Gencod : 347606175055 280 g

275055
5 M x 25 MM MEASURING TAPE DISPLAY BOX



Gencod : 347606275055 13650 g

060755

30 M ALU LINE

Alu chalk line reel

- Built-in filter system to prevent excess chalk.
- Rope diameter : 1 mm.
- Capacity : 80g.



Gencod : 3476060006073 177 g

360755
ALU LINE DISPLAY BOX



Gencod : 347600036070 1390 g

060555

30 M FAST LINE

Fast rewinding chalk line reel

- Rewinds 5 times faster.
- Built-in filter system to prevent excess chalk.
- Rope diameter : 1 mm.
- Capacity : 100 g.



Gencod : 3476060006059 165 g

360555
FAST LINE DISPLAY BOX



Gencod : 3476060036056 1300 g

O6O855

30 M CROSS LINE

Chalk line reel with bi-material handle

Iftode Universal
sisteme de construcții

shop tehnic



265 mm



- Ergonomic design with bi-material handle.
- Built-in filter system to prevent excess chalk.
- Rope diameter : 1,5 mm (braided).
- Capacity : 100 g.

Gencod : 3476060608550 296 g



36O855

30 M CROSS LINE + 200 G BLUE
MARKING CHALK DISPLAY BOX

X 6

Gencod : 3476063608557 3450 g

O61255

30 M GIANT LINE

Chalk line reel with large capacity



NEW



- Built-in filter system to prevent excess chalk.
- Rope diameter : 2 mm (braided).
- Capacity : 200 g.

Gencod : 3476060612557 295 g

O6O955

50 M MAX LINE

Chalk line reel with large handle



255 mm



- Chalk line reel with large handle for long distance marking.
- Special for bricklayer.
- Built-in filter system to prevent excess chalk.
- Rope diameter : 2,5 mm (braided).
- Capacity : 300 g.

Gencod : 3476060006097 600 g

MARKING CHALK

Chalk from french quarry

O63355

200 G BLUE MARKING CHALK



Gencod : 3476060006332 230 g



O63255

400 G BLUE MARKING CHALK



Gencod : 3476060006325 425 g

263655

1000 G OVERSEAS BLUE
MARKING CHALK

Gencod : 3476060026361 1070 g

O63155

1000 G BLUE MARKING CHALK



Gencod : 3476060006318 1035 g

O65255

3500 G BLUE MARKING CHALK



Gencod : 3476060006523 4250 g



020155

BABY-FIX® BRICO

Expansion tool for all metal anchors



Iftode Universal
sisteme de construcții

shop tehnic

«The Original»



- Ideal for DIY.
- Sprung handles.
- Double hinge.
- Good support surface : 100 x 20 mm.
- New anti finger pinching system.



Gencod : 3476060002013 400 g

021155




BABY-FIX® JUNIOR

Expansion tool for all metal anchors

«The Original»



- Ideal for serious DIY.
- Return spring and bi-material handles.
- Hardened steel arms and jaws.
- Double hinge.
- Good support surface : 100 x 20 mm.



Gencod : 3476060002112 440 g

020355




FIX

Professional expansion tool for all metal anchors

«The Original»



- Direct setting along the line of the hole.
- Sprung handles.
- Can be used with minimum effort.



Gencod : 3476060002037 475 g

O21355

SUPER-FIX[®]

Professional expansion tool for all metal anchors

Iftode Universal
sisteme de construcții


«The Original»



- Angled head to expand metal anchors in corners in one easy action.
- Sprung handles.
- Easy to use in confined spaces.



245 mm



Gencod : 3476060002136 450 g

O23155

SUPRA-FIX[®]

Professional expansion gun for all metal anchors

«The Original»




- Easy to use in small areas.
- Compact.
- Support surface : 20 x 20 mm.
- Improved stroke length : 20 mm.



180 mm



VIDEO



Gencod : 3476060002310 440 g

O23255

ULTRA-FIX[®]

Professional expansion gun for all metal anchors




- 5 notches ratchet action.
- Specially designed for effortless use with Ø 8 mm metal anchors.
- Exceptional support surface of 30 mm.
- Easy handle release system.
- Ergonomic and anti-slip plastic handles for an optimum comfort.



200 mm

PATENTED

VIDEO



Gencod : 3476060002327 545 g

FASTENING SOLUTIONS

DRYWALL TOOLS

31

161155

MOONWALKER

Adjustable stilts

Iftode Universal
sisteme de construcții

shop tehnic



VIDEO



- UNIQUE : articulated foot pads to allow natural walking.
- Adjustable from 45 to 76 cm.
- Maximum support weight : 102 kg.
- Time-saving for all workings in height.
- 2 pads for a better balance.
- Aluminium stilts = light and handy.
- New straps with metal buckle for a better stability.



1

2

3



Gencod : 3476060016119 7730 g

O61655

DUOTOP

48 mm metal tracks and studs, M6 threaded rod guillotine



- Allows to cut 48 mm metal tracks and studs, F530 profil, M6 threaded rod and Ø 4 mm metal wire.
- Ideal to install drywall suspended ceilings.
- Clean cut = immediate bolting.
- No noise.
- No sparks - No risk of fire - No special permit.
- 545 mm adjustable cutting guide can be positioned on the right or left.
- Up to 6.6 soft steel : 60 kg/mm².
- Cannot cut stainless steel threaded rod.



VIDEO



Gencod : 3476060616555 7380 g




O68655

F530 ADAPTOR FOR
DUOTOP

Gencod : 3476060006868 162 g



- Clean cut = immediate bolting.
- No noise.
- Application : suspended ceilings.
- Can be used to repair damaged rod.
- No metal scrap (no metal filings).
- No sparks - No risk of fire - No special permit.
- 545 mm adjustable cutting guide can be positioned on the right or left.
- Up to 6.6 soft steel : 60 kg/mm².
- Cannot cut stainless steel threaded rod.



165O55

SPARE DIE
FOR MINI RODCUT M6 & DUOTOP

Gencod : 3476060016508 125 g



VIDEO



Gencod : 3476060006509 4700 g



162255

3 HOLE SAW SET

Ø 60, 67, 74 mm

Iftode Universal
sisteme de construcții**shop tehnic**

- Special for plasterboard.
- For wood, PVC and plasterboard.
- Depth cut : 32 mm.



Gencod : 3476060016225 295 g

162355

5 HOLE SAW SET

Ø 68, 74, 80, 90, 100 mm



- Special for plasterboard.
- For wood, PVC and plasterboard.
- Depth cut : 30 mm.



Gencod : 3476060016232 575 g


261255

HOT BALL

Stainless steel hot ball - Diam. 35 mm



- To make a 40 mm diameter channel on insulating materials behind plasterboard without damaging them.
- Perfect to make your multimedia connections, switch and socket installations invisible.
- Time-saving = no need to groove the wall and to repaint it.
- STEP 1 : drill two 40 mm diameter holes on the plasterboard, in vertical way to each other with maximum 2,50 m width.
- STEP 2 : heat the hot ball with welding torch during 5 minutes.
- STEP 3 : insert the hot ball into the hole above. The hot ball melts the polystyrene to make a channel connecting the 2 holes.



Gencod : 3476060026125 600 g

162655


HSS STEP DRILL

Use for precision drilling of sheet metal and plastic up to 30 mm



- Drilling Ø : from 4 to 30 mm in 2 mm increments.
- Max. drilling depth : 3 mm.
- Stud drilling (even back-to-back type) to insert pipes.

100 mm



Gencod : 3476060016263 180 g

264055

THE DIMPLER®

Magnetic drywall screw retainer

Iftode Universal
sisteme de construcții

PATENTED



250 mm



- Converts your regular power drill into a professional drywall screwgun.
- Automatically countersinks screws to proper depth.
- Prevents stripping screw head.
- Eliminates paper tear of drywall.
- Ideal for plasterboard and particle board.
- Powerful magnet.
- Replaceable bit.
- Reverse mode.

shop tehnic



364055

THE DIMPLER® DISPLAY BOX



X 10



VIDEO

Gencod : 3476063640557 950 g

Gencod : 3476062640558 66 g



263955

6 PCS PH2 DRYWALL BIT



- Box of 6 PH2 bits, especially for plasterboard.
- Zinc coated stopper to screw perfectly in plasterboards without drilling through them.



Gencod : 3476060026392 95 g

260055

TOOL POUCH



- Made of smooth top-grain cowhide leather.
- Adjustable nylon belt.
- 8 pockets.
- 2 tool holders.
- 1 measuring tape pocket.



Gencod : 3476060026002 420 g

DRYWALL SOLUTIONS

DRYWALL TOOLS

35



164355

MULTI PURPOSE PAINT TOOL

Iftode Universal
sisteme de construcții

shop tehnic



- Steel blade hardened by treatment and protected by a varnish.
- Bi-material handle.
- 5 tools in 1 : trim, scraper, paint roll cleaner, screwdriver for paint roll, taping knife.

Gencod : 3476060016430  91 g

164555

PUTTY KNIFE

70 mm




- 50 HRC hardened and varnished steel blade.
- Large bevel.
- Brass ferrule.
- French origin wooden handle.

Gencod : 3476060016454  150 g

164055

RUBBER JOINT KNIFE



- To joint inner angles from 60° to 170° as well as round area.
- Made of rubber.
- Very light and easy to wash.
- Can be used with wooden pole.

Gencod : 3476060016409  145 g

O69855

DRYWALL TAPE HOLDER



- To hold and to dispense drywall tape.
- Can be hooked on belt.
- Quick opening design to replace tape easier.

Gencod : 3476060006981  370 g

165155

25 L RUBBER BRICKLAYER' S HOD

Iftode Universal
sisteme de construcții

shop tehnic



- Mixture of rubber and polyethylene combining the advantages of each of these materials : lightness, resistance and flexibility.
- Reinforced edges and sides.



Gencod : 3476060016515 1140 g

164655

12 L RUBBER BRICKLAYER' S HOD




- Mixture of rubber and polyethylene combining the advantages of each of these materials : lightness, resistance and flexibility.
- Reinforced edges and sides.

Gencod : 3476060016461 502 g

O66655

STAINLESS STEEL MUD PAN




- Ideal for repairs on plasterboard.
- Very resistant.
- Stainless steel.



Gencod : 3476060006660 345 g

O66955

P.P. PLASTIC MUD PAN



- With galvanized steel blades to strike-off excess compound.



Gencod : 3476060006691 270 g

O67901

BANJO TAPER II Drywall taper with TEK ROLL included



- Drywall taper with TEK ROLL accessory to apply easily drywall tape mixed with compound on walls, ceilings and inside corners.



161655

TEK ROLL - Accessory for drywall tapers



VIDEO

Gencod : 3476060016164 200 g



VIDEO



Gencod : 3476060679017 2200 g



JOINT KNIVES

With removable PH2 bit

Iftode Universal
sisteme de construcții

shop tehnic



- High drywall finishing performance.
- Ultra flexible polished stainless steel blade.
- With removable NR2 Phillips bit.

169055 - 100 mm	Gencod : 3476060016904	142 g
169155 - 125 mm	Gencod : 3476060016911	153 g
169255 - 150 mm	Gencod : 3476060016928	155 g



JOINT KNIVES



- Stainless steel blade, hardened and mirror finish.
- Bi-material handle.
- Ergonomic design.

165255 - 20 mm	Gencod : 3476060016522	56 g
165355 - 40 mm	Gencod : 3476060016539	62 g
165455 - 60 mm	Gencod : 3476060016546	68 g
165555 - 80 mm	Gencod : 3476060016553	78 g
165655 - 100 mm	Gencod : 3476060016560	83 g
165755 - 120 mm	Gencod : 3476060016577	92 g
165855 - 150 mm	Gencod : 3476060016584	105 g





- Special drywall knives.
- Stainless steel round shape blade.
- 90° edges.
- Unremovable waterproof handle.
- Ergonomic handle for a perfect positioning of the thumb.
- High resistance to solvents and shocks.
- No sharp edges on the handle = easy to clean.
- Blade thickness : 0.5 mm.



Iftode Universal
sisteme de construcții
shop tehnic

265155 - 100 mm	Gencod : 3476060026514	109 g
265255 - 120 mm	Gencod : 3476060026521	112 g
265355 - 140 mm	Gencod : 3476060026538	140 g
265455 - 160 mm	Gencod : 3476060026545	142 g
265555 - 180 mm	Gencod : 3476060026552	148 g
265655 - 200 mm	Gencod : 3476060026569	183 g
265755 - 220 mm	Gencod : 3476060026576	185 g
265855 - 240 mm	Gencod : 3476060026583	191 g



JOINT KNIVES

Iftode Universal
sisteme de construcții

shop tehnic



- For all finishing coating.
- Ultra flexible stainless steel blade.
- Bi-material handle.



169355 - 200 mm	Gencod : 3476060016935		203 g
169455 - 250 mm	Gencod : 3476060016942		232 g
169555 - 300 mm	Gencod : 3476060016959		261 g
169655 - 350 mm	Gencod : 3476060016966		291 g

166355 60 CM TAPING KNIFE



- Stainless steel blade.
- Bi-material ergonomic riveted handle.
- Ideal to spread compound on large areas.

Gencod : 3476060016638 434 g

167055 CORNER COATING KNIFE



- Ideal to spread compound in inaccessible areas.
- Polished stainless steel blade.
- Bi-material handle.



Gencod : 3476060016706 119 g

167955 HALF ROUND KNIFE



- Ideal to spread compound in angles.
- Polished stainless steel blade.
- Bi-material handle.




Gencod : 3476060016799 127 g




171155 - 4 CM

Gencod : 3476060017116 23 g



171455 - 10 CM

Gencod : 3476060017147 60 g



171655 - 15 CM

Gencod : 3476060017161 104 g



171755 - 25 CM

Gencod : 3476060017178 335 g



171855 - 35 CM

Gencod : 3476060017185 450 g



171955 - 45 CM

Gencod : 3476060017192 598 g



172055 - 60 CM

Gencod : 3476060017208 771 g



172155 - 80 CM

Gencod : 3476060017215 1104 g



172255 - 100 CM

Gencod : 3476060017222 1260 g

172555

2 x 1 M PERFECT LISS EXTENSION

ADJUSTABLE TO A POLE.

- To smooth perfectly compound on large area.
- Compound saving and almost no sanding.
- Ideal to smooth airless coating and taping jobs.
- BI-FLEX technology blade : tempered and flexible.
- Blade thickness : 0.3 mm.
- Special taping knives for perfect smoothing.
- TIME-SAVING ! STAINLESS STEEL, ERGONOMIC, LIGHT,



- Ultra light aluminium pole.
- Easy lock system.
- For ceilings, floors and walls.

Gencod : 3476060017253 724 g



O65455

INSIDE CORNER TROWEL

Iftode Universal
sisteme de construcții

shop tehnic



- Very resistant.
- Ergonomic handle.
- Angle 103°.
- To spread compound on both interior sides of the wall in one single pass.

Gencod : 3476060006547 220 g

O65755

OUTSIDE CORNER TROWEL



- To spread compound on both exterior sides of the wall in one single pass.
- Special external wall insulation.
- Very resistant.
- Ergonomic handle.
- Angle 87°.

Gencod : 3476060006578 220 g

166455

INSIDE CORNER ROLLER



- To tighten the drywall tape in the horizontal and vertical inside corners.
- With its handle of 140 cm, you can use the inside corner roller for ceiling up to 3,5 m height.
- Aluminium handle.



Gencod : 3476060016645 908 g

166655

OUTSIDE CORNER ROLLER



- To tighten the drywall tape in the horizontal and vertical outside corners.
- With its handle of 140 cm, you can use the outside corner roller for ceiling up to 3,5 m height.
- Aluminium handle.



Gencod : 3476060016669 805 g

O69955

ALUMINIUM TROWEL


330 x 330 mm

Iftode Universal
sisteme de construcții

shop tehnic



- To hold compound before application.
- Ergonomic and smooth neoprene handle.
- Aluminium.
- Corrugated surface to maintain compound on the trowel.



Gencod : 3476060006998 795 g


266055

PLASTERING TROWEL

280 x 120 mm stainless steel blade



- Bi-material handle.
- Stainless steel blade.



Gencod : 3476060026606 454 g



266155

PLASTERING TROWEL

280 x 120 mm curved stainless steel blade



- Bi-material handle.
- Stainless steel blade.
- Curved blade to load more compound.



Gencod : 3476060026613 452 g

266255

PLASTERING TROWEL

280 x 120 mm beveled stainless steel blade



- Bi-material handle.
- Stainless steel blade.
- Beveled edges for surface finishing without any imperfection.



Gencod : 3476060026620 451 g



163355

ABRASIVE SPONGE

120 x 90 x 25 mm - Grit 60

Iftode Universal
sisteme de construcții

shop tehnic



- Special angles and corners.



Gencod : 3476060016331 40 g

166955

CLEAN SANDER

Pole sander adaptable on vacuum cleaner



- Allows to sand without dust.
- Trowel support for mesh sanding sheets.
- Fits on most vacuum cleaners.
- To vacuum dust while sanding.
- Comfortable soft grip handle.



VIDEO

Gencod : 3476060016690 983 g

161255

EASY LOCK SANDER

For wall and ceiling surface sanding and finishing



- No dust accumulation on the sheet.
- Quick and easy abrasive netting sheet replacement.



VIDEO

Gencod : 3476060016126 385 g

10 PCS OF ABRASIVE MESH SANDING SHEETS

290 x 100 mm



- No dust accumulation on the sheet.



163555 - Grit 80



Gencod : 3476060016355 170 g

163655 - Grit 120



Gencod : 3476060016362 170 g

163755 - Grit 240



Gencod : 3476060016379 170 g

161355

EASY LOCK TELESCOPIC SANDER

For wall and ceiling surface sanding and finishing



- Allows to sand walls and ceilings up to 4 m height without using scaffolding or step ladder.
- Adjustable to a telescopic handle ref. 169955 (not included).



169955

TELESCOPIC POLE
EXTENDABLE FROM 1 M TO 2.40 M.

Gencod : 3476060016133 285 g

Gencod : 3476060016997 637 g



«The Original»




240 mm



- Fast, neat and effortless cutting.
- Steel blade guard.
- Interchangeable utility blade.
- Ideal to cut the following materials :
 - Plastic sections
 - Rubber glazing joints
 - Decorative mouldings
 - Tiling edging trim
 - PVC tape

shop tehnic



199255

10 LARGE CUTTING UTILITY BLADES



Gencod : 3476060019929 51 g



VIDEO



Gencod : 3476060007001 425 g



240 mm



- 65 mm blade which can be sharpened.
- Cuts at 90°.
- Cuts up to 40 x 10 mm.



Gencod : 3476060007506 390 g



330 mm



- 105 mm stainless steel blade.
- Specially for rubber, vinyl, windows seals, etc...
- Ideal to cut plastic strip cableways.
- Gradual jaw for more accuracy while cutting.
- 40° opening with max. 12 mm cutting thickness.
- Ergonomic and bi-material handles.



Gencod : 3476060007254 570 g



- Shears with 4 interchangeable base.
- 65 mm flat cutting base (electrical flat cables, cords, rubber, cardboard, etc.).
- Mitre cutting base (flat surfaces and quarter round of wood or composite, decorative molding, PVC profiles for tile finishing, rubber seals, etc.).
- Cutting base for cutting 16 mm and 20 mm pipes (for IRL, ICTA, PVC pipes).
- Cutting base for cutting 45 x 25 mm wire duct.
- Clean cut without any distortion.
- No need to deburr : time-saving.
- 65 mm stainless steel blade, interchangeable, can be sharpened.
- Carrying case included.

Gencod : 3476060017000 767 g



1 M DRYWALL TOOLS DISPLAY

Iftode Universal
sisteme de construcții

shop tehnic

Iftode Universal

sisteme de construcții

- HANDLING
- CRIMPING
- CUTTING
PLANING
- MEASURING
FASTENING

220 cm

180 cm

100 cm

DRYWALL TOOLS DISPLAY

DRYWALL TOOLS



1 M TAPING TOOLS DISPLAY



Iftode Universal

sisteme de construcții

TAPING

SANDING




DRYWALL TOOLS DISPLAY

DRYWALL TOOLS

Iftode Universal

sisteme de construcții





MASONRY TOOLS

266955

REBAR GUILLOTINE

Max. bending 16 mm / max. cutting 18 mm

Iftode Universal
sisteme de construcții

shop tehnic



- Allows to cut steel rebar (18 mm max. diameter).
- Double function : cutting and bending.
- Max. diameter for cutting application : 18 mm.
- Max. diameter for bending application : 16 mm.



Gencod : 3476060026699 19400 g

O45555

TORNADO PRO

Professional automatic binder for metal loop tie wire



- 3 laps per cycle.
- Ideal for rebar fastening or fencing applications.
- Soft hand grip.



VIDEO



Gencod : 3476060004550 380 g

LOOP TIE WIRE



96O452 - 1000 PCS OF GALVANIZED LOOP TIE WIRE

Ø 1 mm x 120 mm

Gencod : 3476060004529 ≈ 1200 g



96O457 - 1000 PCS OF ANNEALED LOOP TIE WIRE

Ø 1,1 mm x 100 mm

Gencod : 3476060004574 ≈ 1200 g



96O449 - 1000 PCS OF ANNEALED LOOP TIE WIRE

Ø 1,1 mm x 120 mm

Gencod : 3476060004499 ≈ 1500 g



96O453 - 5000 PCS OF ANNEALED LOOP TIE WIRE

Ø 1,1 mm x 120 mm

Gencod : 3476060004536 ≈ 7050 g



96O458 - 1000 PCS OF ANNEALED LOOP TIE WIRE

Ø 1,1 mm x 160 mm

Gencod : 3476060004581 ≈ 1700 g



- For different kinds of fastening : rebar, fencing, gravel bags.
- To use with automatic binder ref. O45555 TORNADO PRO.
- Approximative quantity per coil.



961480 - 1000 PCS OF ANNEALED LOOP TIE WIRE

Ø 1,1 mm x 140 mm

Gencod : 3476060014801 ≈ 1600 g



96O459 - 5000 PCS OF ANNEALED LOOP TIE WIRE

Ø 1,1 mm x 140 mm

Gencod : 3476060004598 ≈ 8050 g



963453 - 1000 PCS OF ANNEALED LOOP TIE WIRE

Ø 1,1 mm x 180 mm

Gencod : 3476060034533 ≈ 1800 g



962449 - 1000 PCS OF ANNEALED LOOP TIE WIRE

Ø 1,1 mm x 200 mm

Gencod : 3476060024497 ≈ 2000 g

125 MM CURVED DISCS



O92855 - Medium grit 24

Gencod : 3476060009289 255 g



O92755 - Fine grit 36

Gencod : 3476060009272 248 g



- Tungsten carbide universal abrasive discs.
- Heavy duty. Last up to 160 times longer than traditional abrasives.
- Polishing, deburring, surface finishing.
- For all types of materials, such as : steel, wood, cement, concrete, plaster, PVC, mild stone and rust.



VIDEO

Iftode Universal
sisteme de construcții

shop tehnic



390600

ABRADISC DISPLAY
3 pcs of fine grit disc
+ 6 pcs of medium grit disc



Gencod : 3476060039064 2610 g




173155

600 MM MASON SQUARE



- Steel square.



Gencod : 3476060017314 970 g

O64855

LATTIFIX

Crimping pliers for veined lathing



210 mm



- To crimp veined lathing panels together without any staple.
- Time-saving.
- Quick and effortless assembly of veined lathing.
- Applications :
 - Renovation.
 - Thermal insulation.
 - Fire-blocking.



VIDEO



Gencod : 3476060006486 395 g

Iftode Universal
sisteme de construcții
shop tehnic



290255

1ST CHOICE BEECH WOOD
HANDLE Ø 32

- For all scrapers.



Gencod : 3476060029027 645 g



- Hardened steel with riveted standard socket.
- Examples of application :
 - To clean construction sites.
 - To remove easily concrete dust, snow or ice.
 - To remove carpet, linoleum, flooring underlay, adhesive remnants.
- 36 mm conical shell to connect to wooden handle.
- Resistance : 125 kg/mm².
- Blade thickness : 1 mm.



O90155 - 150 mm

Gencod : 3476060009012 367 g



O90055 - 300 mm

Gencod : 3476060009005 543 g



O95055 - 500 mm

Gencod : 3476060009500 780 g

O96055

CONCRETE SPREADER

Ultra resistant heavy-duty spreader



- Allows to spread concrete easily thanks to its 500 mm width blade.
- Lifting hook (Ø 10 mm) for rebar.
- 29 mm conical shell for standard wooden handle.



Gencod : 3476060009609 1230 g

266355

FLOORING TROWEL WITH 455 MM STAINLESS STEEL BLADE



- Special concrete smoothing.
- Bi-material handle.
- Stainless steel blade.

Gencod : 3476060026637 514 g



- Quick adjustment system.
- Ideal to carry easily stone tile, concrete block or wooden duckboard.
- Adjustable up to 665 mm width max. and 280 mm mini.
- Maximum loading weight : 25 kg.
- Centered handle whatever the width of tile to carry.



35 mm

3,4 mm




maxi 665 mm - mini 280 mm


Iftode Universal
sisteme de construcții

shop tehnic





- To spread glue or mortar homogeneously on cellular concrete.
- Made by pressing machine.
- Galvanized steel.
- Can be hooked on a bucket thanks to its hook.



173255 - 75 mm

Gencod : 3476060017321  378 g



173355 - 100 mm

Gencod : 3476060017338  391 g



173455 - 150 mm

Gencod : 3476060017345  473 g



173555 - 175 mm

Gencod : 3476060017352  492 g



173655 - 200 mm

Gencod : 3476060017369  546 g



173755 - 240 mm

Gencod : 3476060017376  588 g



173855 - 300 mm

Gencod : 3476060017383  711 g



173955 - 360 mm

Gencod : 3476060017390  771 g



174055

GROOVE CUTTER FOR CELLULAR CONCRETE



- Max. groove width : 25 mm, for electrical pipes.
- Easy-to-use hand tool.
- Ergonomic bi-material grip.

Gencod : 3476060017406  600 g

174155

CUTTING GUIDE FOR CELLULAR CONCRETE



- Allows a perfect 90° straight cut.
- Durable tool (made of steel).
- Internal dimensions : 25 x 25 x 26 cm.
- With 2 handles for left and right handers.

Iftode Universal
sisteme de construcții

shop tehnic

Gencod : 3476060017413  1280 g

O99355

ABRARAP 90°

Tungsten carbide sanding trowel for cellular concrete



- Special cellular concrete sanding.
- Ultra resistant tungsten carbide.
- With a 90° corner.
- Grit 36.

Gencod : 3476060009937  680 g

MASONRY SOLUTIONS

MASONRY TOOLS



Iftode Universal
sisteme de construcții

shop tehnic

Iftode Universal
sisteme de construcții

shop tehnic



EXTERNAL THERMAL INSULATION TOOLS (E.T.I.C.S.)



Aluminium bow

Hot wire

Scaffold hanging accessory

Iftode Universal
sisteme de construcții

shop tehnic

Ruler
(4 - 80 cm)

Transformer

Accessories included :

- Carrying case with wheels
- Scaffold hanging accessory
- Folding feet
- 2 hot wires



- Hot wire cutting machine for a clean cut without polystyrene beads projection.
- For expanded and extruded polystyrene (E.P.S. and X.P.S.).
- Max. depth : 330 mm.
- Max. height : 1320 mm.
- Max. width : 1550 mm.
- From 0° to 90° angle cuts.
- From 90° to 15° chamfered cuts.
- Groove cutting until 300 mm depth.
- Temperature of the hot wire : 350°C.
- Transformer : 40 V / 200 W / 230 V.
- CE certified.




POSSIBLE CUTTING SHAPES


RECTANGULAR




ANGLED




CHAMFERED



STEPPED



GROOVED



Gencod : 3476060026651 27400 g



366855

1500 MM SPARE HOT WIRE FOR
PROFESSIONAL CUTTING TABLE

Gencod : 3476060036681 7 g

526667

FOOT SWITCH FOR HOT WIRE CUTTING TABLE



- Cutting action controlled by foot.
- Allows to get free hands to make step cuts or channels easily on E.P.S. panels.
- Secured by a steel shell.




Gencod : 3476065266670 1024 g



- Cutting accessory for Expanded Polystyrene (EPS) and Extruded Polystyrene (XPS) to adapt on hot wire cutting table (ref 266555).
- Especially for corner cutting and vertical cutting of polystyrene panels.
- Maximum cutting depth : 500 mm.
- Maximum cutting thickness : 310 mm.
- 2 different positions on the hot wire cutting table :
 - Max. 1000 mm height.
 - Max. 600 mm height.
- The charging time of the battery is 70 minutes.
- The battery autonomy is about 5 hours*
(*for an average of 20 seconds per cutting action and 4 minutes break between each cut).

Iftode Universal
sisteme de construcții
shop tehnic

POSSIBLE CUTTING SHAPES



Accessories included :

- Carrying case.
- Li-ion battery and charger.



466855

710 MM SPARE HOT WIRE FOR CORNER CUTTER



Gencod : 3476060046680 5 g



Gencod : 3476060036667 9135 g



526668

SPARE BATTERY FOR CORNER CUTTER ACCESSORY



- Li-ion battery (10,8 V - 1,5 Ah).
- Charging time of the battery : 70 minutes.
- Battery autonomy : approx. 5 hours*
(*for an average of 20 seconds per cutting action and 4 minutes break between each cut).

Gencod : 3476065266687 237 g



260155

SIMPLIFIED HOT WIRE CUTTING TABLE

For styrofoam panel, especially for E.T.I.C.S. applications



- Hot wire cutting machine for a clean cut without polystyrene beads projection.
- For expanded and extruded polystyrene (E.P.S. and X.P.S.).
- Max. depth : 330 mm.
- Max. width : 1370 mm.
- From 0° to 90° angle cuts.
- From 90° to 15° chamfered cuts.
- Temperature of the hot wire : 350°C
- Transformer : 40 V / 200 W / 230 V.
- CE certified.

Iftode Universal
sisteme de construcții

shop tehnic



266855

1370 MM SPARE HOT WIRE FOR SIMPLIFIED
CUTTING TABLE

Gencod : 3476060026682 6 g



POSSIBLE CUTTING SHAPES

RECTANGULAR



ANGLED



CHAMFERED





- Hot wire cutting bow for a clean cut without polystyrene beads projection.
- For expanded and extruded polystyrene (E.P.S. and X.P.S.).
- Max. depth : 330 mm.
- Max. width : 1370 mm.
- Temperature of the hot wire : 350°C.
- Transformer : 40 V / 200 W / 230 V.
- CE certified.




Iftode Universal
sisteme de construcții
shop tehnic

POSSIBLE CUTTING SHAPES*

RECTANGULAR

ANGLED



*With a wooden template (not included).



266855

1370 MM SPARE HOT WIRE FOR CUTTING BOW



Gencod : 3476060026682 6 g



Gencod : 3476060026668 6100 g



526666

BATTERY PACK FOR HOT WIRE CUTTING TABLE



- Compatible with the professional hot wire cutting machine ref. 266555, the simplified hot wire cutting machine ref. 260155 and the hot wire cutting bow ref. 266655.
- Composed of a Li-ion battery (36 V - 1,5 Ah) and its charger + a battery rack to connect to the machine.
- Charging time of the battery : 70 minutes.
- Battery autonomy : approx. 5 hours*.
- (*for an average of 20 seconds per cutting action and 4 minutes break between each cut).

Gencod : 3476065266663 1487 g



526665

SPARE BATTERY FOR HOT WIRE CUTTING TABLE




- Compatible with the professional hot wire cutting machine ref. 266555, the simplified hot wire cutting machine ref. 260155, the hot wire cutting bow ref. 266655 and the cordless hot knife ref. 366455.
- Li-ion battery (36 V - 1,5 Ah).
- Charging time of the battery : 70 minutes.
- Battery autonomy : approx. 5 hours*.
- (*for an average of 20 seconds per cutting action and 4 minutes break between each cut).

Gencod : 3476065266656 610 g

164955

380 x 160 MM ABRASIVE SANDER, SPECIAL FOR EXTERNAL INSULATION



- Special for external insulation and cellular concrete.
- To avoid using abrasive paper.



Gencod : 3476060016492 750 g



366455

CORDLESS HOT KNIFE FOR STYROFOAM, SPECIAL E.T.I.C.S.

- For a clean cut without polystyrene beads projection on styrofoam panel (E.P.S. and X.P.S.).
- Effortless cutting without any dust.
- 2 lithium batteries (36 V - 1.5 Ah) included.
- Blade length : 200 mm.
- The blade temperature reaches 500°C in few seconds.
- CE certified.
- Supplied with a plastic case including a 200 mm blade, a charger, 2 batteries, a metallic brush and a fixing key.



Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476063664553 3935 g

366755

HOT KNIFE FOR STYROFOAM, SPECIAL E.T.I.C.S.

- To cut neatly EPS / XPS insulation foam without any dust.
- Blade length : 200 mm.
- The blade temperature reaches 500°C in few seconds.
- Power : 190 W.
- CE certified.
- Supplied with a plastic case including a 200 mm blade, a metallic brush and a fixing key.

**266755**15 CM SPARE BLADE
FOR HOT KNIFE

Gencod : 3476062667555 37 g

**466755**20 CM SPARE BLADE
FOR HOT KNIFE

Gencod : 3476060046673 42 g

Gencod : 3476060036674 1284 g



- Maxi. 70 mm depth.
- Mini. 25 mm depth.
- Ideal for electrical box.

Gencod : 3476060046642  95 g

- Perfect 30 mm groove cut.
- Ideal for electrical pipes.

Gencod : 3476060046659  105 g

- Perfect straight cut up to 210 mm width.

Gencod : 3476060046666  365 g



366955

MINERAL WOOL CUTTING TABLE

Iftode Universal
sisteme de construcții

shop tehnic



- Special for rock wool panels.
- Ideal to cut sheep wool, glass wool, cellulose wadding... Allows accurate and clean cuts.
- For maximum panel dimensions : 1400 x 1200 mm.
- Maximum cutting thickness : 260 mm.
- Chamfered cut up to 45°.
- Angle cut up to 50°.
- Made in aluminium.
- Included accessories :
 - 300 mm knife for insulation material
 - Carrying case with wheels.



CARRYING CASE WITH WHEELS

POSSIBLES CUTTING SHAPES

RECTANGULAR



ANGLED



CHAMFERED



Gencod : 3476060036698 27750 g



Iftode Universal
sisteme de construcții
shop tehnic



- Special for mineral insulation material such as rock wool.
- 14.4 V - 1.5 Ah Li-ion battery and charger included.
- Blade length : 300 mm.
- Effortless, accurate and clean cut.
- CE certified.



Gencod : 3476060036629 2636 g



366355

300 MM BLADE FOR INSULACUT



Gencod : 3476060036636 67 g



536621

**SPARE BATTERY FOR INSULACUT
Li-ion battery.**



Gencod : 3476065366219 200 g

366155

MESH ROLL REEL FOR EXTERNAL THERMAL INSULATION



- For mesh rolls of 1 m width.
- With built-in counter.
- Can be hooked on a scaffold.
- Very light tool in aluminium.




Gencod : 3476060036612 5850 g



172955

60 CM TOOTHED BLADE PERFECT LISS

Special for E.T.I.C.S.

Iftode Universal
sisteme de construcții**shop tehnic**

600 mm



- Special for external wall coating.
- To adjust coating thickness before applying the mesh.
- Rigid, riveted and tempered stainless steel blade.
- Ergonomic, light and adjustable to a pole.
- Blade thickness : 0.7 mm.




Gencod : 3476060017291 890 g

172455

60 CM PERFECT LISS

Special for E.T.I.C.S.



600 mm




- Special for external wall coating and wall scraper.
- To smooth coating after applying the mesh.
- Rigid, riveted and tempered stainless steel blade.
- Ergonomic, light and adjustable to a pole.
- Blade thickness : 0.7 mm.



Gencod : 3476060017246 909 g

172055

60 CM PERFECT LISS

600 mm



- To smooth coating after sticking the mesh.
- Ideal for finishing.
- To smooth perfectly large areas.
- Compound saving.
- BI-FLEX technology blade : tempered and flexible.
- Blade thickness : 0.3 mm.



Gencod : 3476060017208 771 g

O65755

OUTSIDE CORNER TROWEL

- To spread the compound on both exterior sides of the wall in one single pass.
- Special for external thermal insulation.
- Very resistant.
- Ergonomic handle.
- Angle 87°.



Gencod : 3476060006578 220 g




Iftode Universal
sisteme de construcții
shop tehnic



**EXTERNAL THERMAL
INSULATION TOOLS
(E.T.I.C.S.)**

EXTERNAL THERMAL INSULATION SOLUTIONS



Iftode Universal
sisteme de construcții

shop tehnic

Iftode Universal
sisteme de construcții

shop tehnic



**ROOFING
TOOLS**



031055

MAT

Pliers to cut and punch the slate, blade 35 mm

«The Original»

310 mm



- 2 in 1 = slate cutting and punching.
- No breathable dust, no crumbling.
- Ergonomic and bi-material grip.
- To cut and punch natural and man made slate max. 7 mm thick.



Gencod : 3476060003102 895 g



032455

MAT 2

Blade 55 mm

«The Original»



320 mm

Gencod : 3476060003249 910 g



032055

MAT COUP

Pliers to cut the slate, blade 35 mm

«The Original»

300 mm



- No dust, no crumbling.
- Ergonomic and bi-material grip.
- To cut natural and man made slate of 7 mm thick.



Iftode Universal
sisteme de construcții

shop tehnic

Gencod : 3476060003201 690 g



032555

MAT COUP 2

Blade 55 mm

«The Original»



320 mm

Gencod : 3476060003256 705 g



231155

35 MM BLADE
FOR MAT & MAT COUP



Gencod : 34760600023117 61 g



031255

PUNCH FOR MAT, MAT 2
& MECA-MAT



Gencod : 3476060003126 14 g



031555

REPAIR KIT FOR MAT & MAT 2



Gencod : 3476060003157 26 g



232655

55 MM BLADE
FOR MAT 2 & MAT COUP 2



Gencod : 34760600023261 69 g

231055

MASTERCUT

Pliers to cut and punch the natural slate up to 7 mm thickness

EDMA
by FREUND

- New innovative design for two different working ways (classic and reverse).
- Optimised lever system for effortless cutting.
- The blade, the punch and the spring have been reinforced by heat treatment to be much more durable.
- The new handle guard avoids to get pinched.
- Ergonomic pliers with bi-material handles.
- Easy maintenance : the MASTERCUT is made of few parts, which makes the tool cleaning much easier.
- The new slate pliers MASTERCUT is manufactured from high quality aluminium parts.



Gencod : 3476060023100 900 g

O33055


PRO MAT-COUP 210

Natural / artificial slate cutter up to 7 mm (0.275") thickness


Iftode Universal
sisteme de construcții

shop tehnic

610 mm



- Clean and effortless cut.
- Easy forward movement of the slate for progressive cutting action.
- Easy to move on the roof, with a fixing point for laths.



Gencod : 3476060003300 2350 g

O33555

MECA-MAT

Punching press for slate with double adjustable perforing



- Up to 8 mm thickness.
- Double punching in one action = time-saving.
- Graduation : 5 to 12 cm x 2.
- 3.2 mm double punching.
- 4 anchor points.
- Replaceable die, drilling punch and guide.
- Slate C/C distance : from 150 mm to 320 mm max.
- Effective C/C distance : from 100 mm to 240 mm.
- Adjustable depth stop : from 23 mm to 200 mm.




O33855

CUTTING UNIT FOR MECA-MAT



Gencod : 3476060003386 138 g



Gencod : 3476060003355 10510 g





"FRENCH" SLATER'S HAMMERS

O38155 - Right handed



330 mm

Gencod : 3476060003812  720 g

O38255 - Left handed



330 mm

Gencod : 3476060003829  720 g

Iftode Universal
sisteme de construcții
shop tehnic



- Hand forged.
- Leather handle.
- Nail puller.
- Polished finish.

EDMA
...by **FREUND**



"TRADITIONAL" SLATER'S HAMMERS

O38355 - Right handed



330 mm

Gencod : 3476060003836  710 g

O38455 - Left handed



330 mm

Gencod : 3476060003843  710 g



- Hand forged.
- Leather handle.
- Large face.
- Nail puller.
- Polished finish.

EDMA
...by **FREUND**




O39655

"UNIVERSAL" SLATER'S HAMMER

Right handed


Iftode Universal
sisteme de construcții
shop tehnic


- Hand forged.
- Left and right bevel.
- Leather handle.
- Nail puller.
- Polished finish.


EDMA
...by **FREUND**

330 mm

139655 - Left handed

"UNIVERSAL" SLATER'S HAMMER



Gencod : 3476060013966 719 g

Gencod : 3476060003966 719 g

O32155

400 MM SLATER'S ANVIL

Right handed



- All edges polished.
- Straightened.
- Curved tip.

EDMA
...by **FREUND**

400 mm

225 mm

O32255 - Left handed

400 MM SLATER'S ANVIL



Gencod : 3476060003225 760 g

O32355 - Bent

BENT SLATER'S ANVIL



Gencod : 3476060003232 565 g

Gencod : 3476060003218 760 g



**O37655****400 MM WELDED SLATE RIPPER****Iftode Universal**
sisteme de construcții**shop tehnic**


- Traditional slate ripper.
- Welded.
- Made in steel.

EDMA
...by **FREUND**

Gencod : 3476060003768 700 g

O37755 - 600 mm**WELDED SLATE RIPPER****EDMA**
...by **FREUND**


Gencod : 3476060003775 850 g

O37855**400 MM STAINLESS STEEL SLATE RIPPER**


- Drop-forged handle and nail puller .
- Interchangeable stainless steel blade with rounded edges.
- Special handle suitable for all blade lengths.

EDMA
...by **FREUND**

- Fixing key included for blade replacement.

O37955 - 600 mm**STAINLESS STEEL SLATE RIPPER**

Gencod : 3476060003782 1010 g

**137855****BLADE FOR STAINLESS STEEL
SLATE RIPPER - 400 mm**


Gencod : 3476060013781 215 g

**137955****BLADE FOR STAINLESS STEEL
SLATE RIPPER - 600 mm**

Gencod : 3476060013798 330 g



- Cutting power : 740 kg !
- Includes a 4 punches set :
 - Ø 3.3 mm.
 - Ø 4.1 mm for steel suspension wires.
 - Ø 4.9 mm and 6.2 mm for threaded rod.
- Precise graduation opening to max. 8 mm.
- Adjustable depth guide up to 43 mm.
- Applications : roofing, suspended ceilings etc.





	SHEET METAL	STAINLESS STEEL	ALUMINIUM
Ø 3,3 mm	1,5 mm	1,2 mm	3 mm
Ø 4,1 mm	1,5 mm	1,0 mm	2 mm
Ø 4,9 mm	1,2 mm	0,8 mm	2 mm
Ø 6,2 mm	0,8 mm	0,5 mm	1,5 mm



O18455

4 PUNCHES SET : Ø 3,3 mm
Ø 4,1 mm
Ø 4,9 mm
Ø 6,2 mm



Gencod : 3476060001849 135 g

Gencod : 3476060001856 1150 g

133055

NIBBLER HAND NOTCHER



- Notch dimension : 33 mm x 3 mm.
- Neat cut.
- Capacity on zinc : max. 0.8 mm thickness.

EDMA
by FREUND



Gencod : 3476060013309 570 g


O34155

INTERPERFOR 3.5 x 15 MM

Notch punching machine



- Ideal for vinyl coated cladding sheet, zinc or aluminium.
- Notching capacities :
 - 0.8 mm : zinc, sheet metal cladding.
 - 1 mm : plastic.
- Makes a notch of 3.5 x 15 mm to prevent buckling.
- Depth of 9 to 21 mm from the oblong axis.



O39055

3.5 x 15 MM PUNCH + DIE FOR
INTERPERFOR



Gencod : 3476060003904 163 g

Gencod : 3476060003416 560 g



031855

PUNCHER

Hammer tacker

Iftode Universal
sisteme de construcții

shop tehnic



282 mm



- Very well balanced.
- Comfortable bi-material handle.
- Recommended for fixing heavy sheets or insulation sheets on roof.
- Magazine capacity : 175 staples.



Gencod : 3476060003188 975 g

131955

1000 STAPLES FOR PUNCHER - 6 mm

Galvanised staples.
Height : 6 mm.
Width : 10.6 mm.
Thickness : 1.2 mm.



Gencod : 34760600013194 63 g

031955

5000 STAPLES FOR PUNCHER - 10 mm

Galvanised staples.
Height : 10 mm.
Width : 10.6 mm.
Thickness : 1.2 mm.



Gencod : 3476060003195 635 g

231955

1000 STAPLES FOR PUNCHER - 14 mm


Galvanised staples.
Height : 14 mm.
Width : 10.6 mm.
Thickness : 1.2 mm.



Gencod : 34760600023193 191 g

035855

ROOFER'S HAMMER



320 mm



- Steel tube handle.
- PVC grip.
- Magnetic nail holder.
- Polished finish.
- Certified GS Security German Norm.

EDMA
...by FREUND

Gencod : 3476060003584 870 g

035955

FORGED ROOFER'S HAMMER



320 mm



- All steel forged.
- Leather handle.
- Magnetic nail holder.

EDMA
...by FREUND

Gencod : 3476060003591 1005 g


132155

LEAD DRESSER

- Beech.
- Asymmetrical shape.

Iftode Universal
sisteme de construcții**shop tehnic**

340 mm



Gencod : 3476060013217 297 g


132755

BENDING STICK

- Beech.
- Round, bent shape.



340 mm



Gencod : 3476060013279 305 g


132655

BOSSING STICK

- Beech.
- Slim, rounded shape.



340 mm



Gencod : 3476060013262 257 g


132855

SETTING STICK

- Beech.
- Slim, straight shape.



310 mm




Gencod : 3476060013286 190 g



033955

TINMAN'S MALLET



- In PVC.
- Edged.
- Dimension : 85 x 40 x 150 mm.

EDMA
...by FREUND

Gencod : 3476060003393 495 g

233955

RECTANGULAR TINMAN'S MALLET




- In PVC.
- Dimensions : 145 x 35 x 75 mm.

EDMA
...by FREUND

Gencod : 3476062339551 550 g

037255

GROOVING HAMMER



- 1 round lightly bent face.
- Polished finish.

EDMA
...by FREUND

Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060003720 454 g

135255

GROOVING HAMMER DIFFERENT FACES



- Fine polished finish.
- Faces differently bent.
- One vertical face.
- One horizontal face.

EDMA
...by FREUND

Gencod : 3476060013521 436 g

135355

32 MM DEAD BLOW SOFT FACED HAMMER



- Polished finish.
- Lacquered.
- Curved.
- Head of shock-resistant nylon.

EDMA
...by FREUND

Gencod : 3476060013538 477 g

O35155

SEAMING IRON

Forged steel seaming iron with flat blade



280 mm



- Forged steel seaming iron with flat blade.
- Chisel face.
- Block with hole 5 x 15 mm.

EDMA
...by FREUND

Gencod : 3476060003515 2625 g

O35255

DOUBLE SEAMING IRON

Forged steel double seaming iron



257 mm



- Forged steel double seaming iron.
- Block height 25 & 35 mm.

EDMA
...by FREUND

Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060003522 3120 g

O35455

FOLDING TOOL

«Squeezing folding plier»



140 mm



- Special forged steel.
- Depth 140 mm.

EDMA
...by FREUND

Gencod : 3476060003546 820 g

131755

HAMMER FOR ANGLE FLAT SCRAPER

Special for flat scraper



312 mm



- 4 mm thickness nib.
- 22 mm rounded edge.

EDMA
...by FREUND

Gencod : 3476060013170 425 g

131055

ANGLE FLAT SCRAPER



- In drawn steel.
- Polished finish.

EDMA
...by FREUND

290 mm



Gencod : 3476060013101 2130 g





CLINCHING PLIERS

Iftode Universal
sisteme de construcții

shop tehnic



- Lap joint.
- PVC dipping grip.

STRAIGHT



O39155 - 22 mm

- Folding depth : 32 mm.

Gencod : 3476060003911 230 g



O39355 - 60 mm

- Folding depth : 64 mm.

Gencod : 3476060003935 715 g



O39555 - 100 mm

- Folding depth : 58 mm.

Gencod : 3476060003959 985 g



O39255 - 40 mm

- Folding depth : 48 mm.

Gencod : 3476060003928 610 g



O39455 - 80 mm

- Folding depth : 64 mm.

Gencod : 3476060003942 1005 g



BENT OF 45°



O34255 - 22 mm

- Folding depth : 28 mm.

Gencod : 3476060003423 220 g



O34455 - 60 mm

- Folding depth : 48 mm.

Gencod : 3476060003447 755 g



O34655 - 100 mm

- Folding depth : 68 mm.

Gencod : 3476060003461 1165 g



O34355 - 40 mm

- Folding depth : 48 mm.

Gencod : 3476060003430 660 g



O34555 - 80 mm

- Folding depth : 48 mm.

Gencod : 3476060003454 990 g



BENT OF 90°



O34755 - 40 mm

- Folding depth : 54 mm.

Gencod : 3476060003478 675 g



O34955 - 80 mm

- Folding depth : 68 mm.

Gencod : 3476060003492 1100 g



O34855 - 60 mm

- Folding depth : 58 mm.

Gencod : 3476060003485 770 g



135455

TRIANGULAR CLINCHING PLIERS



- Straight.
- Lap joint.
- PVC dipping grip.
- Folding depth : 80 mm.

Iftode Universal
sisteme de construcții

shop tehnic



Gencod : 3476060013545  918 g

135555

CORNER CLINCHING PLIERS



- Lap joint.
- PVC dipping grip.
- Folding depth : 66 mm.

EDMA
...by **FREUND**



Gencod : 3476060013552  809 g

135655

ROUND NOSE PLIERS



- PVC dipping grip.

EDMA
...by **FREUND**



Gencod : 3476060013569  465 g

135755

FLAT NOSE PLIERS



- PVC dipping grip.

EDMA
...by **FREUND**



Gencod : 3476060013576  420 g





SEAMING PLIERS

- Lap joint.
- Raise large and deep measure.

Iftode Universal
sisteme de construcții

shop tehnic

STRAIGHT



O3O455 - 120 mm

- Folding depth : 125 mm.

Gencod : 3476060003041  1940 g



O3O655 - 200 mm

- Folding depth : 185 mm.

Gencod : 3476060003065  2590 g



O3O555 - 180 mm

- Folding depth : 175 mm.

Gencod : 3476060003058  2510 g



BENT OF 45°



O3O755 - 120 mm

- Folding depth : 110 mm.

Gencod : 3476060003072  1910 g



O3O955 - 200 mm

- Folding depth : 160 mm.

Gencod : 3476060003096  2865 g



O3O855 - 180 mm

- Folding depth : 160 mm.

Gencod : 3476060003089  2730 g

135855

SEAMING PLIERS WITH 45° ANGLE

Straight - 180 mm




- Lap joint.
- Skewed on one side.
- Folding depth : 175 mm.

EDMA
by **FREUND**



Gencod : 3476060013583  2500 g



- Machine to make edging and bending of sheet metal.
- For zinc, aluminium, soft metal, stainless steel.
- 4 guide rolls = special long sheets.
- Possibility of separating the tool to get two benders X2 (ref. 130355).
- Height from 5 mm up to 200 mm.
- Folding capacities :
 - Stainless steel : 0,5 mm.
 - Steel/sheet metal : 0,7 mm.
 - Copper : 0,8 mm.
 - Zinc/aluminium : 1 mm.

EDMA
...by **FREUND**

Iftode Universal
sisteme de construcții
shop tehnic



VIDEO



Gencod : 3476060013040 3775 g



- Machine to make edging and bending of sheet metal.
- For zinc, aluminium, soft metal, stainless steel.
- 8 guide rolls = special long sheets.
- Possibility of separating the tool to get two benders 4X4 (ref. 130155).
- Height from 5 mm up to 200 mm.
- Folding capacities :
 - Stainless steel : 0,5 mm.
 - Steel/sheet metal : 0,7 mm.
 - Copper : 0,8 mm.
 - Zinc/aluminium : 1 mm.

EDMA
...by **FREUND**



VIDEO



Gencod : 3476060013088 4280 g



130955

350 MM BENDER 4X4

Tool to make folds, counterfolds, raised areas on sheets



Iftode Universal
sisteme de construcții
shop tehnic



- Machine to make edging and bending of sheet metal.
- Faster than clinching pliers.
- With aluminium handle.
- 4 wheels.
- Folding capacities :
 - Stainless steel : 0,5 mm.
 - Steel/sheet metal : 0,7 mm.
 - Copper : 0,8 mm.
 - Zinc/aluminium : 1 mm.
- Folding depth : 350 mm.

EDMA
...by FREUND

Gencod : 3476060013095 2640 g

130155

200 MM BENDER 4X4

Tool to make folds, counterfolds, raised areas on sheets




- Machine to make edging and bending of sheet metal.
- Faster than clinching pliers.
- With aluminium handle.
- 4 wheels.
- Folding capacities :
 - Stainless steel : 0,5 mm.
 - Steel/sheet metal : 0,7 mm.
 - Copper : 0,8 mm.
 - Zinc/aluminium : 1 mm.
- Folding depth : 200 mm.


EDMA
...by FREUND

Gencod : 3476060013019 2100 g

STEP 1



STEP 2




STEP 3



130355

BENDER X2

Tool to make folds, counterfolds, raised areas on sheets



- Machine to make edging and bending of sheet metal.
- Faster than clinching pliers.
- 2 wheels.
- Folding capacities :
 - Stainless steel : 0,5 mm.
 - Steel/sheet metal : 0,7 mm.
 - Copper : 0,8 mm.
 - Zinc/aluminium : 1 mm.
- Folding depth : 200 mm.

EDMA
...by FREUND

Gencod : 3476060013033 1580 g



Iftode Universal
sisteme de construcții
shop tehnic


- + • For curved fold.
- Graduated in cm and inches.
- Handle with leverage effect.
- Height of raised areas continuously adjustable from 5 to 25 mm.
- Folding capacities :
 - Stainless steel : 0,5 mm.
 - Steel/sheet metal : 0,7 mm.
 - Copper : 0,8 mm.
 - Zinc/aluminium : 1 mm.



EDMA
by **FREUND**



Gencod : 3476060013071 1010 g





- + • From 8 mm to 40 mm high.
- Maximum thickness : 1 mm.
- Tool ready to work : no adjustment necessary.
- Folding capacities :
 - Stainless steel : 0,5 mm.
 - Steel/sheet metal : 0,7 mm.
 - Copper : 0,8 mm.
 - Zinc/aluminium : 1 mm.



EDMA
by **FREUND**



Gencod : 3476060013026 1080 g



- + • Retractable stopper to get out the tool while folding.
- From 8 mm to 40 mm high.
- Maximum thickness : 1 mm.
- Tool ready to work : no adjustment necessary.
- Folding capacities :
 - Stainless steel : 0,5 mm.
 - Steel/sheet metal : 0,7 mm.
 - Copper : 0,8 mm.
 - Zinc/aluminium : 1 mm.



Gencod : 3476062302555 1080 g



- + • From 8 mm to 40 mm high.
- Special long sheets.
- Maximum thickness : 1 mm.
- Tool ready to work : no adjustment necessary.
- Folding capacities :
 - Stainless steel : 0,5 mm.
 - Steel/sheet metal : 0,7 mm.
 - Copper : 0,8 mm.
 - Zinc/aluminium : 1 mm.



EDMA
by **FREUND**




Gencod : 3476060013064 2837 g




O38655

SQUARE SEAM FOLDER




385 mm

Iftode Universal
sisteme de construcții

shop tehnic



- Operated square seam folder joins SPM 30/80 profiles.
- Tool width : 220 mm.
- Claw height : 50 mm.

EDMA
...by FREUND


Gencod : 3476060003867 1930 g

O38755


TWIN SQUARE SEAM FOLDER



435 mm



- Allows simple and quick shaping of locked square seam into double-seam in just one operation.
- Tool width : 220 mm.
- Claw height : 50 mm.

EDMA
...by FREUND


Gencod : 3476060003874 2330 g

132555

SEMI-CIRCULAR DORMER SQUARE SEAM FOLDER



205 mm



- Tool joining prefabricated SPM profiles.
- Used to tack up lengthwise beads to prevent withdrawal from folding press.
- Can make small radius lockseam without difficulty.
- Tool width : 65 mm.
- Claw height : 55 mm.

EDMA
...by FREUND

Gencod : 3476060013255 745 g

135955

EAVES EDGER 105 TK



- Allows quick and accurate sheet metal shaping constructing eaves, gutters, dormer windows etc...
- Toolwidth : 250 mm.
- Clawdepth : 40 mm.
- Length : 250 mm.
- Durable baked epoxy finish.

EDMA
 ...by **FREUND**


Gencod : 3476060013590 1700 g

132355

EAVES CLOSING JAWS



385 mm



- Fastening without hammering.
- Tool width : 220 mm.
- Claw height : 50 mm.

EDMA
 ...by **FREUND**


Gencod : 3476060013231 2100 g

132255


TILE EDGER



350 mm



- To build any slope for tile edges.
- Tool width : 70 mm.
- Claw height : 40 mm.
- Supplied with a 200 cm measuring tape.

EDMA
 ...by **FREUND**


Gencod : 3476060013224 845 g

131155

SEAM OPENING PLIERS



250 mm



- Seam and gutter opening pliers.
- Forged steel head.
- Head length 30 mm.
- PVC coated handles.

EDMA
 ...by **FREUND**

Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060013118 490 g





010655

75 MM FLYER'SL

Forged aviation snip long blades 75 mm






- Special for zinc and lead jobs.
- Cutting capacity :
 - 0.8 mm : stainless steel
 - 1.2 mm : soft metal.
- Blade length : 75 mm.
- Chromium molybdenum steel serrate blades.
- Powerful and long lasting handle spring.
- Finger guard.
- One hand automatic latch release.
- New SUPERPRO SERIE grip.



Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060001061 520 g



010955

APOLLO

Forged aviation snip right cut





- Effortless cut.
- Cutting capacities :
 - 0.9 mm : stainless steel.
 - 1 mm : blue sheet steel.
 - 1.2 mm : galvanised sheet, zinc.
 - 1.5 mm : copper, brass, sheet metal.
- Blade length : 35 mm.
- Drop forged chromium molybdenum steel jaws.
- Powerful and long lasting handle spring.
- One hand automatic latch release.
- Finger guard.
- New SUPERPRO SERIE grip.



109055

LEFT CUT



Gencod : 3476060001092 525 g


010255

UPPER-CUT

Shears «PASSE-FRANC» - Right cut




- Tin snip with offset blades to allow effortless operation.
- Cutting capacities :
 - 0.9 mm : stainless steel.
 - 1 mm : blue sheet steel.
 - 1.2 mm : galvanised sheet, zinc.
 - 1.5 mm : copper, brass, sheet metal.
 - 2 mm : PVC, aluminium.
 - 2.5 mm : polycarbonate.
- Blade length : 35 mm.
- Finger guard.
- One hand automatic latch release.
- New SUPERPRO SERIE grip.



102055

LEFT CUT



Gencod : 3476060001023 567 g



215 mm



- Tin snip with offset blades to allow effortless operation.
- Cutting capacities :
 - 0.9 mm : stainless steel.
 - 1 mm : blue sheet steel.
 - 1.2 mm : galvanised sheet, zinc.
 - 1.5 mm : copper, brass, sheet metal.
 - 2 mm : PVC, aluminium.
 - 2.5 mm : polycarbonate.
- Blade length : 35 mm.
- Finger guard.
- One hand automatic latch release.
- New SUPERPRO SERIE grip.



Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060001276 500 g



127O55

LEFT CUT



Gencod : 34760600012708 500 g



255 mm



- Shears with angled blades of 45°.
- Cutting capacities :
 - 0.9 mm : stainless steel.
 - 1.2 mm : galvanised sheet, zinc.
 - 1.5 mm : copper, brass, sheet metal.
 - 2 mm : PVC, aluminium.
 - 2.5 mm : polycarbonate.
- Blade length : 75 mm.
- Finger guard.
- One hand automatic latch release.
- New SUPERPRO SERIE grip.



Gencod : 3476060001283 458 g



128O55

LEFT CUT



Gencod : 34760600012807 458 g






012055

250 MM UNIVERSAL FORGED SHEARS

Wide and narrow blade shears



- Carbon steel.
- Cutting capacities :
 - 1.0 mm : stainless steel.
 - 1.2 mm : galvanised sheet, zinc.
- For straight cuts and long curves.
- Blade length : 67 mm.
- 56 HRC long life blades.
- Handles with PVC dipping (thermal insulation).



Erdi

Gencod : 3476060001207 490 g

112755

250 MM UNIVERSAL FORGED SHEARS

Narrow blades



- Carbon steel.
- Cutting capacities :
 - 1.0 mm : stainless steel.
 - 1.2 mm : galvanised sheet, zinc.
- For straight cuts and curves.
- Blade length : 68 mm.
- 56 HRC long life blades.
- Handles with PVC dipping (thermal insulation).



Erdi

Gencod : 347606112755 485 g

012655

300 MM FORGED SHEARS PELICAN

Right cut



- Carbon steel.
- Cutting capacities :
 - 1.2 mm : stainless steel.
 - 1.8 mm : galvanised sheet, zinc.
- Specially designed for long straight cut.
- Blade length : 62 mm.
- 56 HRC long life blades.
- Handles with PVC dipping (thermal insulation).




126055

LEFT CUT



Gencod : 3476061260559 765 g



Erdi

Gencod : 3476060001269 765 g

112655

350 MM FORGED SHEARS PELICAN

Right cut



- Carbon steel.
- Cutting capacities :
 - 1.2 mm : stainless steel.
 - 1.8 mm : galvanised sheet, zinc.
- Specially designed for long straight cut.
- Blade length : 65 mm.
- 56 HRC long life blades.
- Handles with PVC dipping (thermal insulation).



Erdi

Iftode Universal
sisteme de construcții

shop tehnic

Gencod : 3476061126558 902 g



- Carbon steel.
- Cutting capacities :
 - 1 mm : stainless steel.
 - 1.5 mm : galvanised sheet, zinc.
- For straight cuts and short curves.
- Blade length : 42 mm.
- 56 HRC long life blades.
- Handles with PVC dipping (thermal insulation).



Erdi



O12355

LEFT CUT



Gencod : 3476060001238 530 g

Iftode Universal
sisteme de construcții

shop tehnic

Gencod : 3476060001221 530 g



- Carbon steel.
- Cutting capacities :
 - 1 mm : stainless steel.
 - 1.5 mm : galvanised sheet, zinc.
- For long straight cuts and long curves.
- Blade length : 30 mm.
- 56 HRC long life blades.
- Handles with PVC dipping (thermal insulation).



Erdi



O12555

LEFT CUT



Gencod : 3476060001252 555 g

Gencod : 3476060001245 555 g



011255

SUPERCOUPIX

Nibbler shears special stainless steel with built-in waste curl cutter



«The Original»




275 mm



- Especially for stainless steel.
- Ergonomic and anti-slip plastic handles for an optimum comfort.
- Cutting capacities :
 - 0.8 mm : stainless steel.
 - 1.2 mm : galvanised steel, zinc, sheet metal.
 - 2 mm : PVC, vinyl flooring, aluminium.



Gencod : 3476060001122 525 g



011055

SUPERCOUPIR1

Nibbler shears with built-in waste curl cutter



«The Original»



275 mm



- For sheet metal.
- Cutting capacities :
 - 0.6 mm : stainless steel.
 - 1.2 mm : galvanised steel, zinc, sheet metal.
 - 2 mm : PVC, vinyl flooring, aluminium.



Gencod : 3476060001108 525 g



010155

NIBBLER SHEARS NR1

Nibbler shears



«The Original»



275 mm



- For flat sheet.
- Perfect for cutting stud and track.
- Cutting capacities :
 - 0.6 mm : stainless steel.
 - 1.2 mm : galvanised steel, zinc, sheet metal.
 - 2 mm : PVC, vinyl flooring, aluminium.



Gencod : 3476060001016 510 g



011355

SUPERCOUPIR3

Nibbler shears special corrugated iron with built-in waste curl cutter



«The Original»



275 mm



- Special for corrugated metal.
- Cutting capacities :
 - 0.6 mm : stainless steel.
 - 1.2 mm : galvanised steel, zinc, sheet metal.
 - 2 mm : PVC, vinyl flooring, aluminium.

Iftode Universal
sisteme de construcții

shop tehnic



101055

BLADE FOR SUPERCOUPI &
NIBBLER SHEARS NR1

Gencod : 34760600010100 23 g



105055

BLADE FOR SUPERCOUPIX



Gencod : 34760600010506 22 g



103055

BLADE FOR SUPERCOUPIR3



Gencod : 34760600010308 24 g

Gencod : 3476060001139 540 g



EDMA
... by Malco



Iftode Universal
sisteme de construcții
shop tehnic



- Quick and easy cut.
- Neat cut.
- Cutting capacities :
 - 0.9 mm : stainless steel.
 - 1.5 mm : galvanised steel, copper.
 - 2 mm : aluminium.
- Minimum 14.4 V - 2 Ah power drill.
- Single handed operation.
- Can be used upside down.

VIDEO



138955

REPLACEABLE BLADES
FOR TURBOSHEAR



Gencod : 3476060013897 195 g



Gencod : 3476060003898 1290 g


O17255

NIBBLEX UNIVERSAL

Power drill attachment nibbler shears



- Clean cut without any distortion.
- Cutting capacity :
 - 0.8 mm : stainless steel.
 - 1.5 mm : galvanised steel, zinc, sheet metal, copper, brass.
 - 2 mm : PVC, vinyl flooring, aluminium
 - 2.5 mm : polycarbonate.
- Power drill attachment for flat or corrugated metal and PVC surfaces.
- Speed 300 rpm minimum.
- Multidirectional die.



VIDEO



O17455

PUNCH + DIE SET
FOR NIBBLEX UNIVERSAL



Gencod : 3476060001740 80 g

Gencod : 3476060001726 422 g



O33355

WOODY CUT® XL

Wood batten guillotine



- For cutting wooden batten.
- Safety casing.
- No noise and no breathable dust.
- 445 mm long handle for a fast and easy cut.
- Cutting capacity : 40 mm (height) and 130 mm (length) from 45 to 90°.

Iftode Universal
sisteme de construcții

shop tehnic



O71555

INTERCHANGEABLE 130 MM
STAINLESS STEEL BLADE FOR
WOODY CUT® XL



Gencod : 3476060007155 127 g



O70355

130 MM PLATE
FOR WOODY CUT® XL



Gencod : 3476060007032 164 g

Gencod : 3476060003331 6350 g

O33255

LIT' UP

Batten remover



- For roof renovation.
- Heavy-duty.
- Resistance to effort : 1 ton.



VIDEO

Gencod : 3476060003324 1620 g

O87555

DECHAUSS' TOUT

Professional telescopic wooden batten remover



- Telescopic arm (min. 550 mm / max. 940 mm).
- Heavy-duty.
- Bears up to 1 ton pressure.

Gencod : 3476060008756 2670 g

O32855

BATTEN GAUGE

Gauge for wooden batten positioning



- Easy to use.
- Aluminium pattern.
- With scale from 15 to 40 mm.

EDMA
...by FREUND

Iftode Universal
sisteme de construcții

shop tehnic

Gencod : 3476060003287 225 g

O36755

LATHE AXE



- Polished blade.
- Compliant with german regulation security G.S.
- With nail puller.


EDMA
...by FREUND

GS
sicherheit

Gencod : 3476060003676 925 g

131555

BOW SAW



- 530 mm metal saw blade for wood.
- Set of teeth special for wood.
- Flat oval with gripping lever.

EDMA
...by FREUND



131655

BLADE FOR BOW SAW



Gencod : 3476060013163 51 g

Gencod : 3476060013156 462 g

O37355

ROOFER'S ADZE



- Hand forged.
- With nail puller and hammer face.
- Leather handle.

EDMA
...by FREUND



Gencod : 3476060003737 1175 g

ROOFING SOLUTIONS

ROOFING TOOLS


131855

GUTTER HANGER BENDER



- Head made of malleable casting GTW 40.
- Steel tubes with plastic handles.
- For a bracket strength up to 40 x 8 mm.

EDMA
...by **FREUND**



Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060013187 3850 g

O36055

INTERCLIPS ZINC

Clinching pliers for zinc or enamel-plated aluminium gutters



- Quick and strong fixing.
- Clinching capacities :
 - 0.8 mm : zinc, aluminium.
 - 0.75 mm : sheet metal.
- 6 x 3 mm crimp.
- For zinc or enamel-plated aluminium gutters, edge strip.
- Depth of 5 to 20 mm.



Gencod : 3476060003607 525 g

O35655

TILE NIBBLER



- Special design for roof tiles.
- 220 mm induction hardened.
- Precoated handles.

EDMA
...by **FREUND**



Gencod : 3476060003560 487 g

131455

ROOF TILE LINE



- To trim tile.
- File area : 200 mm x 30 mm.
- 2 sides : fine grit & coarse grit.

EDMA
...by **FREUND**



Gencod : 3476060013149 200 g

O33155

ZINC AND LAMINATE SCRIBER



- Carbide tipped.
- Extremely resistant tip.
- Folding, cutting and marking of zinc and laminate sheets.

EDMA
...by **FREUND**




Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060003317 140 g

O36855

TRIANGLE BEARING SCRAPER



- 3 faces sharp blade.
- Ergonomic wooden handle.

EDMA
...by **FREUND**

Gencod : 3476060003683 165 g

O36455

SOLDERING SET



- Special for zinc.
- Salt of ammonia, cleaning brush and plastic container.
- Non-slip base.

EDMA
...by **FREUND**



136455

**BAG OF 25
BRUSHES FOR
SOLDERING
SET**



Gencod : 3476060013644 72 g



236455

**AMMONIA STONE
FOR SOLDERING**




Gencod : 3476060023643 107 g

Gencod : 3476060003645 205 g

130055

GUTTER GETTER



- Special gutter half round or square profile.
- Multi-application : sampling spoon, schovel, fertilizer sower.
- To clean gutters easily.

EDMA
...by **FREUND**



Gencod : 3476060013002 110 g

139955

GUTTER CLEANING KIT

Easy and quick



- Gutter cleaning kit including a grabber for fallen leaves and a steel extension handle.
- Avoids to move the ladder during the cleaning of the gutters.




EDMA
...by **FREUND**

Gencod : 3476060013996 470 g



O36155

SCRIBER TOOL



- Stainless steel scriber tool.
- Measuring (5 mm) from 5 to 100 mm.

EDMA
...by **FREUND****Iftode Universal**
sisteme de construcții
shop tehnic

Gencod : 3476060003614 65 g

O32955

250 MM COMPASS



- High quality compass according to DIN 6486.
- Ground and polished finish points.

EDMA
...by **FREUND**

Gencod : 3476060003294 270 g

133355

DECLIMETER



- To measure frame angle.
- 1° precision.

Gencod : 3476060013330 45 g

131255

BEVEL




- 300 mm wooden handle.
- Adjustable angle measurement.

EDMA
...by **FREUND**

Gencod : 3476060013125 186 g

131355

BRACKET



- Aluminium ruler.

EDMA
...by **FREUND**

Gencod : 3476060013132 490 g

130555

NAIL POUCH



- Made of smooth top-grain cowhide leather.
- Adjustable leather/nylon belt.
- 2 large pockets and 1 tool holder.

Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060013057 629 g

260055

TOOL POUCH



- Made of smooth top-grain cowhide leather.
- Adjustable nylon belt.
- 8 pockets.
- 2 tool holders.
- 1 measuring tape pocket.

Gencod : 3476060026002 420 g

060955

50 M MAX LINE

Chalk line reel with large handle



- Chalk line reel with large handle for long distance marking.
- Built-in filter system to prevent excess chalk.
- Rope diameter : 2,5 mm.
- Capacity : 300 g.

Gencod : 3476060006097 600 g

064255

30 M ROOF LINE

Special chalk line reel for roofers



364255

30 M ROOF LINE
DISPLAY BOX

x 6

Gencod : 3476063642551 1590 g



- Chalk line reel with two handles.
- To reduce movement on the roof.
- Ideal for roofers.
- Rope diameter : 1,5 mm (braided).
- Capacity : 2 x 100 g.
- Built-in filter system to prevent excess chalk.

Gencod : 3476060006424 250 g

MARKING CHALK

Chalk from french quarry

O63855

200 G RED MARKING CHALK



Gencod : 3476060006387 230 g

O64955

400 G RED MARKING CHALK



Gencod : 3476060006493 425 g

O64355

1000 G RED MARKING CHALK



Gencod : 3476060006431 1035 g

O65155

3500 G RED MARKING CHALK



Gencod : 3476060006516 4250 g

132955

12 CARPENTER PENCILS



- To mark on dry wood.
- x 12 pieces.

Gencod : 3476060013293 220 g





PRESSURE ROLLERS WITH BALL BEARINGS

134255

28 mm



Iftode Universal
sisteme de construcții
shop tehnic



- 2 enclosed smooth-running ball bearings.
- Silicone roller.
- Bolted axis.
- Ergonomical wooden handle for maximum pressure.
- Bracket one-sided.
- For overlap welding.
- Ø 33 mm.

EDMA
...by FREUND



Gencod : 3476060013422 158 g

EDMA
...by FREUND

134355

45 mm



Gencod : 3476060013439 195 g

EDMA
...by FREUND

134455

45 mm

45° angled




Gencod : 3476060013446 194 g

EDMA
...by FREUND

234355

ERGONOMIC PRESSURE ROLLER WITH BALL BEARINGS

45 mm



- Ergonomic design to provide maximum pressure and to avoid musculoskeletal disorders.
- 2 enclosed smooth-running ball bearings.
- For overlap welding.
- Silicone roller.
- Ø 33 mm.

Gencod : 3476062343558 240 g

134555

BRASS PRESSURE ROLLER WITH BALL BEARING

6 mm



Iftode Universal
sisteme de construcții
shop tehnic



- Enclosed smooth-running ball bearing.
- Extra thin, convex brass roller.
- Ergonomical wooden handle for maximum pressure.
- Ø 28 mm.

EDMA
...by **FREUND**



Gencod : 3476060013453 129 g

134655

PRESSURE ROLLER WITH PLAIN BEARING

90 mm



- Plain bearing.
- Silicone roller.
- Riveted axis.
- Ergonomical wooden handle for maximum pressure.
- Bracketed on both sides.
- For overlap welding.
- Ø 33 mm.

EDMA
...by **FREUND**



Gencod : 3476060013460 364 g

134755

STEEL PRESSURE ROLLER WITH BALL BEARINGS

40 mm



- 2 enclosed smooth-running ball bearings.
- Steel roller.
- Heavy duty design.
- Ergonomical wooden handle for maximum pressure.
- For cold pressure welding.
- Ø 40 mm.

EDMA
...by **FREUND**



Gencod : 3476060013477 445 g

134855

STEEL PRESSURE ROLLER WITH BALL BEARINGS

60 mm



- 2 enclosed smooth-running ball bearings.
- Steel roller.
- Heavy duty design.
- Ergonomical wooden handle for maximum pressure.
- For cold pressure welding.
- Ø 40 mm.

EDMA
...by **FREUND**



Gencod : 3476060013484 596 g



SEALING SOLUTIONS

ROOFING TOOLS



- Ergonomical wooden handle.
- 90° angled.
- Optimised tip.



Iftode Universal
sisteme de construcții

shop tehnic



Gencod : 3476060013491 108 g



- Industrial & professional scissors.
- For roof and sealing sheets.
- Polished blades.
- Varnished black.
- Heavy duty version.
- 250 mm.



Gencod : 3476060013507 404 g



- LDPE transparent.
- Screw cap.
- Angled brush attachment.
- 500 ml.



Gencod : 3476060013514 79 g



- Quick adjustment system.
- Ideal to carry easily stone tile, concrete block or wooden duckboard.
- Adjustable up to 665 mm width max. and 280 mm mini.
- Maximum loading weight : 25 kg.
- Centered handle whatever the width of tile to carry.

Iftode Universal
sisteme de construcții

shop tehnic



VIDEO

Gencod : 3476060026903 1600 g



O35055

MAXI RET[®] 5 BLADES

Effortless swaging tool 5 blades



«The Original»

PATENTED



250 mm



- Pipe crimping tool for all types of metallic pipes.
- Special for stainless steel pipes up to 0.8 mm.
- Progressive reduction of the pipe diameter.
- Swaging up to 52 mm.

Iftode Universal
sisteme de construcții

shop tehnic



Gencod : 3476060003508 760 g

O30155

ERGO RET 3 BLADES


3 blades cranked head swaging tool



265 mm



- Optimal use thanks to its cranked head.
- For square pipes.
- For easier work in confined areas.
- Swaging up to 40 mm.



Gencod : 3476060003010 460 g

O30255

ERGO RET 5 BLADES

5 blades cranked head swaging tool



265 mm



- Optimal use thanks to its cranked head.
- For square pipes.
- For easier work in confined areas.
- Swaging up to 40 mm.



Gencod : 3476060003027 550 g

O3O355

RET 3 BLADES

3 blades swaging tool



- For square pipes.
- Swaging tool for round or square pipes.
- Ergonomic handles.
- Swaging up to 30 mm.



Iftode Universal
sisteme de construcții

shop tehnic

Gencod : 3476060003034 450 g


O3O055

RET 5 BLADES

5 blades swaging tool



- For square pipes.
- Swaging tool for round or square pipes.
- Ergonomic handles.
- Swaging up to 30 mm.



Gencod : 3476060003003 520 g

O5O155

PIPE POSITIONER N1

Small variable angle vice



- For 8 to 30 mm diameter tubes.
- For welding all pipes, sections and wrought iron.
- Span of the arms variable up to 60 mm.



Gencod : 3476060005014 215 g


O5O255

PIPE POSITIONER N2

Large variable angle vice



- For 20 to 60 mm diameter tubes.
- For welding all pipes, sections and wrought iron.
- Span of the arms variable up to 100 mm.



Gencod : 3476060005021 775 g





O89955

VARIOCUT

Professional guillotine to cut fiber cement siding

«The Original»

PATENTED



- Clean cut without any effort.
- No sharpening required ever.
- No breathable dust.
- No noise.
- For straight cut, angled cut and to cut in length.
- Max. 320 mm width for straight cutting and max. 210 mm width for angular cutting.
- Removable board stopper for 210 mm cut.
- Cuts up to 12 mm thickness.
- Also includes :
 - 1 mini trestle.
 - 1 waste collector.



Gencod : 3476060008992 1138 g


O37055

ALPHACUT

Guillotine to cut fiber cement siding



- Neat cut without any effort.
- No sharpening required ever on blade.
- No breathable dust.
- No noise.
- Cutting capacity : 11 mm thickness and up to 210 mm width.
- Accessory :
 - 1 trestle.




Gencod : 3476060003706 5940 g

O38555

CROCOCUT

Hand nibbler shears for fiber cement siding



- For fiber cement siding up to 8 mm thick.
- Neat cut without burrs.
- Fine, precise and curved cuts are possible.
- Blade anti-slip profile.



138555

REPLACEABLE BLADE FOR CROCOCUT



Gencod : 3476060013859 24 g



Gencod : 3476060003850 730 g

O39855

CLIN FIX®

Set of 2 cladding supports



- To install overlap cladding (fiber cement, fiber wood or wood) by 1 person alone.
- It allows to hold plank in position before nailing with overlap of 30 mm.
- For all cladding from 6 mm to 16 mm thick.
- Adjustable for different widths of clinkers from 160 mm to 255 mm.
- Examples of fiber-cement width :
 - 180 mm (Hardie Plank type).
 - 190 mm (Cedral type).
 - 210 mm (Duracolor or Hardie Linea type).
 - 225 mm (Ced'R-Tex type).



Gencod : 3476060003980 1572 g

O65955

RODCUT

Ø 6, 7, 8, 10 mm rod guillotine



PATENTED



- Clean cut = immediate bolting.
- No noise.
- Can be used to repair damaged threaded rod.
- No waste (no metal filings).
- No sparks - No risk of fire - No special permit.
- M7 rod (7 mm diam.) 150 threaded rods, to be cut on 10 mm diam. slot : especially for heating, ventilation, air-conditioning & sanitary engineers.
- Up to 6.6 soft steel : 60 kg/mm².
- Cannot cut stainless steel threaded rod.
- 650 mm adjustable cutting guide can be positioned on the right or left.

680 mm

235 mm



165955

REPLACEABLE DIE
FOR RODCUT

Gencod : 3476060016591 120 g

Iftode Universal
sisteme de construcții

shop tehnic



VIDEO

Gencod : 3476060006592 8470 g

O38855

MINI RODCUT M8

Ø 4, 6, 8 mm rod guillotine



- Clean cut = immediate bolting.
- No noise.
- Can be used to repair damaged threaded rod.
- No waste (no metal filings).
- No sparks - No risk of fire - No special permit.
- Up to 6.6 soft steel : 60 kg/mm².
- Cannot cut stainless steel threaded rod.
- 545 mm adjustable cutting guide can be positioned on the right or left.

590 mm

190 mm



138855

REPLACEABLE DIE M4, M6, M8 FOR
MINI RODCUT M8

Gencod : 3476060013880 133 g



Gencod : 3476060003881 4730 g

O73155

TRIOCOUP'

Cutting tool for PVC, IRL, ICTA and PER tubes, Ø 16, 20 and 25 mm



- Effortless and clean cut without distortion or burr.
- Stainless steel blade.
- Auto-locking barrel, 3 cutting slots (16, 20 and 25 mm).
- Rotation of the barrel to select the cutting diameter.

PATENTED



O73255

STAINLESS STEEL BLADE FOR
TRIOCOUP'

Gencod : 3476060007322 40 g



VIDEO

Gencod : 3476060007315 510 g






Iftode Universal

sisteme de construcții

- SLATE CUTTING
- MEASURING AND MARKING
- METAL CUTTING





Iftode Universal

sisteme de construcții





Iftode Universal
sisteme de construcții

shop tehnic



FLOORING TOOLS

O89755

LAMINOCUT 2

Laminate, vinyl and PVC flooring guillotine

«The Original»

PATENTED



- Clean cut without damaging the melamine surface.
- No breathable dust.
- No noise.
- No sharpening required ever on blade.
- 3 possible cutting widths :
 - Straight cut.
 - Angle cut from 0° to 90°.
 - Cuts in length.
- Cuts up to 210 mm overall width, 11 mm thickness and up to class 32 laminate flooring.
- Protective felt pads.



Gencod : 3476060008978 3460 g

O89055

STRATICUT® 230

Professional laminate flooring guillotine



«The Original»

PATENTED



- Clean cut without any effort.
- No sharpening required ever on blade.
- No breathable dust.
- No noise.
- Removable stoppers to make angle cuts, cuts in length and wider than 230 mm planks.
- Maximum width with stoppers : 230 mm overall.
- Cutting capacity : 12 mm thickness and up to class 33 wooden floors for very heavy traffic in commercial area (according to European regulation EN 685).
- Accessories :
 - 1 trestle.
 - 1 dust collector.



Gencod : 3476060008909 8030 g

«The Original»

PATENTED



- Clean cut without any effort.
- No sharpening required ever on blade.
- No breathable dust.
- No noise.
- Removable stoppers to make angle cuts, cuts in length and wider than 400 mm planks.
- Maximum width with stoppers (overall) : 230 mm, 320 mm and 400 mm.
- Cutting capacity : 15 mm thickness and up to class 33 wooden floors for very heavy traffic in commercial area (according to European regulation EN 685).
- Accessories :
 - 1 trestle.
 - 1 dust collector.



• Cut in width



• Angle cut



• Cut in length



• Stoppers (overall)

O87O55

SET TAK-TIK

A complete set for installing laminate flooring



- Ideal to install laminate and MDF floorings.
- The set includes :
 - 1 pulling bar (metal frame) : to move the boards lengthwise to remove gaps when adjusting flooring boards.
 - 1 wood knocking block (wooden frame) : to fit and adjust tongue-and-groove wood flooring boards.
 - 20 spacer blocks : to make an expansion joint between the wall and the laminate flooring.

O87355

SET OF 40 SPACER BLOCKS
For laminate and wood flooring
installation.



Gencod : 3476060008732 120 g



Gencod : 3476060008701 435 g

O87255

SUPER TAK-TIK

Professional pulling bar for laminate flooring installation (click-together design)



- Heavy-duty.
- Nylon hammer block for all metal hammers or mallets.
- With crowbar system.
- Wide head for larger pulling surface.
- Soft-touch material covers the base of the pulling bar to protect the laminate flooring.
- Replaceable nylon tip.



262855

NYLON TIP



Gencod : 3476060026286 50 g



Gencod : 3476060008725 2030 g

269155

BLOC PARKET

Tapping block for hardwood and laminate flooring



- Dimensions : 500 x 70 x 20 mm.
- P.E block.



Iftode Universal
sisteme de construcții

shop tehnic

Gencod : 3476060026910 894 g

SET OF 3 FIX PLINTHE® + 6 WEDGES

Tool 2 in 1 : position maintaining device for baseboards during the gluing and wedge for laminate flooring.

No need to use rudimentary and heavy wedges such as glue buckets or paint cans.

Patented and manufactured in France from recycled materials.




+ Maintaining baseboard in position during the gluing :

1) Remove the metal key from the plastic wedge FIX PLINTHE® orienting the loop forward.

2) Once the baseboard is glued and positioned, then introduce the metal key under the baseboard.



3) Rotate the plastic wedge FIX PLINTHE® to 90° in order to block the metal key in the expansion joint between the wall and the flooring.



4) To maintain the baseboard under pressure, add one or two black toothed wedges between the wall and the FIX PLINTHE®. This device maintains pressure on the baseboard during the glue drying time.



5) When the glue is dry, FIX PLINTHE® is easily removed and can be used again.

+ Laminate flooring installation :

1) The 8 mm edge of FIX PLINTHE® wedge can be positioned between the wall and the floor to make an expansion joint.



2) The 4 mm edge of FIX PLINTHE® wedge is used as a clamping wedge for the last flooring plank. For this application, insert the 4 mm edge between the floor and the wall and add toothed wedges in order to tighten the laminate flooring under pressure.

O88255

DUPLIC FORM

250 mm contour gauge



Iftode Universal
sisteme de construcții
shop tehnic



- To match contours to be cut.
- For plumbing pipes as well as mouldings and so on.
- The tracing must be done on the back side of the plank.
- Width : 250 mm.
- Depth : 45 mm.




Gencod : 3476060008824 475 g

O88055

KIK BACK

Set of 2 floor panelling power presses



- Power pressure : 250 kg.
- Optimal alignment and installation of wooden flooring.
- Holds the planks tightly together while the glue dries.
- Also allows the laying of last board.
- Ratchet : 54 steps of 1.5 mm.
- Max. opening : 67 mm.
- Protective pads included.



Gencod : 3476060008800 1340 g

O88355

ADJUSTABLE SPACER FOR LAMINATE FLOORING



- Set of 4 adjustable spacers.
- To make an accurate expansion joint between the wall and the flooring.
- Adjustable from 5 to 20 mm according to wall flatness.
- Simply turn the red button to adjust the spacer.
- To avoid damaging the wall and the flooring.
- Made in PA plastic, very light and strong.



Gencod : 3476060008831 222 g

O85055

CAMELEON 130

Mitre guillotine with an interchangeable 130 mm stainless steel blade



- Clean cut without any dust : wooden skirting boards, parquet flooring boards, panelling, battens, door frame mouldings, etc...
- Perfect cut up to 28 mm (height) and 130 mm (length) with a range of angles from 45 to 90°.
- Long handle for a fast and easy cut.
- Ideal for cutting european woods (oak, beech...), american woods (cherry, southern yellow pine...), northern pine, PVC panelling, MDF panelling...



Gencod : 3476060008503 3480 g


O71055

MULTI COUP® EXTRA

Mitre shears with variable angle cuts



- Clean and effortless cut !
- Allows easy cutting of decorative moulding, wood skirting boards, rubber seals, PVC sections.



O71155

65 MM BLADE FOR MULTI COUP® EXTRA
Can be re-sharpened.

Gencod : 3476060007117 30 g



Gencod : 3476060007100 390 g

O97055

TECHNOCLEAN 40

Hand scraper



- 2 replaceable hardened steel blades with 4 scraping edges.
- Handle with ergonomic and non-slip design.
- Ideal for the removal of glue down carpet, linoleum, wallpaper, adhesive remnants, swaging of tubes made from different materials.

O97155

TECHNOCLEAN 60

O97255

TECHNOCLEAN 80



Gencod : 3476060009715 170 g



Gencod : 3476060009722 206 g



Gencod : 3476060009708 130 g



SPARE BLADES ON PAGE 144

O86655

RENOV' JOINT

Wood strip flooring joint claw



- Cleans wood strip joints before varnishing (blade thickness : 1,5 mm).
- With opener.



Gencod : 3476060008664 78 g

O87755

200 MM HEAVY DUTY FLOORING SCRAPER

Ideal for the removal of carpet, or paint...



- With welded tube of steel.
- Special for refurbishment covering of floors and sealings.
- Perfect to remove carpets, vinyl, linoleum, residues of glue, etc.
- Length of blade : 200 mm.

Gencod : 3476060008770 2365 g

O86455

REVOCUT

Treshold strip guillotine



- Neat cut without any effort !
- Special for 50 mm curved treshold strip.
- Stainless steel : 50 mm x 1 mm.
- Brass : 50 mm x 1.2 mm.
- Aluminium : 50 mm x 1.7 mm.




Gencod : 3476060008640 3630 g

O79055

JUMBO CUT

Guillotine to cut PVC trunking (max. 65 x 65 mm)



- Clean cut without breaking the PVC trunking.
- Effortless cut thanks to its ratchet system.
- No noise, no dust.
- Max. 65 x 65 mm.
- Replaceable blade.
- Plastic box included.



O79155

STAINLESS STEEL BLADE FOR JUMBO CUT



VIDEO

Gencod : 3476060007919 160 g

Gencod : 3476060007902 3380 g

161055

PRESS PLAC PRO clamping press for wooden panels

- Cutting, drilling or planing wooden panel in small area.
- Holding height : 32 cm.
- Lock screw for perfect holding.
- With carriage handle.



Gencod : 3476060016102 9350 g

O64555

TRANSPLAC**Heavy duty board carrier**

Iftode Universal
sisteme de construcții
shop tehnic




- To carry wooden panel by just one person.
- New wide base for better panel seating.



Gencod : 3476060006455 1240 g

O64055

DUOPLAC**2 board carrier handles**

- Ø 15 mm steel handles to carry wooden panel by 2 persons.
- Soft rubber grips.
- Durable tool.
- Can be attached to belt.



Gencod : 3476060006400 1260 g

O66055

FOOTPLAC**Board lever with steel stirrup**

- Ideal to unhing doors.
- New extra wide loop suitable for all safety footwear.



Gencod : 3476060006608 925 g

Iftode Universal
sisteme de construcții

shop tehnic



Iftode Universal
sisteme de construcții

shop tehnic



WOODEN DECKING TOOLS

O86555

PRESS DECK®

Decking lath straightener




- Decking straightener for all types of woods (even IPE, amongst the most dense woods in the world).
- For decking planks between 90 and 180 mm width.
- Also for vertical use.
- Over 200 kg strength.
- Straighten up to the last plank along a wall.
- New spring for more clamping force.
- New rubber pads to avoid damaging the decking.
- Carrying case included.



Gencod : 3476060008657 3695 g

187055

SET OF 24 PROTECTION PADS FOR WOODEN DECKING



- Dimensions : 100 x 100 x 10 mm.
- Protects against moisture.
- Reduces noise transfer from trafficking.
- Stable and resistant.
- Must be used on compact and level floor.

Gencod : 3476061870550 1870 g


O88255

DUPLIC FORM

250 mm contour gauge



- To match contours to be cut.
- For plumbing pipes as well as mouldings and so on.
- The tracing must be done on the back side of the plank.
- Width : 250 mm.
- Depth : 45 mm.



Gencod : 3476060008824 475 g

GAP SPACERS

3 MM



3 mm



O85455

10 PCS OF 3 MM GAP SPACERS

Gencod : 3476060008541 120 g



- With handle for easy removal.

5 MM



5 mm



O85555

10 PCS OF 5 MM GAP SPACERS

Gencod : 3476060008558 140 g

7 MM



7 mm



O85655

10 PCS OF 7 MM GAP SPACERS

Gencod : 3476060008565 160 g

O85755

24 GAP SPACERS BUCKET - 3, 5, 7 mm

Gencod : 3476060008572 420 g



- 8 spacers of each thickness : 3, 5 and 7 mm.
- With handle for easy removal.

O85355

PROTECTIVE STRIP FOR WOODEN JOISTS



70 mm x 16 m



Iftode Universal
sisteme de construcții
shop tehnic



- Protection against surface water.
- Sound insulation.
- Flexible waterproofing membrane made of a polyester reinforcement coated with elastomer bitumen.
- Durability : + 30 years.
- Fastening by staples or nails.
- Thickness : 2,4 mm.



Gencod : 3476060008534 3330 g

O31855

PUNCHER

Hammer tacker



- Very well balanced.
- Comfortable bi-material handle.
- Recommended for fixing protective strip for wooden joists.
- Magazine capacity : 175 staples.




O31955

5000 STAPLES FOR PUNCHER - 10 mm

Galvanised staples.
Height : 10 mm.
Width : 10.6 mm.
Thickness : 1.2 mm.



Gencod : 3476060003195 635 g



Gencod : 3476060003188 975 g

**188455****245 PCS WEDGES PROBOX****60 orange, 70 green, 75 brown, 40 yellow**

- Wedges to level floorings or wooden decks.
- Fast and efficient level set up.
- Made from high quality PE (polyethylene) high resistance.
- Set of 245 wedges :
 - 60 orange : 80 X 40 X 8 mm - Max load 200 kg.
 - 70 green : 80 X 30 X 10 mm - Max load 200 kg.
 - 75 brown : 90 X 45 X 15 mm - Max load 1 700 kg.
 - 40 yellow : 150 X 45 X 25 mm - Max load 2 200 kg.

Gencod : 3476060018847 3575 g

188555**BOX OF 100 BROWN WEDGES****90 x 45 x 15 mm**

- Made from high quality PE (polyethylene) high resistance.
- Special for wooden decking.



Gencod : 3476060018854 1456 g

187555**BOX OF 312 BLACK WEDGES****150 x 45 x 25 mm**

- Made from high quality PE (polyethylene) high resistance.
- Special for wooden decking.



Gencod : 3476060018755 10930 g

189055**30 PCS GREEN WEDGES SET****80 x 30 x 10 mm**

- Made from high quality PE (polyethylene) high resistance.
- Special for expansion joints in flooring installation.

Gencod : 3476060018908 206 g

189155**30 PCS ORANGE WEDGES SET****80 x 40 x 8 mm**

- Made from high quality PE (polyethylene) high resistance.
- Special for vertical leveling.
- The split design enable the wedge to be cracked open and positioned over a screw without falling to the ground.

Gencod : 3476060018915 206 g

189255**16 PCS BROWN WEDGES SET****90 x 45 x 15 mm**

- Made from high quality PE (polyethylene) high resistance.
- To use with yellow or black wedges for wooden decking.

Gencod : 3476060018922 213 g

189355**6 PCS YELLOW WEDGES SET****150 x 45 x 25 mm**

- Made from high quality PE (polyethylene) high resistance.
- Special for wooden decking.

Gencod : 3476060018939 202 g

188055

520 PCS FLAT SHIMS PROBOX**10 x 52 wedges**

- Flat shims to level tiles floors, parquet, laminate flooring, panellings, wooden decks, stone decks, masonry works...
- Fast and efficient level set up.
- Made from high quality PE (polyethylene) high resistance.
- Set of 10 X 52 flat shims :
 - Blue : 1 mm.
 - Black : 2 mm.
 - Red : 3 mm.
 - White : 4 mm.
 - Yellow : 5 mm.

• Dimensions : 50 x 22 mm and 95 x 22 mm.

Gencod : 3476060018809  2768 g

188155

50 PCS FLAT SHIMS SET**5 x 10 wedges**

- Flat shims to level tiles floors, parquet, laminate flooring, panellings, wooden decks, stone decks, masonry works...
- Fast and efficient level set up.
- Made from high quality PE (polyethylene) high resistance.
- Set of 5 X 10 flat shims :
 - Blue : 1 mm.
 - Black : 2 mm.
 - Red : 3 mm.
 - White : 4 mm.
 - Yellow : 5 mm.

• Dimensions : 95 x 22 mm.

Gencod : 3476060018816  290 g

188255

500 PCS HANGER SHIMS PROBOX**5 x 100 wedges**

- Hanger shims for windows and doors installation.
- Fast and efficient level set up.
- Made from high quality PE (polyethylene) high resistance.
- Set of 5 X 100 hanger shims :
 - Blue : 1 mm.
 - Black : 2 mm.
 - Red : 3 mm.
 - White : 4 mm.
 - Yellow : 5 mm.

• Dimensions : 45 x 55 mm.

Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060018823  1809 g

188355

50 PCS HANGER SHIMS SET**5 x 10 wedges**

- Hanger shims used for windows and doors installation.
- Fast and efficient level set up.
- Made from high quality PE (polyethylene) high resistance.
- Set of 5 X 10 hanger shims :
 - Blue : 1 mm.
 - Black : 2 mm.
 - Red : 3 mm.
 - White : 4 mm.
 - Yellow : 5 mm.

• Dimensions : 45 x 55 mm.

Gencod : 3476060018830  134 g



Iftode Universal
sisteme de construcții

shop tehnic



Iftode Universal
sisteme de construcții

shop tehnic



WIRE NET FENCING TOOLS





O41255

BABY GRAFER 16/20

Hand hog ring pliers



- With built-in wire cutter up to 3 mm thickness.
- Stop guide for a stronger hold on the hog ring.
- Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22.



Gencod : 3476060004123 236 g



O40655

BABY GRAFER 30

Hand hog ring pliers



- Stop guide for a stronger hold on the hog ring.
- Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22, 30.



Gencod : 3476060004062 242 g


O42855

MASTER GRAFER

Hog ring pliers for round posts



- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Jaw is specially designed to perfectly fix the welded mesh to the round metal post.
- Compatible with CL 29 rings.



Gencod : 3476060004284 610 g


O43855

UNI-CLIP BECA

Hog ring pliers for «BECA» type round posts



- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Compatible with CL 35 and CL 40 rings.
- CL 35 rings Ø 3.5 mm to be used on round posts («BECA» type).
- CL 40 rings Ø 4 mm to be used on decorative Gabion baskets.



Gencod : 3476060004383 590 g

Iftode Universal
sisteme de construcții

shop tehnic

O40155

TOP GRAFER 16

Hand hog ring pliers with magazine



- Light and handy tool.
- 50 staple magazine.
- Fast removal of magazine (less storage space).
- Compatible with OMEGA 16.



Iftode Universal
sisteme de construcții

shop tehnic

Gencod : 3476060004017 380 g

O40355

TOP GRAFER 18

Hand hog ring pliers with magazine



- Light and handy tool.
- 50 staple magazine.
- Fast removal of magazine (less storage space).
- Compatible with OMEGA 18.



Gencod : 3476060004031 405 g


O41155

TOP GRAFER 20/22

Hand hog ring pliers with magazine



- Light and handy tool.
- 2 built-in wire cutter up to 3 mm thickness.
- 50 staple magazine.
- Fast removal of magazine (less storage space).
- Compatible with DELTA 22 and OMEGA 20.



Gencod : 3476060004116 420 g

O40555

TOP GRAFER 30

Hand hog ring pliers with magazine



- Light and handy tool.
- 50 staple magazine.
- Fast removal of magazine (less storage space).
- Compatible with DELTA 30.



Gencod : 3476060004055 440 g

WIRE NET FENCING SOLUTIONS

WIRE NET FENCING
TOOLS

041855

PACK PRO WIRE NET FENCING



- Content :
- 1 hog ring pliers TOP GRAFER 20/22 (ref. 041155).
- 1000 OMEGA 20 green PVC coated hog rings (ref. 043001).
- 1 cutting nippers 220 mm (ref. 040455).
- For fast and easy installation of chain link fences.

Iftode Universal
sisteme de construcții
shop tehnic



VIDEO

Gencod : 3476060004185 1627 g

040055

JUNIOR

Hand hog ring pliers with magazine



049055


HANDLE SPRING FOR JUNIOR



Gencod : 3476060004901 7 g



- Perpendicular fastening.
- Professional tool for wire mesh and rope netting.
- Maximum fastening $\varnothing$: 2.1 + 2.2 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 16.




Gencod : 3476060004000 580 g

041055

MAJOR

Professional hand hog ring pliers with magazine



149155


HANDLE SPRING FOR MAJOR



Gencod : 3476060014917 8 g





- Perpendicular fastening.
- Professional tool for wire mesh and rope netting.
- Maximum fastening $\varnothing$: 3.9 + 3.6 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 20.



Gencod : 3476060004109 1040 g




- Fits all types of drills.
- Screwdrivers (from 14.4 Volts).
- Ideal to install chain-link fencing.
- High speed execution = time-saving.
- For OMEGA 20 and DELTA 22 staples.
- 50 staple magazine.
- Magazine positioning for left and right-handed person.
- Made in France.

PATENTED

Iftode Universal
sisteme de construcții
shop tehnic


O48455

FENCING TENSION CLAWS x 2



- Set of 2 universal chain link fencing tensioners for T-section or round posts.
- For a perfect and easy installation by one person.
- Holds the netting in position while stapling it.



VIDEO

Gencod : 3476060004840 460 g

O40755

DRESS FIL

Wire tensioner for netting and welded nets



- Wire tensioner for netting and welded nets.
- Guarantee of perfect tensioning : rigid fence.
- Perfect tensioning of wire netting.
- Creates uniform fencing.




Gencod : 3476060004079 280 g

O45555

TORNADO PRO

Professional automatic binder for metal loop tie wire



- 3 laps per cycle.
- Ideal for fencing applications.
- Soft hand grip.



Iftode Universal
sisteme de construcții
shop tehnic

Gencod : 3476060004550 380 g

960452

1000 PCS OF GALVANIZED LOOP TIE WIRE

Ø 1 mm x 120 mm



- Ideal for fencing applications.
- To use with automatic binder ref. O45555 TORNADO PRO.
- Approximative quantity per coil.

Gencod : 3476060004529 1200 g

960491

1000 PCS OF GREEN PLASTIFIED COATED LOOP TIE WIRE

Ø 1,4 mm x 200 mm



- Ideal for fencing applications.
- To use with automatic binder ref. O45555 TORNADO PRO.
- Approximative quantity per coil.

Gencod : 3476060004918 1900 g

O74555

PLURICOUPI ERGO

Multi purpose pliers with angled blades



- Light and easy to handle.
- 42 mm stainless steel polished serrated blades.
- Unbreakable ergonomic arms and easy-to-close catch.
- Applications : home improvement, painting, gardening, textile industry, maintenance, construction, industry.
- Angled blades for an optimum comfort.



Gencod : 3476060007452 167 g

O47855

HURRICANE

Wire twisting pliers



- Quick and secure fastening.
- Simply clamp the wire with the pliers, lock the jaws in place and then pull back to create a uniform twist.
- Functions : wire twisting, wire cutting, universal pliers, nail remover.

Gencod : 3476060004789 393 g

O42455

PIC 7

Multi-purpose farming tool



- Various applications : hammer, wire tensioner, staple remover, wire cutter (x2), splicer.



Gencod : 3476060004246 662 g

O4O455

220 MM CUTTING NIPPERS

- Cutting nippers forged carbon steel = very rugged.
- 50-54 HRC jaws.
- 35-40 HRC arms.
- Heavy-duty body.
- Cutting capacity : Ø 3 mm.



Gencod : 3476060004048 355 g

O44855

250 MM CUTTING NIPPERS

Gencod : 3476060004482 420 g



Iftode Universal
sisteme de construcții

shop tehnic



- Special for Gabion installations.
- 5-7 bar working pressure.
- Magazine capacity : 120 CL 50 (45 x 24 x 3 mm) rings.
- Fastening speed : 40 rings per minute.
- Applications : erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc...
- Comes in heavy duty, ergonomic High Density PE case.
- New model : ultra-rugged machine for an intensive use.
- Magazine protector included.
- Air consumption is 7,7 kg/cm² (7,59 bar) for an average of 50 shots per minute.
- Air flow : 20.34 m³/hour.



VIDEO



249826

LOWER JAW FOR TURBO 50 PREMIUM



249818

UPPER JAW FOR TURBO 50 PREMIUM





Iftode Universal
sisteme de construcții
shop tehnic



- Special manual pliers for Gabion jobsites.
- Quick to use.
- Easy loading of ring.
- Magazine capacity : +/- 50 CL 50 (45 x 24 x 3 mm) rings.
- Locking security.
- Applications : erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc...



Gencod : 3476060004642 5440 g

GABION STAPLES

150000 CL 50 STAPLES - Aluzinc high tensile - 1600 pcs

180000 CL 50 STAPLES - Aluzinc low tensile - 1600 pcs



160000 CL 50 STAPLES - AISI 304 stainless steel - 1600 pcs



140001 CL 40 STAPLES - Aluzinc - 1000 pcs



- Wire diameter : 3 mm.
- Resistance : 1750 - 1900 N/mm².
- Quantity / box : 1600 rings.
- Made of 95% zinc + 5% aluminium.

Gencod : 3476060015006 6940 g



- Wire diameter : 3 mm.
- Resistance : 690 - 840 N/mm².
- Quantity / box : 1600 rings.
- Made of 95% zinc + 5% aluminium.

Gencod : 3476060018007 6950 g



- Wire diameter : 3 mm.
- Resistance : 1370 - 1570 N/mm².
- Quantity / box : 1600 rings.
- AISI 304 stainless steel.

Gencod : 3476060016003 8200 g



- Wire diameter : 4 mm.
- Resistance : 450 - 600 N/mm².
- To use with UNI-CLIP BECA stapler (ref. 043855).
- Special Gabion cages for decoration.

Gencod : 3476060014009 5000 g



O47655

CONCERTINA RAZOR WIRE PLIERS WITH MAGAZINE



- Manual plier with magazine for Concertina razor wire and barbed wire.
- Quick and secure operation thanks to the long handles.
- Magazine capacity : +/- 35 clips.
- For Concertina clip ref O46201 (galva) or ref O46301 (stainless steel).
- Applications : perimeter protection (industrial plants, prisons, airports, military areas and so on).

Gencod : 3476060004765  1416 g

O47755

CONCERTINA RAZOR WIRE PLIERS



Iftode Universal
sisteme de construcții
shop tehnic



- To fix Concertina razor wire and barbed wire.
- One hand operation.
- For galvanised (ref. O46601) & stainless steel (ref. O46701) concertina rings.



Gencod : 3476060004772  285 g

CLIPS FOR CONCERTINA

O46601

1000 GALVANIZED CLIPS - Bulk



- Galvanized.

Gencod : 3476060004666  3200 g

O46701

1000 STAINLESS STEEL CLIPS - Bulk



- AISI 304 stainless steel.

Gencod : 3476060004673  3600 g

O46201

2100 GALVANIZED CLIPS



- Galvanized.

Gencod : 3476060004628  7000 g


O46301

2100 STAINLESS STEEL CLIPS



- AISI 304 stainless steel.

Gencod : 3476060004635  7240 g



Closed clip



- Quick operation.
- 5-8 bar working pressure.
- Air consumption : 6 litres per time.
- Magazine capacity : +/- 100 rings.
- Compatible with CL 24 rings.
- Applications :
 - Swimming pool formwork.
 - Industrial fastening.



Gencod : 3476060004987 1483 g

CL 24 RINGS

120000

STAINLESS STEEL - 10 000 pcs



Iftode Universal
sisteme de construcții
shop tehnic

- Wire diameter : 1.8 mm.
- Wire resistance : 650 - 750 N/mm².
- AISI 304 stainless steel.

Gencod : 3476060012005 8180 g

190000

GALVANIZED - 10 000 pcs





- Wire diameter : 1.8 mm.
- Wire resistance : 650 - 750 N/mm².
- Galvanized.

Gencod : 3476060019004 8000 g



OMEGA 16 STAPLES

Wire diameter : 1,3 mm.



Compatible Staplers

O41255 BABY GRAFER 16/20



O40655 BABY GRAFER 30



O40155 TOP GRAFER 16



O40055 JUNIOR



O41601 Galvanized A - 2500 pcs

Wire resistance :
600-800 N/mm².

24

Gencod : 3476060004161 733 g

O44001 Galvanized green PVC coated - 2500 pcs

Wire resistance :
900-1100 N/mm².

24

Gencod : 3476060004406 466 g

O41901 Galvanized A - 1250 pcs

Wire resistance :
600-800 N/mm².

30

Gencod : 3476060004192 369 g

O44201 Galvanized green PVC coated - 1250 pcs

Wire resistance :
900-1100 N/mm².

30

Gencod : 3476060004420 284 g

O40901 Galvanized dark grey PVC coated
1250 pcs

NEW

Wire resistance :
900-1100 N/mm².

30

Gencod : 3476060409010 284 g

O44300 AISI 316 stainless steel - 1250 pcs

Wire resistance :
600-750 N/mm².

30

Gencod : 3476060004437 384 g

O41501 Galvanized A - 250 pcs

Wire resistance :
600-800 N/mm².

25

Gencod : 3476060004154 87 g

O44501 Galvanized green PVC coated - 250 pcs

Wire resistance :
900-1100 N/mm².

25

Gencod : 3476060004451 66 g

O40801 Galvanized dark grey PVC coated
250 pcs

NEW



Wire resistance :
900-1100 N/mm².

25

Gencod : 3476060408013 66 g

OMEGA 18 STAPLES

Wire diameter : 2 mm.



Compatible Staplers

O41255 BABY GRAFER 16/20



O40655 BABY GRAFER 30



O40355 TOP GRAFER 18



900470 Galvanized A - 1200 pcs

Wire resistance :
450-550 N/mm².

20

Gencod : 3476060004703 804 g

900480 Galvanized green PVC coated - 3000 pcs



Wire resistance :
450-600 N/mm².

8

Gencod : 3476060004802 1860 g

DELTA 18 STAPLES

Wire diameter : 1,6 mm.



900466

Cooper - 3360 pcs

Wire resistance :
850-950 N/mm².

8

Gencod : 3476069004667 15230 g

Compatible Staplers

O41255 BABY GRAFER 16/20






O40655 BABY GRAFER 30



= Unit per master carton.

OMEGA 20 STAPLES

Wire diameter : 2 mm.



Compatible Staplers

O41255 BABY GRAFER 16/20



O40655 BABY GRAFER 30



O41155 TOP GRAFER 20/22



O41055 MAJOR



O41455 POWER GRAFER



O42001 Galvanized A - 1000 pcs

Wire resistance :
450-550 N/mm².



20

Gencod : 3476060004208 852 g

O42301 AISI 316 stainless steel - 1000 pcs

Wire resistance :
550-650 N/mm².



20

Gencod : 3476060004239 908 g

O43001 Galvanized green PVC coated - 1000 pcs

Wire resistance :
450-600 N/mm².



20

Gencod : 3476060004307 745 g

O42101 Aluminium - 1000 pcs

Wire resistance :
270 N/mm².



20

Gencod : 3476060004215 313 g

O47201 Galvanized black PVC coated - 1000 pcs

Wire resistance :
450-600 N/mm².



20

Gencod : 3476060004727 725 g

O43201 Galvanized dark grey PVC coated
1000 pcs

NEW

Wire resistance :
450-600 N/mm².



20

Gencod : 3476060432018 745 g

O42501 Galvanized A - 200 pcs

Wire resistance :
450-550 N/mm².



15

Gencod : 3476060004253 190 g

O43501 Galvanized green PVC coated - 200 pcs

Wire resistance :
450-600 N/mm².



15

Gencod : 3476060004352 166 g

O42900 Galvanized white PVC coated - 200 pcs

Wire resistance :
450-600 N/mm².



15

Gencod : 3476060004291 167 g

O42601 Galvanized dark grey PVC coated
200 pcs

NEW

Wire resistance :
450-600 N/mm².






15

Gencod : 3476060426017 167 g

DELTA 22 STAPLES

Wire diameter : 2 mm.



Compatible Staplers

O41255 BABY GRAFER 16/20



O40655 BABY GRAFER 30



O41155 TOP GRAFER 20/22



O41455 POWER GRAFER



900460 Galvanized A - 1000 pcs

Wire resistance :
450-550 N/mm².



20

Gencod : 3476060004604 927 g

900461 AISI 316 stainless steel - 1000 pcs

Wire resistance :
550-650 N/mm².



20

Gencod : 3476060004611 997 g

900463 Galvanized green PVC coated - 1000 pcs

Wire resistance :
450-600 N/mm².



20

Gencod : 3476060004636 760 g



= Unit per master carton.



HOG RINGS

WIRE NET FENCING
TOOLS



DELTA 30 STAPLES

Wire diameter : 2 mm.



Compatible Staplers

O40655 BABY GRAFER 30



O40555 TOP GRAFER 30



O46500 Galvanized A - 2500 pcs

Wire resistance :
450-550 N/mm².



Gencod : 3476060004659 2971 g

O47101 Galvanized A - 500 pcs


Wire resistance :
450-550 N/mm².



Gencod : 3476060004710 583 g

CL 24 RINGS

Wire diameter : 1,8 mm.



Compatible Staplers

O49855 TURBO 24



120000 STAINLESS STEEL - 10 000 pcs
AISI 304 stainless steel.

Wire resistance :
650-750 N/mm².



Gencod : 3476060012005 8180 g

190000 GALVANIZED - 10 000 pcs
Galvanized treatment.



Wire resistance :
650-750 N/mm².



Gencod : 3476060019004 8000 g

CL 29 STAPLES

Wire diameter : 2,9 mm.



Compatible Staplers

O42855 MASTER GRAFER



O46801 AISI 304 stainless steel - 100 pcs

Wire resistance :
650-800 N/mm².



Gencod : 3476060004680 254 g

O46901 Galvanized A - 100 pcs

Wire resistance :
450-550 N/mm².



Gencod : 3476060004697 253 g

146800 AISI 304 stainless steel - 500 pcs

Wire resistance :
650-800 N/mm².



Gencod : 3476060014689 958 g

O47300 AISI 304 stainless steel - 1000 pcs

Wire resistance :
650-800 N/mm².



Gencod : 3476060004734 2587 g

O47400 Galvanized A - 1000 pcs

Wire resistance :
450-550 N/mm².



Gencod : 3476060004741 2529 g





= Unit per master carton.



CL 35 STAPLES

Wire diameter : 3,5 mm.



Compatible Staplers

O43855 UNI-CLIP BECA



Iftode Universal
sisteme de construcții
shop tehnic

O43700 AISI 304 stainless steel - 500 pcs

Wire resistance :
719 N/mm².




12

Gencod : 3476060004376 1574 g

CL 40 STAPLES

Wire diameter : 4 mm.



140001

ALUZINC - 1000 pcs
Wire resistance : 450 - 600 N/mm².
To use with UNI-CLIP BECA ref. O43855.
Special Gabion cages for decoration.

Compatible Staplers

O43855 UNI-CLIP BECA




1

Gencod : 3476060014009 5000 g

CL 50 STAPLES

Wire diameter : 3 mm.



Compatible Staplers

O49555 TURBO 50 GABION PREMIUM



O46455 MANUAL GABION PLIERS



150000

ALUZINC HIGH TENSILE - 1600 pcs
Resistance : 1750 - 1900 N/mm².
Quantity / box : 1600 rings.
Made of 95% zinc + 5% aluminium.



1

Gencod : 3476060015006 6940 g

160000

AISI 304 STAINLESS STEEL - 1600 pcs
Resistance : 1370 - 1570 N/mm².
Quantity / box : 1600 rings.
AISI 304 stainless steel.



1

Gencod : 3476060016003 8200 g

180000

ALUZINC LOW TENSILE - 1600 pcs
Resistance : 690 - 840 N/mm².
Quantity / box : 1600 rings.
Made of 95% zinc + 5% aluminium.



1

Gencod : 3476060018007 6950 g



= Unit per master carton.

HOG RINGS

WIRE NET FENCING
TOOLS



PRODUCT REF.	PRODUCT DESCRIPTION	PRODUCT PHOTO	SPARE PART REF.	SPARE PART DESCRIPTION	PRODUCT CATALOGUE PAGE
010155	NIBBLER SHEARS NR1 TP - Nibbler shears		101055	BLADE FOR SUPERCUP & NIBBLER SHEARS NR1	92
			101155	DIE FOR NIBBLER SHEARS NR1	
			101555	5 SPRINGS FOR NIBBLER SHEARS	
010255	UPPER-CUT - Shears "PASSE-FRANC" - Right cut		101455	5 SPRINGS SET FOR TIN SNIPS	88
010655	75 MM FLYER'SL - Forged aviation snip long blades 75 mm		101755	5 SPRINGS SET FOR AVIATION SNIPS	88
010755	FLYER'S - Forged aviation snip				10
010955	APOLLO - Forged aviation snip right cut		101455	5 SPRINGS SET FOR TIN SNIPS	10 - 88
011055	SUPERCUP NR1 - Nibbler shears with built-in waste curl cutter		101055	BLADE FOR SUPERCUP & NIBBLER SHEARS NR1	92
			101555	5 SPRINGS FOR NIBBLER SHEARS	
			111055	CUTTING UNIT FOR SUPERCUP NR1 & SUPERCUP INOX	
011255	SUPERCUP INOX - Nibbler shears special stainless steel with built-in waste curl cutter		101555	5 SPRINGS FOR NIBBLER SHEARS	92
			105055	BLADE FOR SUPERCUP INOX	
			111055	CUTTING UNIT FOR SUPERCUP NR1 & SUPERCUP INOX	
011355	SUPERCUP NR3 - Nibbler shears special corrugated iron with built-in waste curl cutter		101555	5 SPRINGS FOR NIBBLER SHEARS	92
			103055	BLADE FOR SUPERCUP NR3	
012755	90° UPPER-CUT - Shears with 90° blades - Right cut		101455	5 SPRINGS SET FOR TIN SNIPS	89
012855	45° FLYER'SL - Shears with 75 mm angled blades - Right cut		101455	5 SPRINGS SET FOR TIN SNIPS	89
017255	NIBBLEX UNIVERSAL - Power drill attachment nibbler shears		017455	PUNCH + DIE SET FOR NIBBLEX UNIVERSAL	93
018555	POLYPERFOR - Steel sheet punching machine		018455	4 PUNCHES SET : Ø 3,3 mm / Ø 4,1 mm / Ø 4,9 mm / Ø 6,2 mm	75
031055	MAT - Pliers to cut and punch the slate, blade 35 mm		231155	35 MM BLADE FOR MAT & MAT COUP	70
			031255	PUNCH FOR MAT, MAT 2 & MECA-MAT	
			031355	CUTTING UNIT FOR MAT & MAT COUP	
			031555	REPAIR KIT FOR MAT & MAT 2	
032055	MAT COUP - Pliers to cut the slate, blade 35 mm		231155	35 MM BLADE FOR MAT & MAT COUP	70
			031355	CUTTING UNIT FOR MAT & MAT COUP	
			031755	5 SPRINGS FOR MAT COUP, MAT COUP 2 & MAXI RET* 5 BLADES	
			031255	PUNCH FOR MAT, MAT 2 & MECA-MAT	
032455	MAT 2 - Pliers to cut and punch the slate, blade 55 mm		031555	REPAIR KIT FOR MAT & MAT 2	70
			232655	55 MM BLADE FOR MAT 2 & MAT COUP 2	
			032755	CUTTING UNIT FOR MAT 2 & MAT COUP 2	
			031755	5 SPRINGS FOR MAT COUP, MAT COUP 2 & MAXI RET* 5 BLADES	
032555	MAT COUP 2 - Pliers to cut the slate, blade 55 mm		232655	55 MM BLADE FOR MAT 2 & MAT COUP 2	70
			032755	CUTTING UNIT FOR MAT 2 & MAT COUP 2	
			032755	CUTTING UNIT FOR MAT 2 & MAT COUP 2	
			032755	CUTTING UNIT FOR MAT 2 & MAT COUP 2	
033355	WOODY CUT* XL - Wood batten guillotine		070355	130 MM PLATE FOR WOODY CUT* XL & CAMELEON 130	94
			071555	INTERCHANGEABLE 130 MM STAINLESS STEEL BLADE FOR WOODY CUT* XL & CAMELEON 130	
033555	MECA-MAT - Punching press for slate with double adjustable perforing		031255	PUNCH FOR MAT, MAT 2 & MECA-MAT	71
			033855	CUTTING UNIT FOR MECA-MAT	
034155	INTERPERFOR 3,5 x 15 MM - Notch punching machine		039055	PUNCH + DIE FOR INTERPERFOR 3,5 x 15 MM	75
035055	MAXI RET* 5 BLADES - Compound action swaging tool 5 blades		031755	5 SPRINGS FOR MAT COUP, MAT COUP 2 & MAXI RET* 5 BLADES	104
037055	ALPHACUT - Guillotine for cutting fiber cement siding		861442	ALPHACUT SPARE BLADE	106
037855	400 MM STAINLESS STEEL SLATE RIPPER		137855	BLADE FOR STAINLESS STEEL SLATE RIPPER - 400 mm	74
037955	600 MM STAINLESS STEEL SLATE RIPPER		137955	BLADE FOR STAINLESS STEEL SLATE RIPPER - 600 mm	
038555	CROCOCUT - Hand nibbler shears for fiber cement siding		700493	SPRING FOR CROCOCUT	106
			138555	REPLACEABLE BLADE FOR CROCOCUT	
			861114	DIE FOR CROCOCUT	
038855	MINI RODCUT M8 - Ø 4, 6, 8 mm rod cutting guillotine		138855	REPLACEABLE DIE M4, M6, M8 FOR MINI RODCUT M8	107
038955	TURBOSHEAR - Drill attachment for larger cordless or corded drill		138955	REPLACEABLE BLADES FOR TURBOSHEAR	93
040055	JUNIOR - Hand hog ring pliers with magazine		049055	HANDLE SPRING FOR JUNIOR	130
			149455	HOG RING HOLDER FOR JUNIOR	
040155	TOP GRAFER 16 - Hand hog ring pliers with magazine		049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	129
			149555	HOG RING HOLDER FOR TOP GRAFER 16	
040355	TOP GRAFER 18 - Hand hog ring pliers with magazine		049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	129
			149655	HOG RING HOLDER FOR TOP GRAFER 18	
040555	TOP GRAFER 30 - Hand hog ring pliers with magazine		049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	129
			149755	HOG RING HOLDER FOR TOP GRAFER 30	



PRODUCT REF.	PRODUCT DESCRIPTION	PRODUCT PHOTO	SPARE PART REF.	SPARE PART DESCRIPTION	PRODUCT CATALOGUE PAGE
040655	BABY GRAFER 30 - Hand hog ring pliers		049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	128
041055	MAJOR - Professional hand hog ring pliers with magazine		149155	HANDLE SPRING FOR MAJOR	130
			149955	HOG RING HOLDER FOR MAJOR & TOP GRAFER 20/22	
041155	TOP GRAFER 20/22 - Hand hog ring pliers with magazine		049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	129
			149955	HOG RING HOLDER FOR MAJOR & TOP GRAFER 20/22	
041255	BABY GRAFER 16/20 - Hand hog ring pliers		049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	128
042855	MASTER GRAFER - Hog ring pliers for round posts		049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	128
043855	UNI-CLIP BECA - Hog ring pliers for "BECA" type round posts		049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	128
049555	TURBO 50 GABION PREMIUM - Specific pneumatic gun for Gabion rings		249818	UPPER JAW FOR TURBO 50 PREMIUM	134
			249826	LOWER JAW FOR TURBO 50 PREMIUM	
060055	PROFIL - Section setting pliers for studs and tracks		060155	PUNCHING BLADE FOR PROFIL	12
060355	TWIN PROFIL® - Section setting pliers for back-to-back studs		061855	PUNCHING BLADE FOR PROFIL 2 RM, ERGOTOP®, POWER PROFIL & TWIN PROFIL®	14
			460455	SPARE MAGNET FOR DUO PROFIL AND TWIN PROFIL®	
060555	30 M FAST LINE - Fast rewinding chalk line reel		160555	1 MM SPARE ROPE FOR FAST LINE 30 M & ALU LINE 30 M	28
060655	FOLDABLE SAFETY KNIFE WITH HOLSTER		199255	10 LARGE CUTTING UTILITY BLADES	21
			199655	10 HOOK KNIFE BLADES	
060755	30 M ALU LINE - Alu chalk line reel		160555	1 MM SPARE ROPE FOR FAST LINE 30 M & ALU LINE 30 M	28
060855	30 M CROSS LINE - Chalk line reel with bi-material handle		564255	1.5 MM BRAIDED SPARE ROPE FOR ROOF LINE 30 M & CROSS LINE 30 M	29
060955	50 M MAX LINE - Chalk line reel with large handle		260555	2.5 MM BRAIDED SPARE ROPE FOR MAX LINE 50 M	29 - 99
061055	PROFIL 2 RM - Section setting pliers for studs and tracks		061855	PUNCHING BLADE FOR PROFIL 2 RM, ERGOTOP®, POWER PROFIL & TWIN PROFIL®	12
061255	30 M GIANT LINE - Chalk line reel with large capacity		561255	2 MM BRAIDED SPARE ROPE FOR GIANT LINE 30 M	29
061655	DUOTOP - 48 mm metal tracks and studs, M6 threaded rod guillotine		068655	F530 ADAPTOR FOR DUOTOP	32
			165055	SPARE DIE FOR MINI RODCUT M6 & DUOTOP	
061955	ERGOTOP® - Section setting pliers for all types of studs and tracks		061855	PUNCHING BLADE FOR PROFIL 2 RM, ERGOTOP®, POWER PROFIL & TWIN PROFIL®	13
062055	MASTER PROFIL® - One hand section setting pliers for studs and tracks		062155	PUNCHING BLADE FOR MASTER PROFIL®	12
			062255	5 SPRINGS FOR MASTER PROFIL®	
062855	CORNER FIX - Hand tool for fixing metal corner beads		162855	SET OF 2 JAWS FOR CORNER FIX	26
			262855	NYLON TIP	
062955	PLAC & ROLL - 150 mm drywall stripper		162955	SET OF 2 SPARE WHEELS FOR PLAC & ROLL	24
064255	30 M ROOF LINE - Special chalk line reel for roofers		564255	1.5 MM BRAIDED SPARE ROPE FOR ROOF LINE 30 M & CROSS LINE 30 M	99
064755	VARIO RAP - Plane for plasterboards & wood		164755	FLAT RASP FOR VARIO RAP	21
			264755	ROUNDED RASP FOR VARIO RAP	
065055	MINI RODUT M6 - 6 mm (M6) threaded rod and 4 mm suspension wire cutter		165055	SPARE DIE FOR MINI RODCUT M6 & DUOTOP	33
065804	PROFILCUT MEGA II - Guillotine for studs and tracks up to 125 mm width		508902	SPARE TRESTLE FOR STRATICUT® 230 AND MEGA STRATICUT® 400, PROFILCUT MEGA II & VARIOCUT	11
065955	RODCUT - Ø 6, 7, 8, 10 mm rod cutting guillotine		165955	REPLACEABLE DIE FOR RODCUT	107
066155	160-290 CM MEDIUM QUICK SUPPORT		506780	UPPER PAD FOR 160-290 CM MEDIUM QUICK SUPPORT & 210-390 CM GIANT QUICK SUPPORT	17
			506781	LOWER PAD FOR 160-290 CM MEDIUM QUICK SUPPORT & 210-390 CM GIANT QUICK SUPPORT	
066355	75-125 CM SMALL QUICK SUPPORT		506630	UPPER PAD FOR 75-125 CM SMALL QUICK SUPPORT	17
			506631	LOWER PAD FOR 75-125 CM SMALL QUICK SUPPORT	



PRODUCT REF.	PRODUCT DESCRIPTION	PRODUCT PHOTO	SPARE PART REF.	SPARE PART DESCRIPTION	PRODUCT CATALOGUE PAGE
066755	EASY RAP - Mini plane for plasterboard		166755	FLAT RASP FOR EASY RAP	21
066855	ULTRA PROFIL® - One hand section setting pliers for all type of studs and tracks, without any effort		566855	PUNCHING BLADE FOR ULTRA PROFIL®	13
067855	210-390 CM GIANT QUICK SUPPORT		506780	UPPER PAD FOR 160-290 CM MEDIUM QUICK SUPPORT & 210-390 CM GIANT QUICK SUPPORT	17
			506781	LOWER PAD FOR 160-290 CM MEDIUM QUICK SUPPORT & 210-390 CM GIANT QUICK SUPPORT	
067901	BANJO TAPER II - Drywall taper with TEK ROLL included		161655	TEK ROLL - Accessory for drywall tapers	37
069055	CANALCUT - Precision insulation cutter		068155	4 BLADES SET 40, 60, 80, 100 MM FOR CANALCUT	20
			069555	SPARE BLADES - TWIN 35 X 35 MM FOR CANALCUT	
069255	RAP-PLAC VERSATILE - Chamfering plane for plasterboard		199255	10 LARGE CUTTING UTILITY BLADES	26
070055	MULTI COUP® - Mitre shear for variable corners and angles		070255	PLATE FOR MULTI COUP® & MULTI COUP® EXTRA	45
			199255	10 LARGE CUTTING UTILITY BLADES	
071055	MULTI COUP® EXTRA - Mitre shears with variable angle cuts		070255	PLATE FOR MULTI COUP® & MULTI COUP® EXTRA	117
			071155	65 MM BLADE FOR MULTI COUP® EXTRA & PLURI COUP EXTRA	
072555	PLURI COUP FLEX® 105 MM - Extruded profiled sections cutting pliers 5 x 16 mm		071455	105 MM STAINLESS STEEL BLADE FOR PLURICOUP FLEX® 105 MM	45
073155	TRIOCOUP® - Cutting tool for PVC, IRL, ICTA and PER tubes, Ø 16, 20 and 25 mm		073255	STAINLESS STEEL BLADE FOR TRIOCOUP®	107
075055	PLURI COUP EXTRA - PVC ducting and trunking cutting pliers		071155	65 MM BLADE FOR MULTI COUP® EXTRA & PLURI COUP EXTRA	45
			700355	65 MM PLATE FOR PLURI COUP EXTRA	
079055	JUMBO CUT - Guillotine for cutting PVC gutters max. 65 x 65 mm		079155	STAINLESS STEEL BLADE FOR JUMBO CUT	118
085055	CAMELEON 130 - Mitre guillotine with an interchangeable 130 mm stainless steel blade		070355	130 MM PLATE FOR WOODY CUT® XL & CAMELEON 130	117
			071555	INTERCHANGEABLE 130 MM STAINLESS STEEL BLADE FOR WOODY CUT® XL & CAMELEON 130	
087755	200 MM HEAVY DUTY FLOORING SCRAPER - Ideal for the removal of carpet, or paint...		187755	200 MM SPARE BLADE FOR FLOORING SCRAPER	118
089055	STRATICUT® 230 - Professional laminate flooring guillotine		508901	STRATICUT® 230 SPARE BLADE	112
			508902	SPARE TRESTLE FOR STRATICUT® 230 AND MEGA STRATICUT® 400, PROFILCUT MEGA II & VARIOCUT	
			508903	DUST COLLECTOR FOR STRATICUT® 230 AND MEGA STRATICUT® 400	
			508904	SET OF 2 STOPPERS FOR STRATICUT® 230 AND MEGA STRATICUT® 400	
089755	LAMINOCUT 2 - Laminate, MDF, vinyl flooring cutting guillotine		508971	STOPPER FOR LAMINOCUT 2	112
			551001	LAMINOCUT 2 SPARE BLADE	
089955	VARIOCUT - Professional guillotine for cutting fiber cement siding		508902	SPARE TRESTLE FOR STRATICUT® 230 AND MEGA STRATICUT® 400, PROFILCUT MEGA II & VARIOCUT	106
090055	HEAVY DUTY SCRAPER - 300 mm		290255	1ST CHOICE BEECH WOOD HANDLE Ø 32 MM	52
090155	HEAVY DUTY SCRAPER - 150 mm				
095055	HEAVY DUTY SCRAPER - 500 mm				
097055	TECHNOCLEAN 40 - Hand scraper		197055	2 x 40 MM BLADE FOR TECHNOCLEAN 40	117
097155	TECHNOCLEAN 60 - Hand scraper		197155	2 x 60 MM BLADE FOR TECHNOCLEAN 60	
097255	TECHNOCLEAN 80 - Hand scraper		197255	2 x 80 MM BLADE FOR TECHNOCLEAN 80	
102055	UPPER-CUT - Shears "PASSE-FRANC" - Left cut		101455	5 SPRINGS SET FOR TIN SNIPS	88
109055	APOLLO - Forged aviation snip left cut				10 - 88
127055	90° UPPER-CUT - Shears with 90° blades - Left cut		101455	5 SPRINGS SET FOR TIN SNIPS	89
128055	45° FLYER®SL - Shears with 75 mm angled blades - Left cut		101455	5 SPRINGS SET FOR TIN SNIPS	89
131555	BOW SAW		131655	BLADE FOR BOW SAW	95
160455	DUO PROFIL - Section setting pliers for back-to-back studs		260455	REPLACEABLE PUNCHING BLADE FOR DUO PROFIL	14
			460455	SPARE MAGNET FOR DUO PROFIL AND TWIN PROFIL®	
160655	DRYWALL UTILITY KNIFE - With 25 mm snap-off blades		160755	10 25 MM SNAP-OFF BLADES	23
161155	MOONWALKER - Adjustable stilts		361107	FRONT AND HEEL PADS FOR MOONWALKER ADJUSTABLE STILTS	32
			361101	LEG STRAP FOR MOONWALKER ADJUSTABLE STILTS	
			361102	UPPER STRAP WITH LOCKER FOR MOONWALKER ADJUSTABLE STILTS	
			361103	LONG FOOT STRAP WITH LOCKER FOR MOONWALKER ADJUSTABLE STILTS	
			361104	SHORT FOOT STRAP WITH LOCKER FOR MOONWALKER ADJUSTABLE STILTS	
161255	EASY LOCK SANDER - For wall and ceiling surface sanding and finishing		163555	10 ABRASIVE NETTING PAPERS 290 x 100 MM - Grit 80	44
			163655	10 ABRASIVE NETTING PAPERS 290 x 100 MM - Grit 120	
			163755	10 ABRASIVE NETTING PAPERS 290 x 100 MM - Grit 240	
161355	EASY LOCK TELESCOPIC SANDER - For wall and ceiling surface sanding and finishing		163555	10 ABRASIVE NETTING PAPERS 290 x 100 MM - Grit 80	44
			163655	10 ABRASIVE NETTING PAPERS 290 x 100 MM - Grit 120	
			163755	10 ABRASIVE NETTING PAPERS 290 x 100 MM - Grit 240	
			169955	TELESCOPIC HANDLE	



PRODUCT REF.	PRODUCT DESCRIPTION	PRODUCT PHOTO	SPARE PART REF.	SPARE PART DESCRIPTION	PRODUCT CATALOGUE PAGE
161455	POWER PROFIL - Automatic section setting pliers for all types of studs and tracks, fits on drills		061855	PUNCHING BLADE FOR PROFIL 2 RM, ERGOTOP®, POWER PROFIL & TWIN PROFIL®	15
162255	3 HOLE SAW SET - Ø 60, 67, 74 mm		516220	DRILL FOR 3 HOLE SAWS SET	34
162355	5 HOLE SAW SET - Ø 68, 74, 80, 90, 100 mm		516230	DRILL FOR 5 HOLE SAWS SET	34
164255	PLAC & ROLL 600 - 600 mm drywall stripper		162955	SET OF 2 SPARE WHEELS FOR PLAC & ROLL	25
166955	CLEAN SANDER - Pole sander adaptable on vacuum cleaner		163555	10 ABRASIVE NETTING PAPERS 290 x 100 MM - Grit 80	44
			163655	10 ABRASIVE NETTING PAPERS 290 x 100 MM - Grit 120	
			163755	10 ABRASIVE NETTING PAPERS 290 x 100 MM - Grit 240	
170055	MULTI COUP® BOX		071155	65 MM BLADE FOR MULTI COUP® EXTRA & PLURI COUP EXTRA	45
			517000	SET OF 3 DIFFERENT CUTTING PLATES FOR MULTI COUP®	
231055	MASTERCUT - Pliers to cut and punch the natural slate up to 7 mm thickness		523100	SPRING FOR MASTERCUT	71
			523101	PUNCH FOR MASTERCUT	
260155	SIMPLIFIED HOT WIRE CUTTING TABLE - For styrofoam panel, especially for E.T.I.C.S. applications		266855	1370 MM SPARE HOT WIRE FOR CUTTING BOW & SIMPLIFIED HOT WIRE CUTTING TABLE	60
			267155	TRANSFORMER FOR HOT WIRE CUTTING TABLES AND CUTTING BOW	
			526650	PLASTIC CASE FOR HOT WIRE CUTTING TABLES/MINERAL WOOL CUTTING TABLE	
			526651	PLASTIC CASE SPARE WHEEL	
			526665	SPARE BATTERY FOR HOT WIRE CUTTING TABLES, CUTTING BOW & CORDLESS HOT KNIFE	
			526666	BATTERY PACK FOR HOT WIRE CUTTING TABLES & CUTTING BOW	
264055	THE DIMPLER® - Magnetic drywall screw retainer		564055	PH2 DRYWALL BIT FOR THE DIMPLER®	35
266555	PROFESSIONAL HOT WIRE CUTTING TABLE - For styrofoam panel, especially for E.T.I.C.S. applications		366855	1500 MM SPARE HOT WIRE FOR CUTTING TABLE	58
			267155	TRANSFORMER FOR HOT WIRE CUTTING TABLES & CUTTING BOW	
			526650	PLASTIC CASE FOR HOT WIRE CUTTING TABLES/MINERAL WOOL CUTTING TABLE	
			526651	PLASTIC CASE SPARE WHEEL	
			526652	HOOK FOR SCAFFOLDING	
			526663	BACK FOOT STAND FOR HOT WIRE CUTTING TABLE	
			526665	SPARE BATTERY FOR HOT WIRE CUTTING TABLES, CUTTING BOW & CORDLESS HOT KNIFE	
			526666	BATTERY PACK FOR HOT WIRE CUTTING TABLES & CUTTING BOW	
266655	HOT WIRE CUTTING BOW FOR STYROFOAM		526667	FOOT SWITCH FOR HOT WIRE CUTTING TABLE	61
			266855	1370 MM SPARE HOT WIRE FOR CUTTING BOW & SIMPLIFIED HOT WIRE CUTTING TABLE	
			267155	TRANSFORMER FOR HOT WIRE CUTTING TABLES AND CUTTING BOW	
			526665	SPARE BATTERY FOR HOT WIRE CUTTING TABLES, CUTTING BOW & CORDLESS HOT KNIFE	
			526666	BATTERY PACK FOR HOT WIRE CUTTING TABLES & CUTTING BOW	
267355	EDMAPLAC® 450 - New generation panel lifter		526730	BRAKE LINING FOR EDMAPLAC®	18
			526731	SPARE METALLIC WIRE FOR EDMAPLAC®	
			526732	HEX BIT FOR EDMAPLAC®	
			526733	SPARE WHEEL WITH BRAKE FOR EDMAPLAC®	
			526734	SPARE WHEEL WITHOUT BRAKE FOR EDMAPLAC®	
268055	EDMAPLAC® 360 - New generation panel lifter		526736	WOODEN PLATE FOR EDMAPLAC® 450	19
			526730	BRAKE LINING FOR EDMAPLAC®	
			526731	SPARE METALLIC WIRE FOR EDMAPLAC®	
			526732	HEX BIT FOR EDMAPLAC®	
			526733	SPARE WHEEL WITH BRAKE FOR EDMAPLAC®	
289955	MEGA STRATICUT® 400 - Super professional laminate flooring guillotine		526734	SPARE WHEEL WITHOUT BRAKE FOR EDMAPLAC®	113
			508902	SPARE TRESTLE FOR STRATICUT® 230 AND MEGA STRATICUT® 400, PROFILCUT MEGA II & VARIOCUT	
			508903	DUST COLLECTOR FOR STRATICUT® 230 AND MEGA STRATICUT® 400	
			508904	SET OF 2 STOPPERS FOR STRATICUT® 230 AND MEGA STRATICUT® 400	
			528990	MEGA STRATICUT® 400 SPARE BLADE	
366255	INSULACUT - Reciprocating electric saw for mineral insulation material		366355	300 MM BLADE FOR INSULACUT	65
			536621	SPARE BATTERY FOR INSULACUT	
366655	HOT WIRE CORNER CUTTER FOR STYROFOAM		466855	710 MM SPARE HOT WIRE FOR CORNER CUTTER	59
			526668	SPARE BATTERY FOR CORNER CUTTER ACCESSORY	
			536661	PLASTIC CASE FOR HOT WIRE CORNER CUTTER	
366455	CORDLESS HOT KNIFE FOR STYROFOAM, SPECIAL E.T.I.C.S.		266755	15 CM SPARE BLADE FOR HOT KNIFE	62
			466755	20 CM SPARE BLADE FOR HOT KNIFE	
			526665	SPARE BATTERY FOR HOT WIRE CUTTING TABLES, CUTTING BOW & CORDLESS HOT KNIFE	
366755	HOT KNIFE FOR STYROFOAM, SPECIAL E.T.I.C.S.		266755	15 CM SPARE BLADE FOR HOT KNIFE	62
			466755	20 CM SPARE BLADE FOR HOT KNIFE	
366955	MINERAL WOOL CUTTING TABLE		526650	PLASTIC CASE FOR HOT WIRE CUTTING TABLES/MINERAL WOOL CUTTING TABLE	64

*Spare parts complete list on demand.

Iftode Universal
sisteme de construcții
shop tehnic

You Tube

OUR
PROFESSIONAL
TOOLS

OUR
COMPANY

NEWS

GUARANTEES
AND
SERVICES

EVENTS

CONTACT



Ref. : 267355

EDMAPLAC® 4

New generation panel lifter

DISC