

ROOF UNIVERSAL

The best solution in roofing



ROOF UNIVERSAL

The best solution in roofing



Plumber Roofer Tools

A broad choice
of specific tools designed
to make your slate
and zinc roof installation easier,
plus a range of
unique plumber tools.

ROOF UNIVERSAL

The best solution in roofing




Slate cutting and punching solutions



031055 **MAT**

SUPERPROSERIE®

± : 901 g Bar code : 3476060003102



310 mm

- 2 in 1 = Cuts and punches slate.
- No breathable dust, no crumbling.
- Ergonomic and anti-slip plastic handles for an optimum comfort.
- Cuts and punches 7 mm (0.275") shapes natural and man made slate.



Cutting length : 35 mm per single pressure




Cutting width : 2.8 mm (0.109")



Punch diameter : 3.2 mm (1/8")



Replaceable blade and punch




Various slate cutting shapes



032455 **MAT 2**

SUPERPROSERIE®

± : 837 g Bar code : 3476060003249



- 2 in 1 = Cuts and punches slate.
- No breathable dust, no crumbling.
- Ergonomic and anti-slip plastic handles for an optimum comfort.



Cutting length : 55 mm per single pressure



Cutting width : 2.8 mm (0.109")



Punch diameter : 3.2 mm (1/8")



Replaceable blade and punch

Spare parts

031155



Blade for Ref. 031055 & 032055.
Bar code : 3476060003119

031255



Universal punch for Ref. 031055, 032455 & 033555.
Bar code : 3476060003126

031355



Cutting unit for Ref. 031055 & 032055.
Bar code : 3476060003133

031555



Repair kit for Ref. 031055 & 032455.
Bar code : 3476060003157

031755



Spring for Ref. 032055 & 032555.
Bar code : 3476060003171

032655



Blade for Ref. 032455 & 032555.
Bar code : 3476060003263


032755



Cutting unit for Ref. 032455 & 032555.
Bar code : 3476060003270

032055 **MAT COUP**

± : 605 g Bar code : 3476060003201



- No dust, no crumbling.
- Slate cutter. Cuts natural and man made slate. 7 mm (0.275")



Cutting width : 2.8 mm (0.109")



Cutting width : 2.8 mm (0.109")

032555 **MAT COUP 2**

± : 670 g Bar code : 3476060003256

ROOF UNIVERSAL

The best solution in roofing

Slate cutting and punching solutions




033055 PRO MAT-COUP 210

± : 2500 g Bar code : 3476060003300



■ Neat and effortless cut.

- Easy forward movement of the slate for progressive cutting action.
- Designed for easy mobility, with a fixing point for laths.



036355 PRO MAT-COUP 400 SUPERPROSERIE®

± : 11915 g Bar code : 3476060003638




Natural / artificial slate cutter up to 10 mm (0.393") thickness

■ Special 10 mm slate and high density weather board sidings up to 400 mm.

■ No breathable dust.

■ Neat and effortless cut.

- Designed for easy mobility, with a fixing point for laths.



Anti-lifting stop




033555 MECA-MAT

± : 10000 g Bar code : 3476060003355

Double hole punching machine for natural & artificial slate up to 8 mm (0.315") thickness

■ Double punching in one go = Time saved.

- Graduation : 5 to 12 cm x 2.
- Double 3.2 mm punching.
- Dimensions : 465 x 350 x H 220 mm.
- 4 anchor points.
- Replaceable die, drilling punch and guide.
- Slate C/C distance : to 150 mm at 320 mm max.
- Effective C/C distance : to 100 mm at 240 mm
- Adjustable depth stop : to 23 mm at 200 mm.



EDMA®

63

ROOF UNIVERSAL

The best solution in roofing



Slate cutting and punching solutions

EDMA
 ... by **FREUND**
038255 & 038155 "FRENCH" SLATER'S HAMMER left handed & right handed


± : 640 g



Bar code : 3476060003829



Bar code : 3476060003812

**Handforged**

- Leather handle.
- Nail puller.
- Polished finish.

**038455 & 038355 "TRADITIONAL" SLATER'S HAMMER left handed & right handed**


± : 636 g



Bar code : 3476060003843



Bar code : 3476060003836

**Handforged**

- Leather handle.
- Large face.
- Nail puller.
- Polished finish.

**139655 & 039655 "UNIVERSAL" SLATER'S HAMMER**


± : 650 g



Bar code : 3476060013966

Handforged

- Left and right bevel.
- Leather handle.
- Nail puller.
- Polished finish.



Bar code : 3476060003966

**032255 & 032155 400 mm SLATER'S ANVIL left handed & right handed**

± : 769 g



Bar code : 3476060003225



Bar code : 3476060003218



- All edges ground.
- Straightened.
- Curved head.
- Straight 30 x 6 mm.

032355 SLATER'S ANVIL bent

± : 560 g Bar code : 3476060003232



ROOF UNIVERSAL

The best solution in roofing



Roofing solutions

**037655 & 037755 WELDED SLATE RIPPERS 400 mm & 600 mm**

Poids : 700 g Bar code : 3476060003768

Poids : 830 g Bar code : 3476060003775




- Traditional slate ripper.
- Welded.

**137655 & 137755 FORGED SLATE RIPPERS 400 mm & 600 mm**

Poids : 684 g Bar code : 3476060013767

Poids : 868 g Bar code : 3476060013774



- Traditional slate ripper.
- One piece of steel construction.

**037855 & 037955 STAINLESS STEEL RIPPER 400 mm & 600 mm**

Poids : 1100 g Bar code : 3476060003782

Poids : 1200 g Bar code : 3476060003799



- Handle and nail puller drop-forged.
- Interchangeable stainless steel blade with rounded edges.
- Special handle suitable for all blade lengths.

**137855 & 137955 BLADES FOR STAINLESS STEEL RIPPER**

Poids : 214 g Bar code : 3476060013781

Poids : 329 g Bar code : 3476060013798



- Replaceable stainless steel blades for Ref 037855 & 037955.

EDMA®**65**

ROOF UNIVERSAL


The best solution in roofing



Punching solutions

018555 POLYPERFOR

Poids : 1080 g Bar code : 3476060001856

**Industrial punching machine**

■ Cutting power : 740 kg !

- Includes 5 sets of punches :
Punch Ø 3.3 mm
and Ø 3.3 mm special slates
Ø 4,1 for steel suspension wires,
Ø 4,9 mm and 6,2 mm for threaded rod.
- Precise graduation
opening to max. 8 mm (0.315").
- Adjustable depth stop up to 43 mm.
- Applications : roofing, suspended ceilings etc.



	Sheet metal	Stainless steel	Aluminium
Ø 3,3 mm	1,5 mm	1,2 mm	3,0 mm
Ø 4,1 mm	1,5 mm	1,0 mm	2,0 mm
Ø 4,9 mm	1,2 mm	0,8 mm	2,0 mm
Ø 6,2 mm	0,8 mm	0,5 mm	1,5 mm



Gooseneck dimension



Punch diameters

**018455 Kit**

Poids : 134 g - 3476060001849



- 4 punches set :
Ø 3,3 mm
Ø 4,1 mm
Ø 4,9 mm
Ø 6,2 mm.

133055 NIBBLER HAND NOTCHER

Poids : 450 g Bar code : 3476060013309



■ Notch : 33 mm x 3 mm

- Neat cut.
- Cuts up to 0,6 mm thickness.

EDMA
... by FREUND**034155 INTERPERFOR 3,5x15 mm**

Poids : 536 g Bar code : 3476060003416

**Notch punching machine**

■ Ideal for vinyl coated cladding sheet, zinc or aluminium.

- Notching capacities :
- 0,8 mm (20 ga ; 0.031") : zinc,
sheet metal cladding.
- 1 mm (18 ga ; 0.039") : plastic.


- Makes a notch of 3,5 x 15 mm to prevent buckling.
- Depth of 9 to 21 mm from the oblong axis.



Notch size



Adjustable depth stop



ROOF UNIVERSAL

The best solution in roofing



Punching solutions



163255 **EASY PUNCH**

⚖ : 3485 g Bar code : 3476060016324



Punch diameter : 8 mm

263255 **Punch**

⚖ : 139 g Bar code : 3476060026323

- Interchangeable punch for Easy Punch



EDMA®


67

ROOF UNIVERSAL

The best solution in roofing




Slater,s_hammer_solutions

**031855 PUNCHER**

⚖ : 928 g Bar code : 3476060003188

**Hammer tacker**

- Very well balanced.
- Very comfortable bi-component handle.
- Recommended for fixing heavy sheet and insulation on roof.
- Magazine capacity : 175 staples.

**131955 1 000 STAPLES**

⚖ : 109 g Bar code :3476060013194

**Staples 6 mm for Puncher Ref. 031855**

- Perfect for façade specialists.
- Galvanised staples.

031955 5000 STAPLES

⚖ :679 g Bar code :3476060003195

**Staples 10 mm for Puncher 031855**

- Galvanised staples.

231955 1 000 STAPLES


⚖ : 189 g Bar code :3476060023193

**Staples 14 mm for Puncher 031855**

- Perfect for multilayer insulation materials.
- Galvanised staples.

035855 ROOFER'S HAMMER

⚖ : 811 g Bar code : 3476060003584




- Steel tube handle.
- PVC grip.
- Magnetic nail holder.
- Polished finish.
- Certified GS Security German Norm.

EDMA
... by **FREUND**

**035955 FORGED ROOFER'S HAMMER**

⚖ : 1016 g Bar code : 3476060003591



- Roofer's hammer all steel forged.
- Leather handle.
- Magnetic nail holder.

EDMA
... by **FREUND**

**037255 COPPER AND SILVERSMITH PLANISHING AND GROOVING HAMMER**

⚖ : 329 g Bar code : 3476060003720



- 1 round lightly bent face.
- Polish finish.

EDMA
... by **FREUND**



ROOF UNIVERSAL

The best solution in roofing



Zinc and lead working solutions



035155 SEAMING IRON



⚖ : 2500 g Bar code : 3476060003515



- Forged steel seaming iron with flat blade.
- Chisel face.
- Block with hole 5 x 15 mm

280 mm

035255 DOUBLE SEAMING IRON




⚖ : 3400 g Bar code : 3476060003522



- Forged steel double seaming iron.
- Block height 25 & 35 mm.

257 mm

033955 TINMAN'S MALLET



⚖ : 550 g Bar code : 3476060003393



- In PVC.
- Edged
- Dimension : 85 x 40 x 150 mm

380 mm

035455 FOLDING TOOL

⚖ : 850 g Bar code : 3476060003546



"Squeezing folding plier"

- Special forged steel.
- Depth 140 mm.

140 mm

131755 HAMMER FOR ANGLE FLAT SCRAPER



⚖ : 300 g Bar code : 3476060013170



Special for flat scraper

- 4 mm thickness nib.
- 22 mm rounded edge.

312 mm

131055 HAMMER FOR ANGLE FLAT SCRAPER



⚖ : 1220 g Bar code : 3476060013101



- In drawn steel.
- Polished finish.

290 mm

LEAD DRESSERS

132155 Lead dresser

⚖ : 289 g Bar code : 3476060013217



340 mm

■ Beech.

- Asymmetrical shape.

132755 Bending stick

⚖ : 293 g Bar code : 3476060013279



340 mm

■ Beech.

- Round, bent shape.

132655 Bossing stick

⚖ : 253 g Bar code : 3476060013262



340 mm

■ Beech.

- Slim, rounded shape.

132855 Setting stick

⚖ : 181 g Bar code : 3476060013286



310 mm

■ Beech.

- Slim, straight shape.


EDMA®

ROOF UNIVERSAL

The best solution in roofing



Metal seaming solutions

EDMA... by **FREUND****CLINCHING PLIERS****Straight**

- Lap joint.
- Precoated handles.



Ref.	Lenght	Weight	Bar code
039155	22 mm	144 g	3476060003911
039255	40 mm	606 g	3476060003928
039355	60 mm	719 g	3476060003935
039455	80 mm	1022 g	3476060003942
039555	100 mm	992 g	3476060003959

**Bent of 45°**

- Lap joint.
- Precoated handles.



Ref.	Lenght	Weight	Bar code
034255	22 mm	122 g	3476060003423
034355	40 mm	362 g	3476060003430
034455	60 mm	450 g	3476060003447
034555	80 mm	996 g	3476060003454
034655	100 mm	1096 g	3476060003461

**Bent of 90°**

- Lap joint.
- Precoated handles.



Ref.	Lenght	Weight	Bar code
034755	40 mm	404 g	3476060003478
034855	60 mm	402 g	3476060003485
034955	80 mm	1122 g	3476060003492

**SEAMING PLIER****Straight**

Ref.	Lenght	Depth	Weight	Bar code
030455	120 mm	125 mm	1850 g	3476060003041
030555	180 mm	175 mm	3250 g	3476060003058
030655	200 mm	185 mm	3400 g	3476060003065


**Bent of 45°**

Ref.	Lenght	Depth	Weight	Bar code
030755	120 mm	110 mm	1850 g	3476060003072
030855	180 mm	160 mm	3050 g	3476060003089
030955	200 mm	160 mm	3200 g	3476060003096




130455 BENDER 4 ROLLS

⚖ : 3400 g Bar code : 3476060013040



Tool to make folds, counterfolds, raised areas on sheets

- Machine to make edging and bending of sheet metal.
- For Zinc, Aluminium, Soft metal, Stainless steel - 4 guide rolls = Special long sheets.
- Possibility of separating two folders to get two folders x2 (réf. I30355).
- Height from 5 mm up to 200 mm.


FOCUS ON

130855 BENDER 8 ROLLS

⚖ : 3800 g Bar code : 3476060013088


Tool to make folds, counterfolds, raised areas on sheets

- Machine to make edging and bending of sheet metal.
- For Zinc, Aluminium, Soft metal, Stainless steel - 8 guide rolls = Special long sheets.
- Possibility of separating two folders to get two folders 4X4 (réf. I30155).
- Height from 5 mm up to 200 mm.



FOCUS ON


ROOF UNIVERSAL

The best solution in roofing



Metal seaming solutions


EDMA... by **FREUND****130155 BENDER 4X4**

m : 2100 g Bar code : 3476060013019



Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius

- Faster than clinching pliers.
- With Aluminium handle.
- 4 wheels






**130355 BENDER X2**

m : 1580 g Bar code : 3476060013033



Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius

- Faster than clinching pliers.
- 2 wheels.

**STEP 1****STEP 2****STEP 3**

ROOF UNIVERSAL

The best solution in roofing



Metal seaming solutions



130755 EDGE ROLLER 25 MM

± : 850 g Bar code : 3476060013071



Tool to make bends of 90° to 180° maximum

- For curved raised areas and construction of small radii (inside and outside).
- Graduated in cm and inches.
- Handle with leverage effect.
- Height of raised areas continuously adjustable from 5 to 25 mm.
- Material thickness up to 0.8 mm max.




130255 DISK ROLLER

± : 1080 g Bar code : 3476060013026



Tool to make bends of 90° to 180° maximum

- 8mm to 40mm high.
- Maximum thickness 1mm.
- Tool ready to work: no adjustment necessary.



130655 DOUBLE DISK ROLLER

± : 2600 g Bar code : 3476060013064



Tool to make bends of 90° to 180° maximum

- 8mm to 40mm high.
- Special long sheets.
- Maximum thickness 1mm.
- Tool ready to work : no adjustment necessary.



FOCUS ON



EDMA®


73

ROOF UNIVERSAL


The best solution in roofing



Metal seaming solutions




EDMA... by **FREUND****038655 SQUARE SEAM FOLDER**

± : 1909 g Bar code : 3476060003867




- Operated square seam folder joins SPM 30/80 profiles.

- Tool width : 220 mm.
- Claw height : 50 mm.


**038755 TWIN SQUARE SEAM FOLDER**

± : 2303 g Bar code : 3476060003874




- Allows simple and quick shaping of locked square seam into double-seam in just one operation.


- Tool width : 220 mm.
- Claw height : 50 mm.

**132555 SEMI-CIRCULAR DORMER SQUARE SEAM FOLDER**

± : 745 g Bar code : 3476060013255



- Tool joining prefabricated SPM profiles.
- Used to tack up lengthwise beads to prevent withdrawal from folding press.
- Even at dormer windows with a small radius one joins lockseam without difficulty.
- Tool width : 65 mm.
- Claw height : 55 mm.



ROOF UNIVERSAL

The best solution in roofing




Metal seaming solutions




132355 EAVES CLOSING JAWS

± : 2100 g Bar code : 3476060013231




■ Fastening without hammering.

- Tool width : 220 mm.
- Claw height : 50 mm.




132255 TILE EDGER

± : 742 g Bar code : 3476060013224



■ To build any slope for tile edges.

- Tool width : 70 mm.
- Claw height : 40 mm.
- Supplied with a measuring tape.



131155 SEAM OPENING PLIERS

± : 442 g Bar code : 3476060013118



■ Seam opening pliers.

- Forged steel head.
- Head length 30 mm.
- PVC coated handles.



EDMA®

75

ROOF UNIVERSAL




The best solution in roofing



Roofer solutions

033355**WOODYCUT XL****SUPERPROSERIE®**

Poids : 6350 g Bar code : 3476060003331

**Wood batten guillotine**

- Neat cutting of battens.
- Safety casing.
- No noise and no breathable dust.
- Long handle 445 mm for a fast and easy cut.
- Excellent cutting results up to 42 mm (height) and 130 mm (length) in every angle possible from 45 to 90°.

**070355 Plate**


Poids : 164 g Bar code : 3476060007032

**130 mm plate****071555 Blade**

Poids : 127 g Bar code : 3476060007155

**Interchangeable
130 mm stainless
steel blade****033255****LIT'UP**


Poids : 1620 g Bar code : 3476060003324

**Batten remover**

- For roofing renovation.
- Heavy-duty.
- Resistance to effort : 1 ton.

**087555****DECHAUSS'TOUT****SUPERPROSERIE®**

Poids : 2670 g Bar code : 3476060008756

**Professional telescopic wooden
batten remover**

- Telescopic arm (min. 550 mm / max. 940 mm).
- Heavy-duty.
- Bears up to 1 ton pressure.



ROOF UNIVERSAL

The best solution in roofing



Roof solutions

**037355 ROOFER'S ADZE**


± : 1170 g Bar code : 3476060003737



- Hand forged.
- With nail puller and base to hammer.
- Sharp blade.

131555 BOW SAW

± : 462 g Bar code : 3476060013156



- 530 mm metal saw blade for wood.
- Set of teeth special for wood.
- Flat oval with gripping lever.

131655 Blade

± : 51 g Bar code : 3476060013163



Blade for bow saw

036755 LATHE AXE

± : 925 g Bar code : 3476060003676



- Polished blade.
- Compliant with german regulation security G.S.
- With nail puller.

**032855 BATTEN GAUGE**

± : 225 g Bar code : 3476060003287



- Easy to use.
- Aluminium pattern.
- With scale from 15-40mm.

ROOF UNIVERSAL

The best solution in roofing



Roofer solutions

131855 GUTTER HANGER BENDER

⚖ : 3850 g Bar code : 3476060013187




- Head made of malleable casting GTW 40.
- Steel tubes with plastic handles.
- For a bracket strength up to 40 x 8 mm.

**036055 INTERCLIPS ZINC**

⚖ : 508 g Bar code : 3476060003607

**Clinching pliers for zinc or enamel-plated aluminium gutters**

- Quick and strong fixing.
- Clinching capacities :
 - 0,8 mm (20 ga ; 0.031") : Zinc, aluminium
 - 0,75 mm (21 ga ; 0.029") : Sheet metal.
- 6 x 3 plunged boss.
- For zinc or enamel-plated aluminium gutters, edge strip.
- Depth of 5 to 20 mm.



Notch size



Adjustable depth stop

035655 TILE NIBBLER

⚖ : 487 g Bar code : 3476060003560



- Special design for roof tiles.
- 220 mm induction hardened.

**131455 ROOF TILE LINE**

⚖ : 200 g Bar code : 3476060013149



- To trim tile.
- File area : 200 mm x 30 mm.
- 2 sides : fine grit & thick grit.



ROOF UNIVERSAL

The best solution in roofing

Roofer solutions




033155 ZINC AND LAMINATE SCRIBER

⚖ : 140 g Bar code : 3476060003317



- Carbide tipped.
- Extremely resistant tip.
- For folding, cutting and marking of zinc and laminate sheets.



036855 TRIANGLE BEARING SCRAPER

⚖ : 165 g Bar code : 3476060003683



- 3 faces sharp blade.
- Ergonomic wooden handle.

036455 SOLDERING SET

⚖ : 200 g Bar code : 3476060003645



- Special zinc.
- Prior to welding in the salt of ammonia, cleaning brush and plastic bottle.
- Non-slip on roof.


EDMA
... by **FREUND**

136455 BAG OF 25 BRUSHES FOR SOLDERING SET

⚖ : 71 g Bar code : 34760600013644


236455 AMMONIA STONE FOR SOLDERING

⚖ : 106 g Bar code : 34760600023643



130055 GUTTER GETTER

⚖ : 110 g Bar code : 34760600013002



- Special gutter half round or square profile.
- Multi-usage : sampling spoon, schovel, fertilizer sower.
- For easy cleaning of gutters.

EDMA
... by **FREUND**



EDMA

79

ROOF UNIVERSAL


The best solution in roofing




Roofing solutions

036155 SCRIBER TOOL


± : 65 g Bar code : 3476060003614



- Stainless steel scriber tool.
- Measuring (5 mm) from 5-100 mm.

**032955 250 mm COMPASS**


± : 275 g Bar code : 3476060003294



- High quality compass according to DIN 6486.
- Ground and polished finish points.

**133355 DECLIMETER**


± : 45 g Bar code : 3476060013330



- To measure frame angle.
- 1° precision.

131355 BRACKET

± : 490 g Bar code : 3476060013132



- Aluminium ruler:
- a = 225 mm.
- b = 135 mm.

131255 BEVEL

± : 186 g Bar code : 3476060013125



- 300 mm wooden handle.
- Adjustable angle measurement.

ROOF UNIVERSAL

The best solution in roofing



Marking solutions



060955 MAX LINE 50 m

± : 600 g Bar code : 3476060006097



- Chalk line reel with broad handle for long distance marking.
- Wire diameter : 2.5 mm.
- Capacity : 300 g.
- Built-in filter system restricting excess chalk.

064255 ROOF LINE 50 m

± : 250 g Bar code : 3476060006424



- Chalk line reel with two handles.
- Avoids too much movement around the roof.
- Ideal for roofers.
- Cord diameter : 2 mm.
- Capacity : 2 x 100 g.
- Built-in filter system restricting excess chalk.

RED MARKING CHALK



063855 ± : 200 g Bar code : 3476060006387

064955 ± : 400 g Bar code : 3476060006493

064355 ± : 1000 g Bar code : 3476060006431

065155 ± : 3500 g Bar code : 3476060006516

132955 CARPENTER PENCIL

± : 220 g Bar code : 3476060013293



- For marking on dry wood
- x 12 pieces.

260055 TOOL POUCH

± : 420 g Bar code : 3476060026002



- Made of smooth top-grain cowhide leather; adjustable belt, 8 pockets, 2 tool holders and 1 measuring tape pocket.

130555 NAIL POUCH

± : 309 g Bar code : 3476060013057



- Made of smooth top-grain cowhide leather; adjustable cotton web belt, 2 large pockets and 1 tool holder.