





Drywaller Bricklayer tools

The range of tools you need
for the installation
and layout drywall
and insulation panels.






sistem complet de gips carton

Board lifting solutions

**067355 LIFT & FIX**

: 42000 g Bar code : 3476060006738

**Plasterboard lifter**

- Easy to assemble.
- Max. load : 65 Kg.
- Maximum lifting height : 3,50 m (4 m with extension).
- Safe and user-friendly (pivot lock, double cable anti-fall system, great stability).
- Telescopic & fully foldable arms.
- Goes through doorways without dismantling.
- Swivelling head for fixing plasterboards under pitched ceilings.
- Heavy duty wheels with mechanical brakes on 2 wheels.
- Easy dismantling and compact storage : only 2 parts.
- Complies with the 98/37/EC regulation.





Tracks and studs cutting solutions

065804

PROFILCUT® MEGA**SUPERPROSERIE®**


wt : 11200 g Bar code : 3476060006585

Guillotine for stud and track

- Up to 125 mm max. width and 60 mm max. height


Removable handle

650 mm cutting guide



- Effortless clean cut without burr.
- Time saving.
- Noise free.
- No special permit required in sensitive areas – no risk of fire – because of the lack of sparks.

FOCUS ON

**EDMA®**

11



sistem complet de gips carton

Section setting solutions

**060055 PROFIL**

s: 861 g Bar code : 3476060006004

**Section setting pliers
for stud and track**

■ Max. capacity : 1 + 1 mm.
(18 ga + 18 ga ; 0.39" + 0.39")



Fastening



No screw - No rivet

**060155**


Bar code : 3476060006011



Punching blade
for Profil (060055)

**061055 PROFIL 2RM**

s: 676 g Bar code : 3476060006103

**Section setting pliers
for stud and track**

■ Max. capacity : 0,8 + 0,8 mm.
(20 ga + 20 ga ; 0.031" + 0.031")

■ Special renovation.

- For right and left setting.
- Articulated head.



Fastening



No screw - No rivet



Articulated head





Section setting solutions



061955

ERGOTOP®**SUPERPROSERIE®**

: 715 g Bar code : 3476060006196


**Universal section setting pliers**

- Max. capacity : I + I mm.

(18 ga + 18 ga ; 0.39" + 0.39")

- Special renovation.

- For right and left setting.
- Ergonomic and anti-slip plastic handles for an optimum comfort.



Fastening



No screw - No rivet



Articulated head



061855

: 15 g Bar code : 3476060006189

**Punching blade**
for Ergotop (061955)

062055

MASTER-PROFIL®**SUPERPROSERIE®**

: 679 g Bar code : 3476060006202

**Section setting pliers for stud and track**

- Max. capacity : I + I mm.

(18 ga + 18 ga ; 0.39" + 0.39").

- One handed compound action.

- Sprung handles.
- Ergonomic and anti-slip plastic handles for an optimum comfort.



Fastening



No screw - No rivet



Return spring


062155

: 12 g Bar code : 3476060006219

**Punching blade**
for Master Profil (062055)

062255

: 30 g Bar code : 3476060006226

**Spring x5**
for Master Profil (062055)**FOCUS ON****EDMA®**

13



sistem complet de gips carton


Section setting solutions

**160455 DUO PROFIL****SUPERPROSERIE®**

Poids : 1282g Bar code : 3476060016041

**Section setting pliers
for 70 mm stud and track**

- Max. capacity : 1 + 1 mm.
(18 ga + 18 ga ; 0.39" + 0.39")
- Specially designed for back-to-back stud setting.
- Compulsory in case of ceiling above 2.50 m height.
- Ergonomic and anti-slip plastic handles for an optimum comfort.





Fastening



No screw - No rivet

260455

Poids : 32 g Bar code : 3476060026040

**Replaceable punching
blade for Duo Profil (160455)****FOCUS ON**



Section setting solutions

**161455 POWER PROFIL**

⚖ : 1085 g Bar code : 3476060016140

**Automatic section setting pliers, fits on all type of drills**

- No special practice needed for stud setting : Drill attachment for all types of studs and tracks !
- Fits on all types of drills screwdrivers (from 10.8 Volt).



- Can crimp all types of studs and tracks (even F530 "optimum" or R48 studs for building false ceilings).

061855 ⚖ : 15 g Bar code : 3476060006189**Replaceable punching blade****FOCUS ON****EDMA®****15**



sistem complet de gips carton

Board handling solutions

**064055 DUOPLAC**

⚖ : 1288 g the set Bar code : 3476060006400

**2 board carrier handles**



- Soft rubber grips - non-slip design.
- Carries up to 2 boards.
- 15 mm steel handles for board transport by 2 persons.
- Innovative, rugged design.
- Can be attached to belt.

**064555 TRANSPLAC**

⚖ : 1250 g Bar code : 3476060006455

**Board lifter (steel)**

- New wide base for better panel seating.
- Allows boards and sheets to be carried by just one person.

**069655 TRANSPLAC EASY**

⚖ : 316 g Bar code : 3476060006967


**PE-HD board lever**

- Light and handy tool.
- Allows board to be carried by one person only.
- Efficient and secure design for board holding.



**066055 FOOTPLAC**

± : 929 g Bar code : 3476060006608


**Board lever with steel stirrup**

■ Wide base prevents board damage while improving panel seating.

- Allows board to be lifted for accurate positioning thanks to its rocker system.
- Also ideal for unhinging doors.
- New extra wide loop suitable for all safety footwear.

**FOCUS ON****166555 BLOCPLAC II**

± : 1900 g Bar code : 3476060016652

**Board holder**

■ Can be used to work alone thanks to the moveable block.

- Practical to lift and hold the board or insulation panel in position while screwing it to the frame.
- Adjustable handle.
- Rugged and easy to use.
- Wide base and extra wide loop suitable for all safety footwear.





sistem complet de gips carton



Board handling solutions

**066155 QUICK SUPPORT - LARGE MODEL**

m : 2228 g Bar code : 3476060006615



- Quick Support tool simplifies working on ceilings and sloping walls when fixing panels, boards and drywall.
- Extendable from 1.60 m to 2.90 m.
- 90° max. support : 60 kg.
- 65° max. support : 20 kg.
- Quick release to adjust handle.
- Articulated top and bottom head.
- Certified GS German norm.

**FOCUS ON****066355 QUICK SUPPORT - SMALL MODEL**

m : 1364 g Bar code : 3476060006639



- Quick Support tool allows to hold material in vehicle.
- Extendable from 0.75 m to 1.25 m.
- 90° max. support : 60 kg.
- 65° max. support : 20 kg.
- Quick release to adjust handle.
- Articulated top and bottom head.
- Certified GS German norm.







sistem complet de gips carton
Board handling solutions



161055 PRESS PLAC PRO

wt : 8600 g Bar code : 3476060016102




Vertical support for PE-HD board

- Minimum working required space for cutting, drilling or planing.

- Holding height : 32 cm.
- Lock screw for perfect holding.
- With carriage handle.



FOCUS ON





Plasterboard cutting solutions



064755 VARIO RAP

⚖ : 381 g Bar code : 3476060006479



Plane for plasterboards & wood

- 3 adjustable working positions.
- Replaceable rasps.




3-position handle



Replaceable rasp

066755 EASY RAP

⚖ : 200 g Bar code : 3476060006677



Mini plane for plasterboards

- Replaceable rasp.



164755 Flat rasp

⚖ : 42 g Bar code : 3476060016478

264755 Rounded rasp

⚖ : 42 g Bar code : 3476060026477

166755 Flat rasp for Easyrap


⚖ : 22 g Bar code : 3476060016676

163155 DRYWALL SCORING SQUARE

⚖ : 605 g Bar code : 3476060016317



- Fast and neat straight cut.
- Max. 62 cm.
- Perfect for scoring and cutting.
- Accept all type of utility knife.
- Double measurement unit: inch & mm.



160655 DRYWALL UTILITY KNIFE SUPERPROSERIE®

⚖ : 290 g Bar code : 3476060016065

With 25 mm snap-off blades

- Comes with 3 blades.
- Security locking blade action.
- Ergonomic design.
- Heavy-duty make.



160755 Snap-off blades

25 mm x 10 pieces



EDMA®

21




sistem complet de gips carton


Plasterboard cutting solutions

**067055 CROCOPLAC 150**

: 140 g Bar code : 3476060006707

**150 mm plasterboard saw**

- Can also be used to make pilot holes for plug installation.
- Keyhole saw, useful for making cut-outs in plasterboards, precast concrete, wood wall boards, etc ...
- Triple bezel blade.
- Light and easy to handle.
- Effective blade length : 150 mm.

**067255 CROCOPLAC 250**

: 180 g Bar code : 3476060006721

**250 mm plasterboard saw**

- Can also be used to make pilot holes for plug installation.
- Special precast concrete and plaster board with P.E.
- Light and easy to handle.
- Effective blade length : 250 mm.
- Ergonomic, double component handle.

**062955 PLAC & ROLL**


: 829 g Bar code : 3476060006295

**FIRE REGULATIONS**


Set of 2 spare wheels
for Plac & Roll (062955)

Drywall stripper for cutting plaster strips

- Allows to cut up to 150 mm thick plaster strips.
- Stainless steel wheels.
- Up to 18 mm (0.708") thick with guide handle.
- Quick and easy width adjustment.
- Double component handle.
- Rail and metal framework fire protection (cribbed beam).
- Adjunction of allowance plaster strips in order to increase metal framework fire stability.
- Cutting strips for recreating edges for precise technical crossover.
- Repairing boards with damaged and dirty corners due to poor handling.
- Board height adjustment.



Metal Beam Protection
(30 mm of extra fire protection for each additional fire grade plasterboard)





Plasterboard cutting solutions




164255 PLAC & ROLL 600


⚖ : 1980 g Bar code : 3476060016423

Drywall stripper 600 mm

- For cutting plasterboard neatly and safely across its width (1200mm).



- Time saving.
- Cutting Capacity = 600mm wide and 25mm thick.
- Avoids having to use a cutter.
- Replaceable stainless steel wheels (Ref 162955).
- Protection hood.
- Bi-material handle.



EDMA®

23



sistem complet de gips carton
Drywall Solutions





062855 CORNER FIX

± : 930 g Bar code : 3476060006288



Hand tool for fixing metal corner beads

- Nylon tip.
- Ergonomic design.
- Replaceable jaws.
- Easy punching.



Replaceable tip

Replaceable tip

Replaceable jaws



262855 ± : 50 g Bar code : 3476060026286



Nylon tip
for Corner Fix (062855)

162855 ± : 25 g Bar code : 3476060016287




Set of 2 jaws
for Corner Fix (062855)



069255 RAP-PLAC VERSATILE

± : 516 g Bar code : 3476060006929



Chamfering plane for plasterboard

- Chamfering angle : from 22 to 45°.
- Zinc plated steel body = extra strength guaranteed.



Adjustable screw (angle & depth)



Adjustable chamfering
angle and depth



Reversible tool



Replaceable
cutting blade

199255 ± : 50 g Bar code : 3476060019929

Large cutting razor blades
60 mm x 10 pcs



**069055 CANALCUT**

± : 688 g Bar code : 3476060006905

**Precision insulation cutter**


- 2 interchangeable blades.
- For all types of insulation, such as: P.S.E, polyurethane, rock wool / glass wool, underfloor heating.

1 Casing crossover version


- Thermal bridges are easily avoided during cutting.
- 2 stainless steel blades for cuts of 35 mm (width) x 35 mm (depth) to insert sheaths of up to 32 mm diameter.
- Complies with RT 2012.

FRENCH RT 2012 REGULATION**2 Curved shape removal version**


- Curved shape removal and no metal scrap cutting.
- Scoring EPS / plaster board.
- Roofing water insulation grading.
- Cuts insulation material.

FOR FLOOR AND SCREED

insert of sheaths in insulation

WALL APPLICATION

Reduction of thermal bridge risk



grading

068155 4 blades set 40/60/80 and 100 mm ± : 134 g Bar code : 3476060006813**069555 Spare blades-twin 35 x 35 mm** ± : 72 g Bar code : 3476060006950**066455 INSULATION CUTTER 300**

± : 245 g Bar code : 3476060006646

**Easy use for all type of insulating material**

- 2 different resharpenable tooth shapes.
- Supplied with holster.



- Blade length : 300 mm.
- Symmetrical double component handle.

**168055 INSULATION CUTTER 420**

± : 320 g Bar code : 3476060016805



- 2 different resharpenable tooth shapes.
- Supplied with holster.

- Blade length : 420 mm.
- Symmetrical double component handle.

**EDMA®**



sistem complet de gips carton
Marking solutions



060455 **ERGO LINE** ⚖ : 79 g Bar code : 3476060006042



15 meters

Ergonomic chalk line reel

- Built-in filter system preventing excess chalk.
- Compliant with REACH Regulation (The European Union's REACH Regulation regulates chemicals and their safe use for the protection of human health and the environment).
- Cord diameter: 1 mm.
- Capacity: 100 g.

062755 **RED LINE ECO** ⚖ : 87 g Bar code : 3476060006271



30 meters

Ultra-light chalk line reel

- Built-in filter system preventing excess chalk.
- Compliant with REACH Regulation (The European Union's REACH Regulation regulates chemicals and their safe use for the protection of human health and the environment).
- Cord diameter : 1 mm.
- Capacity : 80 g.

060555 **FAST LINE** ⚖ : 137 g Bar code : 3476060006059



30 meters

Fast rewinding chalk line reel

- Rewinds 5 times faster.
- Built-in filter system preventing excess chalk.
- Compliant with REACH Regulation (The European Union's REACH Regulation regulates chemicals and their safe use for the protection of human health and the environment).
- Cord diameter: 1 mm.
- Capacity: 100 g.

060755 **ALU LINE** ⚖ : 142 g Bar code : 3476060006073




30 meters

Alu chalk line reel

- Built-in filter system preventing excess chalk.
- Cord diameter : 1 mm.
- Capacity : 80 g.

060955 **MAX LINE** ⚖ : 589 g Bar code : 3476060006097



50 meters

Chalk line reel with broad handle

- For long distance marking.
- Built-in filter system restricting excess chalk.
- Compliant with REACH Regulation (the European Union's REACH Regulation regulates chemicals and their safe use for the protection of human health and the environment).
- Cord diameter: 2,5 mm.
- Capacity: 300 g.

Marking chalks refills

065255	3476060006523	Blue chalk	3500 g
063155	3476060006318	Blue chalk	1000 g
063255	3476060006325	Blue chalk	400 g
063355	3476060006332	Blue chalk	200 g



FOCUS ON







Measuring solutions

**069755 T-SQUARE 1200**

±: 720 g Bar code : 3476060006974

**163455 T-SQUARE 900**

±: 550 g Bar code : 3476060016348

**Drywall "T" ruler 900 mm**

- In aluminium.
- Very light to handle.

**162155 5m TAPE MEASURE x19 mm**

Bar code : 3476060016218

±: 200 g



- Slip and shock resistant built-in case.
- Nylon coating blade.
- Automatic locking and return.
- Class II accuracy (0,5 mm/m).
- Belt hook.

162055 3m TAPE MEASURE x16 mm

Bar code : 3476060016201

±: 160 g





sistem complet de gips carton

Metal anchors solutions for hollow partitions

**020155 BABY-FIX® BRICO**

: 372 g Bar code : 3476060002013



**Expansion tool
for all metal anchors**

■ Ideal for DIY

- Sprung handles.
- Double hinge.
- Good support surface : 100 x 20 mm.

Bearing surface
3 15/16" - 100 mm

Screw positioning

Ø
4 to 6 mm**021155 BABY-FIX® JUNIOR**

: 392 g Bar code : 3476060002112

**Expansion tool
for all metal anchors**

■ Ideal for serious DIY.

- Return spring and 2 component handles.
- Hardened steel arms and jaws.
- Double hinge.
- Good support surface : 100 x 20 mm.

Bearing surface
3 15/16" - 100 mm

Screw positioning


Ø
4 to 8 mm**020355 FIX**

: 444 g Bar code : 3476060002037

**Professional expansion tool
for all metal anchors**

■ Direct setting along the line of the hole.

- Sprung handles.
- Can be used with minimum effort.

Stroke length
25/32" - 19 mm

Works horizontally

Ø
4 to 8 mm



Metal anchors solutions for hollow partitions

021355 SUPER-FIX®

⚖ : 408 g Bar code : 3476060002136




245 mm

Professional expansion tool for all metal anchors

- Cranked head for setting in corners in one easy action.

- Sprung handles.
- Easy to use in confined spaces.


023155 SUPRA-FIX®
SUPERPROSERIE®

⚖ : 365 g Bar code : 3476060002310




180 mm

Professional expansion gun for all metal anchors

- Easy to use in confined areas.

- Compact.

- Support surface : 20 x 20 mm.
- Improved stroke length : 20 mm.


023255 ULTRA-FIX®
SUPERPROSERIE®

⚖ : 463 g Bar code : 3476060002327





200 mm

Professional expansion gun for all metal anchors

- 5 notch ratchet action.

- Specially designed for effortless use with anchors Ø 8 mm (5/16").

- Exceptional support surface of 30 mm.
- Easy handle release system.
- Ergonomic and anti-slip plastic handles for an optimum comfort.


EDMA®

29




sistem complet de gips carton
Drywall solutions




067755 **CIRCLE CUTTER**

⚖ : 182 g Bar code : 3476060006776

Drywall circle cutter



- Perfect for plasterboard notching.
- Max. diameter 400 mm.
- I hand use easy cut.
- Use mallet or hammer to finalise the cut.




162255 **3 HOLE SAW SET**

⚖ : 295 g Bar code : 3476060016225

ø 60, 67 and 74 mm



- Special for plasterboard.
- For wood, PVC and plasterboard.
- Depth cut : 32 mm.




162355 **5 HOLE SAW SET**

⚖ : 570 g Bar code : 3476060016232

ø 68, 74, 80, 90 and 100 mm



- For wood, PVC and plasterboard.
- Depth cut : 30 mm.





Drywall solutions

**162655 HSS STEP DRILL**

Poids : 173 g Bar code : 3476060016263



Use for precision drilling of sheet metal and plastic up to 30 mm

- Drilling ϕ : from 4 to 30 mm in 2 mm increments.
- Max. drilling depth : 3 mm.
- Stud drilling (even back-to-back type) to insert sheaths

**163955 DRILL BIT HOLDER**

Poids : 75 g Bar code : 3476060016393




Philips No.2 drill bit for fixing PE-HD, plaster board

- Philips No.2 drill bit with auto stop function. Ideal for fixing PE-HD, plaster board.
- Will fit most types of drills, for fast fixing without crushing the boards.



**12 DRILL BITS
INCLUDED**

FOCUS ON**164355 COMBINATION TOOL**

Poids : 129 g Bar code : 3476060016430



5 tools in 1: scrape, clean off, trim, clean and rescrew rollers, nail puller

- Steel blade hardened by heat treatment and protected by a varnish.
- Bi-material fixed handle made of ABS shock and elastomer.

**FOCUS ON****164555 7 CM PUTTY KNIFE**

Poids : 159 g Bar code : 3476060016454



- Hardened steel blade and varnished 50HRC.
- Large bevel.
- Brass ferrule.
- Wooden handle of French origin.

**EDMA®****31**



sistem complet de gips carton

Plasterboard jointing solutions

**165155 RUBBER BRICKLAYER'S HOD 25L**

Poids : 1090 g Bar code : 3476060016515



Mixture of rubber and polyethylene combining the advantages of each of these materials:

- Lightness, resistance and flexibility.
- Reinforced edges and sides.



Float support, trowel rest, incorporated dosing.

**164655 RUBBER BRICKLAYER'S HOD 12L**

Poids : 532 g Bar code : 3476060016461




Mixture of rubber and polyethylene combining the advantages of each of these materials:

- Lightness, resistance and flexibility.
- Reinforced edges and sides.

**066655 MUD PAN**

Bar code : 3476060006660

Poids : 344 g




Made of stainless steel

- Very strong.

**066955 MUD PAN**

Bar code : 3476060006691

Poids : 262 g



Made of P.P.

- With galvanized steel blades to strike-off excess compound.

**161855 PORTE BAC**

Poids : 325 g Bar code : 3476060016188



Device to hold mud pan on belt

- Allows to reduce trip on working = time saving.
- Adjustable for all pan types.





Plasterboard jointing solutions

**069855 DRYWALL TAPE HOLDER**


Poids : 371 g Bar code : 3476060006981

**Allows holding and dispensing drywall tape**

- Hangs on belt.
- Quick opening design makes changing tape easy.
- Made of steel and plated to prevent rust.

**160955 ROLLER TAPER**


Poids : 1691 g Bar code : 3476060016096

**Drywall taper (outside tape)**

- 2 compartments (compound and tape).
- Cut-off tape device Very easy to use.
- With carriage and applying handle.
- Time saving for more working efficiency.

**266455 TAPE BUDDY**

Poids : 820 g Bar code : 3476060026644

**Joint tape machine**

- To glue your tapes directly without pre-seal paste !
- Easy to use.
- A thicker compound layer is deposited in the center of the tape for optimum gluing.
- 2 possible mud load thicknesses : thin or thick.

**FOCUS ON**



sistem complet de gips carton

Plasterboard jointing solutions



JOINT KNIVES



Deliver peak drywall finishing performance

- Ultra flexible polished cutlery stainless steel blade.
- With hardened NR2 Philips bit.
- Quick lock and unlock of the NR2 Philips bit in handle.

STAINLESS STEEL



169055 100 mm ⚖ : 139 g Bar code : 3476060016904

169255 150 mm ⚖ : 153 g Bar code : 3476060016928

169155 125 mm ⚖ : 140 g Bar code : 3476060016911



JOINT KNIVES

STAINLESS STEEL



Rigid steel blade, hardened and mirror finish

- Bi-material riveted and fixed handle of shockproof ABS and elastomer.
- Ergonomic design.



165255 20 mm ⚖ : 54 g Bar code : 3476060016522

165355 40 mm ⚖ : 56 g Bar code : 3476060016539

165455 60 mm ⚖ : 68 g Bar code : 3476060016546

165555 80 mm ⚖ : 75 g Bar code : 3476060016553

165655 100 mm ⚖ : 87 g Bar code : 3476060016560

165755 120 mm ⚖ : 90 g Bar code : 3476060016577

165855 150 mm ⚖ : 101 g Bar code : 3476060016584

265955 PLASTIC BOX OF 9 COATING KNIVES WITH PLASTERING TROWEL ⚖ : 3834 g Bar code : 3476060026590



Black lacquered metal box, practical and robust so you never have to go looking for your tools

Contains:

- 4 filling knives with a bi-material handle and a stainless steel blade of 4, 6, 8, 10 cm.
- 4 joint knives with a bi-material handle and a stainless steel blade of 12, 16, 18, 22 cm.
- 1 multifunction knife.
- 1 trowel with a bi-material handle and a beveled stainless steel blade whose handle is used for carrying.





Plasterboard jointing solutions



COATING KNIVES, CURVED SHAPE



STAINLESS
STEEL

Bi-material handle combining the strength and resistance of polypropylene and the handling comfort of elastomer

■ Ambidextrous model.

■ Special drywall knife.

• The curved shape of the blade is specially designed to allow for good hold of the compound. It guarantees a bigger grip and better control of the load during application.

• High resistance to solvents and shocks.

• Ideal for water coatings.

• Mounting with 3 rivets, one of which central avoiding any deformation of the blade.

265255 120 mm $\pm$: 109 g Bar code : 3476060026521

265455 160 mm $\pm$: 140 g Bar code : 3476060026545

265555 180 mm $\pm$: 182 g Bar code : 3476060026552

265755 220 mm $\pm$: 185 g Bar code : 3476060026576

265855 240 mm $\pm$: 190 g Bar code : 3476060026583



164055 RUBBER JOINT KNIFE

$\pm$: 390 g Bar code : 3476060016409



■ To joint inner angles from 60° to 170°, angular round and hard accessible parts.

■ Rubber knife with nylon tip.

• Very light and easy to wash.

• Can be used with hand or a wooden handle.



261055 50 mm SCRIM ROLLS

$\pm$: 47 g Bar code : 3476060026101

Display of 32 rolls

■ Tightly woven mesh with light finish.

■ For filling indoor cracks.

• Roll of 20 meters.



261155 70 mm SCRIM ROLLS

$\pm$: 71 g Bar code : 3476060026118

Display of 24 rolls

■ Tightly woven mesh with light finish.

■ For filling indoor cracks.

• Roll of 20 meters.




sistem complet de gips carton

Plasterboard jointing solutions

**JOINT KNIVES**STAINLESS
STEEL**For all finishing coatings**

- Ultra flexible stainless steel blade.
- Bi-material handle.

**169355 200 mm** ⚖ : 204 g Bar code : 3476060016935**169455 250 mm** ⚖ : 233 g Bar code : 3476060016942**169555 300 mm** ⚖ : 261 g Bar code : 3476060016959**169655 350 mm** ⚖ : 290 g Bar code : 3476060016966**166355 TAPING KNIFE 60 cm**STAINLESS
STEEL

⚖ : 520 g Bar code : 3476060016638



- Stainless steel blade mounted on rigid aluminum reinforcement.
- Bi-material ergonomic riveted handle.
- For application of compound on rough concrete substrate.

**167055 CORNER COATING KNIFE**STAINLESS
STEEL

⚖ : 119 g Bar code : 3476060016706



- Bi-material handle**
- Polished stainless steel blade.
- Ideal for coating in inaccessible places.

**167955 HALF ROUND KNIFE**STAINLESS
STEEL

⚖ : 150 g Bar code : 3476060016799



- Bi-material handle**
- Polished stainless steel blade.
- Ideal for smoothing in angles.





Plasterboard jointing solutions

**WIPEDOWN KNIVES WITH LONG HANDLE**

169755 125 mm $\pm$: 292 g Bar code : 3476060016973



169855 180 mm $\pm$: 229 g Bar code : 3476060016980



For taping jobs in difficult access (stair opening, high ceilings...).


- Ultra flexible polished cutlery stainless steel blade.
- Adjustable 45° angle blade.
- Large amplitude with the telescopic handle (Ref 169955).
- Ideal for taping projected material (droplets, plaster...).




166155 230 mm $\pm$: 239 g Bar code : 3476060016614



166255 280 mm $\pm$: 258 g Bar code : 3476060016621

**169955 TELESCOPIC HANDLE**

$\pm$: 626 g Bar code : 3476060016997



Adjustable on all wipedown knives with long handles

- Extendable handle from 1 m to 2 m 40.
- For taping jobs in difficult access (stair opening, high ceilings...).
- Working from floor allows higher security.



sistem complet de gips carton

Plasterboard jointing solutions

**065455 INSIDE CORNER TROWEL**

Poids : 220 g Bar code : 3476060006547

STAINLESS
STEEL**Made of cutlery stainless steel**

- Very strong.
- Ergonomic handle.

065755 OUTSIDE CORNER TROWEL

Poids : 212 g Bar code : 3476060006578

STAINLESS
STEEL**Made of cutlery stainless steel**


- Special outside thermic insulation.
- Very strong.
- Ergonomic handle.

166455 INSIDE CORNER ROLLER

Poids : 916 g Bar code : 3476060016645




- Aluminium handle and a stainless steel ball.
- For tightening tape in the horizontal and vertical corners.
- With its handle of 140cm, you can use the INSIDE CORNER ROLLER for ceiling heights up to 3.5 m.

**166655 OUTSIDE CORNER ROLLER**

Poids : 805 g Bar code : 3476060016669



- Aluminium handle and a stainless steel ball.
- For tightening tape in the horizontal and vertical interior corners.
- With its handle of 140cm, you can use the OUTSIDE CORNER ROLLER for ceiling heights up to 3.5 m.





Plasterboard jointing solutions



166855 KIT PERFECT CORNER

± : 2975 g Bar code : 3476060016683

Set for compound application containing:

- 90 cm applicator tube for compound
- Inside corner applicator:
- Telescopic handle from 1.2 m to 1.6 m long.
- 5cm corner flushers.
- 9 cm corner flushers.
- Saves time for smoothing joint tapes in all inside corners.



• STEP 1: Once your coated joint tape is positioned in an inside corner; use the 5cm corner flusher with the telescopic handle to tighten the tape in the corner and smooth the compound.

• STEP 2: The next day, when the first coat is dry, use the tube for compound and its corner flusher to apply compound evenly over the entire length of the corner. Then use the large corner flusher of 9 cm with telescopic handle to smooth the compound and do the second coat.



Transport bag included

90 CM APPLICATOR TUBE



CORNER FLUSHER



**Clean it
with water only !
right after use**

EDMA®

39




sistem complet de gips carton

Plasterboard jointing solutions

**069955 ALUMINIUM HAWKS 330 X 330 MM**

⚖ : 801 g Bar code : 3476060006998

**Used for holding plaster before application**

- Ergonomic and smooth neoprene handle.

- Made of aluminium.
- Corrugated surface to maintain coatings on plate.

**266055 PLASTERING TROWEL, FLAT**


⚖ : 420 g Bar code : 3476060026606

**Bi-material handle**

- Stainless steel blade.

**266155 PLASTERING TROWEL, CURVED**

⚖ : 417 g Bar code : 3476060026613

**Bi-material handle**


- Stainless steel blade.
- Curved blade for loading compound.

**266255 PLASTERING TROWEL, BEVELLED BLADE**

⚖ : 204 g Bar code : 3476060026620

**Bi-material handle**

- Stainless steel blade.
- Beveled edges for a surface finish without any mark.

**266355 FLOORING TROWEL**

⚖ : 500 g Bar code : 3476060026637

**Bi-material handle**

- Stainless steel blade.





Plasterboard jointing solutions



166955 **CLEAN SANDER**

± : 995 g Bar code : 3476060016690




Pole sander adaptable on vacuum cleaner

- Sanding without dust.
- Trowel support for mesh sanding sheets.
- Fits on most vacuum cleaners.
- To vacuum dust during sanding.
- Soft grip handle for user comfort.



161255 **EASY LOCK SANDER**

± : 385 g Bar code : 3476060016126



For wall and ceiling surface sanding and finishing

- No loadings in paper.
- Quick and easy abrasive netting paper replacement.



161355 **EASY LOCK TELESCOPIC SANDER**

± : 285 g Bar code : 3476060016133




For wall and ceiling surface sanding and finishing Ref. 169955 (not included)

- Allows sanding on walls and ceilings up to 4m height without using scaffolding or step ladder.

(Aluminium 130-265 cm telescopic handle)
Ref. 169955



ABRASIVE NETTING PAPER 280 x 93 mm



No loadings in paper

163555 Pack of 10 Abrasive netting paper - GRIT 80

± : 170 g Bar code : 3476060016355

163655 Pack of 10 Abrasive netting paper - GRIT 120

± : 170 g Bar code : 3476060016362

163755 Pack of 10 Abrasive netting paper - GRIT 220

± : 170 g Bar code : 3476060016379


162755 **ABRASIVE SPONGE**

Bar code : 3476060016270 ± : 28 g



Abrasive sponge
100 X 70 X 25 mm - grit 60

- Perfect to sand paint or coating.





163355 **CORNER ABRASIVE SPONGE**

Bar code : 3476060016331 ± : 30 g



Abrasive sponge especially for corners
120 X 90 X 25 mm - grit 60

- Perfect to sand paint or coating.



EDMA®



sistem complet de gips carton

Suspended ceiling solutions

**065055 MINI RODCUT M6****SUPERPROSERIE®**

Poids : 4500 g Bar code : 3476060006509



U cutting guide

Ergonomic handle

545 mm cutting guide

590 mm

190 mm

6 mm (M6) threaded rod and 4 mm suspension wire cutter


- Clean cut
= immediate bolting.
- No noise.
- No sparks.

- Applications : Suspended ceilings.
- Can be used to repair rod damage.
- No metal scrap (no metal filings).
- No sparks - No risk of fire - No special permit.
- 545 mm adjustable cutting guide can be positioned on the right or left.
- Up to 6.6 soft steel : 60 kg/mm².
- Must not be used to cut stainless steel threaded rod.


Replaceable cutting die

**165055** Poids : 123 g Bar code : 3476060016508


Spare die
for Mini Rodcut (065055)
diameters : 4 and 6 mm.



Bolting is possible straight after cutting




Immediate bolting



Cutting guide

061355 STAFF PRO

Poids : 160 g Bar code : 3476060006134

**Suspended ceiling board cutter**

- Safe use.
- Cutting precision.
- Time saving.
- Adjustable depth down to 13 mm (0.511").
- Perfect, dust free cut.
- Corrects edges of damaged boards.

061455

Bar code : 3476060006141

10 blades for Staff Pro (061355)



1 - Cutting on the panel flat side.



2 - Cutting halfway on the panel side.





Suspended ceiling solutions



**161155 ADJUSTABLE STILTS MOONWALKER**

± : 6750 g Bar code : 3476060016119

**Adjustable stilts**

■ **UNIQUE** : articulated foot plates allow natural walk.

- Adjustable from 45 to 76cm.
- Maximum support weight: 102kg.
- Time saving for all workings in height.
- 2 support blocks for a better stability.
- Alu stilts = light and handy.

**FOCUS ON****260055 TOOL POUCH**

± : 469 g Bar code : 3476060026002



- Made of smooth top-grain cowhide leather.
- adjustable cotton web belt.

- 8 pockets.
- 2 tool holders.
- 1 measuring tape pocket.





sistem complet de gips carton

Tiling and Electrician solutions

**070055 MULTI-COUP®**

± : 380 g Bar code : 3476060007001



240 mm


**Mitre shear for variable corners and angles**

- Fast, neat and effortless cut.
- Steel blade guard.
- Interchangeable utility blade.

- Perfect for cutting :
 - plastic sections
 - rubber glazing joints
 - decorative mouldings
 - tiling edging trim
 - PVC tape ...

**199255**

± : 50 g Bar code : 3476060019929

**Large cutting utility blades**

Box of 10 blades

60 mm

**075055 PLURI COUP EXTRA**

± : 340 g Bar code : 3476060007506



240 mm

PVC ducting and trunking cutting pliers

- Its 65 mm one piece blade can be re-sharpened.
- Cuts at 90°.
- Cuts up to 40 x 10 mm.

**072555 PLURI COUP FLEX' 105 mm SUPERPROSERIE®**

± : 340 g Bar code : 3476060007254



330 mm

Extruded profiled sections cutting pliers 5x16 mm

- 105 mm stainless steel blade.
- Specially for rubber, compact or cellular, vinyl or PVC window seals and joints, safety corners, nosing.
- Cuts plastic strip cableways.
- Gradual jaw for more accuracy during the cut.
- 40° opening with cutting thickness.
- Ergonomic and anti-slip plastic handles for an optimum comfort.





170055

MULTICOUP BOX®

Poids : 913 g Bar code : 3476060017000

**Case containing:**

- shears with straight plate of 65mm (Example: electrical flat cables, cords, rubber, cardboard, etc.).
- 45 ° angle plate (Example: flat surfaces and quarter round of wood or composite, decorative moldings, PVC profiles for tile Finishing, rubber seals, etc.).
- Cutting plate to cut pipes of 16mm and 20mm (for IRL, ICTA, PVC pipes).
- Plate for corner beads 45x25mm (45x25mm for plastic profiles).
- Clean cut without deformation.
- No need to deburr: time saving.
- 65mm stainless steel blade, interchangeable, can be sharpened.
- Carry case included.




sistem complet de gips carton

Bricklayer and public works solutions




HEAVY DUTY SCRAPER

090055 ⚖ : 524 g Bar code : 3476060009005


■ Hardened steel with riveted standard socket.

- 4 sizes specially designed for :
 - Cleaning construction sites, old roofing materials, chewing gum and floor coverings.
 - Easily removes : snow, black ice, site mud, gum.
 - Ideal for stuck down carpet / linoleum / underlay - removal of adhesive remnants.
- 36 mm Interlocking conical shell for handle integrated with hardened steel blade.
- Rigid and light.
- Resistance : 125 kg/mm².
- Blade thickness : 1 mm.


090155 ⚖ : 356 g Bar code : 3476060009012

290255 ⚖ : 640 g Bar code : 3476060029027


1st choice beech wood handle Ø 32

- For all scrapers.



096055 CONCRETE SPREADER

⚖ : 1245 g Bar code : 3476060009609



Ultra resistant heavy-duty spreader

- Spreader for efficient concrete spreading with 500 mm wide blade.
- Lifting hook (Ø 10 mm) for wire net screed.
- New Ø 29 mm rod for standard handle.




064855 LATTIFIX

⚖ : 354 g Bar code : 3476060006486



Crimping pliers for veined lathing

- Fixes by crimping, without the need for staples.
- Time saving.
- Allows quick and effortless assembly of veined lathing.
- Outside and inside applications :
 - Renovation.
 - Thermal insulation.
 - Fire-blocking.



092855 DISC 125 mm BEVELLED MEDIUM GRIT

⚖ : 200 g Bar code : 3476060009289




Tungsten carbide universal abrasive disc

- Heavy duty. Lasts up to 160 times longer than traditional abrasives.
- For polishing, deburring, surface finishing.
- For all type of materials, such as : steel, wood, cement, concrete, plaster, PVC, mild stone and rust.



092755 DISC 125 mm BEVELLED FINE GRIT

⚖ : 200 g Bar code : 3476060009272



Solutions for concrete reinforcement mesh



045555 TORNADO PRO

± : 398 g Bar code : 3476060004550



Professional automatic binder for looped metal bonds


■ 3 laps per cycle.

- To close bags, fences, frameworks for reinforced concrete.
- Soft hand grip.



042755 TWISTER


± : 216 g Bar code : 3476060004277



Automatic pocket binder for looped metal bonds

■ 1.5 laps per cycle.

- To close bags, fences, frameworks, etc...



LOOPED METAL BONDS



Galvanized



Annealed



Copper-clad annealed

Ref.	NAME	Description	Quantity	Weight
960452	GALVANIZED	Galvanized steel looped bonds Ø 1 mm x 120 mm	1000	1.18 kg
960457	ANNEALED	Annealed steel looped bonds Ø 1.1 mm x 100 mm	1000	1.30 kg
960449	ANNEALED	Annealed steel looped bonds Ø 1.1 mm x 120 mm	1000	1.36 kg
960453	ANNEALED	Annealed steel looped bonds Ø 1.1 mm x 120 mm	5000	7.16 kg
960458	ANNEALED	Annealed steel looped bonds Ø 1.1 mm x 160 mm	1000	1.68 kg
961480	ANNEALED	Annealed steel looped bonds Ø 1.1 mm x 140 mm	1000	1.64 kg
963453	ANNEALED	Annealed steel looped bonds Ø 1.1 mm x 180 mm	1000	1.80 kg
962449	ANNEALED	Annealed steel looped bonds Ø 1.1 mm x 200 mm	1000	1.90 kg
960459	ANNEALED	Annealed steel looped bonds Ø 1.1 mm x 140 mm	5000	8.60 kg
960488	COPPER-CLAD ANNEALED	Copper-clad annealed looped bonds Ø 1.2 mm x 120 mm	1000	1.58 kg
960487	COPPER-CLAD ANNEALED	Copper-clad annealed looped bonds Ø 1.2 mm x 140 mm	1000	2.00 kg
960495	COPPER-CLAD ANNEALED	Copper-clad annealed looped bonds Ø 1.2 mm x 140 mm	5000	9.20 kg
960496	COPPER-CLAD ANNEALED	Copper-clad annealed looped bonds Ø 1.2 mm x 160 mm	5000	10.00 kg

Contact us for specific manufacturing (possible for a minimum of 50 bundles).

EDMA®

47



sistem complet de gips carton

Counter display and POS boxes

**310780 COUNTER DISPLAY FLYER'S**

⚖ : 4190 g Bar code : 3476063107807



**Counter display Flyer's 150 mm
Forged aviation snips
(Ref. 010755)**

- Cutting capacities:
 - 1.2 mm: sheet metal, galvanized, zinc
 - 0.8 mm: stainless steel

**367000 COUNTER DISPLAY CROCOPLAC**

⚖ : 2700 g Bar code : 3476063670004



**Plasterboard 150 mm
(Ref. 067055)**

- Triple bezel blade, useful for making cut-outs or placing anchors.


**610000 COUNTER DISPLAY DUOPROFIL**

⚖ : 4860 g Bar code : 3476066100003



**Section setting
pliers for
stud and
track
(Ref. 160455)**

- Specially designed for partition walls > 2.50 m in M48.
- Max. capacity: I + I mm.

**374510 COUNTER DISPLAY PLURICOUPE**

⚖ : 1390 g Bar code : 3476063745108



**Multi-purpose pliers
(Ref. 073555)**

- Light and easy to handle.

**162100 COUNTER DISPLAY TAPE 5M**

⚖ : 2124 g Bar code : 3476061621008



**Tape 5 M x 19 mm
(Ref. 162155)**

- Shockproof and anti-slip case tape.
- Nylon coating blade.
- Automatic locking and return.

**160600 COUNTER DISPLAY CUTTER**

⚖ : 3718 g Bar code : 3476061606005



**Drywall knife with snap-off
blades of 25 mm
(Ref. 160655)**

- Comes with 3 blades.
- Security locking blade action.

**360555 COUNTER DISPLAY FAST LINE**

⚖ : 3576 g Bar code : 3476063605556



**Equipped with a broad handle
30 meters (Ref. 060555)**

- Rewinds 5 times faster.
- Built-in filter system preventing excess chalk.

**360755 COUNTER DISPLAY ALU LINE**

⚖ : 3900 g Bar code : 3476063607550



**Ergonomic chalk line reel
30 meters (Ref. 060755)**

- Built-in filter system preventing excess chalk.





Counter display and POS boxes



390600 COUNTER DISPLAY ABRADISC

⚖ : 2480 g Bar code : 3476063906004



Tungsten carbide universal abrasive disc (Ref. 092855 - 092755)

■ (3 fine + 6 medium discs).



261055 DISPLAY BANNER 50 mm

⚖ : 1604 g Bar code : 3476062610551



Counter display of 32 banner rolls of 50 mm width.

■ Also available in counter of 24 banner rolls of 70 mm width (ref. 261155).

365056 POS DISPLAY PROFILCUT MINIRODCUT

⚖ : 39000 g Bar code : 3476063650563



Containing:

- Profilcut (ref. 061755).
- Rodcut (ref. 065955).
- Video frame with product presentation.



361755 POS DISPLAY PROFILCUT

⚖ : 39200 g Bar code : 3476063617559



containing:

- Profilcut (ref. 061755).
- + Video frame with product presentation.



316151 POS DISPLAY STUDCUTTER

⚖ : 22000 g Bar code : 3476063161519



Containing:

- Studcutter (ref. 161555).
- + Video frame with product presentation.



365055 POS DISPLAY MINI RODCUT M6

⚖ : 39000 g Bar code : 3476063650556



Containing:

- Mini rodcut (ref. 065055).
- + Video frame with product presentation.



EDMA®