

PROFESSIONALS

Tools and experience



PROFESSIONALS
Tools and experience



*Perimeter
Protection Tools
Wire net Fencing*


Market leading products
for fast and easy installation
or maintenance of chain link
& wire mesh fences.



PROFESSIONALS

Tools and experience

Wire net fencing solutions with a simple twist



041255 BABY GRAF 16/20

Weight : 236 g Bar code : 3476060004123



Hand hog ring pliers

- With built-in wire cutter up to 3 mm thickness.
- Stop guide for a stronger hold on the hog ring.
- Compatible with :
OMEGA 16, 18, 20 and DELTA 18, 22.



Wire cutter



OMEGA 16



OMEGA 18



OMEGA 20



DELTA 18



DELTA 22



040655 BABY GRAF 30

Weight : 242 g Bar code : 3476060004062



Hand hog ring pliers

- Stop guide for a stronger hold on the hog ring.
- Compatible with :
OMEGA 16, 18, 20 and DELTA 18, 22, 30.



OMEGA 16



OMEGA 18



OMEGA 20



DELTA 18



DELTA 22



DELTA 30



042855 MASTER GRAF

SUPERPROSERIE®

Weight : 558 g Bar code : 3476060004284



Hog ring pliers for round posts

- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Jaw is specially designed to perfectly fix the welded mesh to the metal post in the form of a ring.
- Compatible with CL29 rings



CL29
Rings



043855 UNI-CLIP BECA

SUPERPROSERIE®

Weight : 590 g Bar code : 3476060004383



Hog ring pliers for "BECA" type round posts

- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Facilitates the use of CL35 rings Ø 3.5 mm on round posts ("BECA" type).
- Compatible with CL35 rings.



CL35
Rings



PROFESSIONALS**Tools and experience**

Wire net fencing solutions with a simple twist

**040155 TOP GRAF 16****SUPERPROSERIE®**

Poids : 360 g Bar code : 3476060004017



180 mm

Hand hog ring pliers with magazine

■ Light and handy tool.

• 50 staple magazine.



50 staple magazine



OMEGA 16

- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with OMEGA 16.

**040355 TOP GRAF 18****SUPERPROSERIE®**

Poids : 405 g Bar code : 3476060004031




190 mm


Hand hog ring pliers with magazine

■ Light and handy tool.

• 50 staple magazine.

Chargeur
50 agrafesType
OMEGA 18

- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with OMEGA 18.

**041155 TOP GRAF 20/22****SUPERPROSERIE®**

Poids : 420 g Bar code : 3476060004116



190 mm

Hand hog ring pliers with magazine

■ Light and handy tool.

■ 2 built-in wire cutter up to 3 mm thickness.



Wire cutter



50 staple magazine



OMEGA 20




DELTA 22

- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with DELTA 22 and OMEGA 20.

**040555 TOP GRAF 30****SUPERPROSERIE®**

Poids : 440 g Bar code : 3476060004055



190 mm

Hand hog ring pliers with magazine

■ Light and handy tool.

- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).




50 staple magazine



DELTA 30

- Compatible with DELTA 30.


**EDMA®****105**



PROFESSIONALS

Tools and experience

Wire net fencing solutions with a simple twist



041855 PACK PRO WIRE NET FENCING

± : 1610 g Bar code : 3476060004185



Top Graf 20/22



Cutting nippers 220 mm




1000 Omega 20 green
PVC coated hog rings



Includes :

- 1 hog ring pliers Top Graf 20/22 (Ref. 041155).
- 1000 Omega 20 green PVC coated hog rings (Ref. 043055).
- 1 cutting nippers 220 mm (Ref. 040455).

■ For fast and easy installation of chain link fences.



With WIRE CUTTER

040055 JUNIOR

SUPERPROSERIE®

± : 570 g Bar code : 3476060004000



305 mm

Hand hog ring pliers with magazine

■ Perpendicular fastening.

- Professional tool for wire mesh and rope netting.
- Maximum fastening Ø : 2.1 + 2.2 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 16.



50 staple magazine



OMEGA 16



90° orientation

041055 MAJOR

SUPERPROSERIE®

± : 1046 g Bar code : 3476060004109



380 mm


Hand hog ring pliers with magazine

■ Perpendicular fastening.

- Professional tool for wire mesh and rope netting.
- Maximum fastening Ø : 3.9 + 3.6 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 20.



50 staple magazine



OMEGA 20



90° orientation

PROFESSIONALS**Tools and experience**

Wire net fencing solutions with a simple twist

**041455****POWER GRAF****SUPERPROSERIE**

m : 1050 g Bar code : 3476060004147

Automatic hog ring pliers

- Fits all types of drills/screwdrivers (from 10.8 Volt).
- For stapling chain-link fencing.
- High speed execution = Time saving.

- For DELTA OMEGA 20 and 22 staples.
- 50 staple magazine.
- Magazine positioning for left and right-handed person.
- Made in France.


**EDMA®****107**



PROFESSIONALS


Tools and experience

Wire net fencing solutions with a simple twist




048455 FENCING TENSION CLAWS x2

± : 460 g Bar code : 3476060004840



- Set of 2 universal chain link fencing tensioners for T-section or round posts.
- Makes for a perfect installation by one person.
- Holds the netting in position whilst stapling it.




040755 DRESS FIL

± : 280 g Bar code : 3476060004079



- Wire tensioner for netting and welded nets.
- Guarantee of perfect tensioning : rigid.
- Perfect tensioning of wire netting.
- Creates uniform fencing.




045555 TORNADO PRO

± : 404 g Bar code : 3476060004550



Professional automatic binder for looped metal bonds

- 3 laps per cycle.
- To close bags, fences, frameworks for reinforced concrete.
- Soft hand grip.



960452 GALVANISED LOOPED METAL BONDS

± : 1180 g Bar code : 3476060004529



- Ø 1 mm x 120 mm.
- Quantity : 1000 pcs.
- Maintains power for stapling the mesh.



960491 GREEN PVC COATED LOOPED BONDS

± : 1900 g Bar code : 3476060004918



- Ø 1.45 mm x 200 mm / 1000.
- Quantity : 1000 pcs.
- Maintains power for stapling the mesh.



PROFESSIONALS**Tools and experience**

Soldered wire net fencing solutions


**074555 PLURICOUPE' ERGO**

± : 128 g Bar code : 3476060007452

Multi-purpose pliers

■ Light and easy to handle.

- 42 mm stainless steel polished serrated blades.
- Unbreakable ergonomic arms and easy-to-close catch.
- Applications : Interior decoration, waterproof, insulation, painting, horticulture, textile industry, marine, maintenance, construction yards, industry.

**042455 PIC 7**

± : 678 g Bar code : 3476060004246

Multi-purpose farming tool

■ Various applications :

Hammer; wire tensioner;
staple remover;
wire cutter (x2), splicer.




Hammer



Wire cutter



Removing staples

**040455 CUTTING NIPPERS 220 mm**

± : 356 g Bar code : 3476060004048

Cutting nippers forged carbon steel nippers = very rugged

- 50-54 HRC jaws.
- Arm 35-40 HRC.
- Heavy-duty body.
- Cutting capacity diam. 3 mm.

**044855 CUTTING NIPPERS 250 mm**

± : 420 g Bar code : 3476060004482


Cutting nippers forged carbon steel nippers = very rugged

- 50-54 HRC jaws.
- Arm 35-40 HRC.
- Heavy-duty body.
- Cutting capacity diam. 3 mm.





PROFESSIONALS **Tools and experience** **Gabion solutions**


049755 TURBO 50 GABION

⚖ : 11540 g Bar code : 3476060004970



Specific pneumatic gun for GABION rings

■ Special for Gabion jobsites.

- 5-7 bar working pressure.
- Magazine capacity : 120 CL50 (45x24x3 mm) rings.
- Fastening speed : 40 rings per minute.
- Applications : Erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc...
- Comes in heavy duty, ergonomic High Density PE case.


 To be used with compressor
not supplied

249736

⚖ : 635 g Bar code : 3476062497367

Upper jaw

249745

⚖ : 635 g Bar code : 3476062497459

Lower jaw


PROFESSIONALS**Tools and experience**


Gabion solutions

**046455****MANUAL GABION PLIER**

Poids : 4620 g Bar code : 3476060004642

**Special manual plier for Gabion jobsites**

- Quick to use.
- Easy loading of ring.
- Magazine capacity : ± 50 ring CL50 (45x24x3 mm).
- Locking security.
- Applications : Erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc...

**CL 50**

Ref.	Designation	Poids	ø du fil	Résistance	Quantité / boîte	Traitement
150000	CL 50 ALUZINC High tensile	Poids : 6950 g 3476060015006	3 mm	1750 - 1900 N/mm ²	rings 1600	95% zinc + 5 % alu
160000	CL 50 STAINLESS STEEL 304	Poids : 6990 g 3476060016003	3 mm	1370 - 1570 N/mm ²	rings 1600	INOX AISI 304
180000	CL50 ALUZINC Low tensile	Poids : 6950 g 3476060018007	3 mm	690 - 840 N/mm ²	rings 1600	95% zinc + 5 % alu


EDMA®**111**



PROFESSIONALS

Tools and experience

Concertina razor barbed tape solution



047655 CONCERTINA RAZOR BARBED TAPE PLIER with magazine ± : 1416 g Bar code : 3476060004765



Manual plier with magazine for Concertina Razor Barbed Tape

- Secure to use because of the long handles.
- Quick fastening action.


- Magazine capacity: ±35 clips.
- It is possible to load the magazine horizontally or vertically.
- For Concertina clip Ref 0462 (Galva) or ref 0463 (Stainless steel).

Applications : protection of sensitive areas (industrial estates and facilities, material park, airports, military areas...).



047755 CONCERTINA RAZOR BARBED TAPE PLIER

± : 270 g Bar code : 3476060004772




Manual plier for Concertina Razor Barbed Tape


- One handed compound action.
- For CONCERTINA rings Galvanised/1000 & Stainless steel/1000.



CLIPS FOR CONCERTINA



Ref.	Designation		Quantity / box	Treatment
046601	Galvanised clips	± : 3200 g 3476060004666	1000 rings	GALVANISED
046701	Stainless steel clips	± : 3200 g 3476060004673	1000 rings	STAINLESS STEEL AISI 304
046201	Galvanised clips	± : 6700 g 3476060004628	2100 rings	GALVANISED
046301	Stainless steel clips	± : 6700 g 3476060004635	2100 rings	STAINLESS STEEL AISI 304

PROFESSIONALS**Tools and experience**

Hog ring pliers solution

**049855 TURBO 24**

± : 1483 g Bar code : 3476060004987

**Pneumatic gun for CL24 ring**

■ Fast execution.

- 5-8 bar working pressure.
- Air consumption : 6 litres per time.
- Magazine capacity : ± 100 rings.
- Compatible with CL24 rings.

- Applications :
 - Swimming pool formwork
 - Industrial fastening

To be used with compressor (not supplied)



Ref.	Designation		Quantity / box	Treatment
120000	CL24 Stainless steel rings	± : 8180 g 3476060012005	10 000 rings	STAINLESS STEEL AISI 304
190000	CL24 Galvanised rings	± : 8120 g 3476060019004	10 000 rings	GALVANISED



048555 HOG RING PLIERS AS 2000

± : 495 g Bar code : 3476060004857

Hog ring pliers

■ For parallel fastening.

- Magazine located between the 2 handles.
- Magazine capacity : 50 Delta 22. or Omega 20 hog rings.


**DELTA 22****OMEGA 20**



PROFESSIONALS


Tools and experience

Hog rings solutions




= wire diameter **scale 1:1**

Staple packaging p.117




OMEGA 16 / 2500

Ref.	Color	Bulk weight	Unit*
041601	GALVA A (NF EN 10244-2)	752 g	24
044001	GALVA green PVC coated	560 g	24




OMEGA 16 / 1250

Ref.	Color	Bulk weight	Unit*
041901	GALVA A (NF EN 10244-2)	362 g	30
044201	GALVA green PVC coated	258 g	30
044301	AISI Stainless steel 316	400 g	30



OMEGA 16 / 250


Ref.	Color	Bulk weight	Unit*
041501	GALVA A (NF EN 10244-2)	82 g	25
044501	GALVA green PVC coated	70 g	25



OMEGA 18




Ref.	Color	Bulk weight	Unit*	Quantity
900470	GALVA A (NF EN 10244-2)	700 g	30	1200
900480	GALVA green PVC coated	1860 g	8	3000




OMEGA 20 / 1000

Ref.	Color	Bulk weight	Unit*
042001	GALVA A (NF EN 10244-2)	852 g	30
042301	AISI Stainless steel 316	852 g	30
043001	GALVA green PVC coated	730 g	30
042101	Aluminium	320 g	30
047201	GALVA black PVC coated	730 g	30




OMEGA 20 / 200

Ref.	Color	Bulk weight	Unit*
042501	GALVA A (NF EN 10244-2)	190 g	15
043501	GALVA green PVC coated	164 g	15
042900	GALVA white PVC coated	164 g	15




DELTA 22 / 1000

Ref.	Color	Bulk weight	Unit*
900460	GALVA A (NF EN 10244-2)	870 g	30
900461	AISI Stainless steel 316	970 g	30





DELTA 30



Ref.	Color	Bulk weight	Unit*	Quantité
046500	GALVA A (NF EN 10244-2)	3000 g	6	2500
047101	GALVA A (NF EN 10244-2)	615 g	1	500

PROFESSIONALS**Tools and experience**



Hog rings solutions

**CL 24****/ 10 000**



Ref.	Color	Bulk weight	Unit*
120000	AISI Stainless steel 304		1
190000	GALVA		1

**CL 35****/ 500**

Ref.	Color	Bulk weight	Unit*
043700	AISI Stainless steel 304	1500 g	17

**CL 29**

Ref.	Color	Bulk weight	Unit*	Quantity
046801	AISI Stainless steel 304	274 g	30	100
046901	GALVA A (NF EN 10244-2)	270 g	30	100
146801	AISI Stainless steel 304	1300 g	10	500
047301	AISI Stainless steel 304	2800 g	6	1000
047401	GALVA A (NF EN 10244-2)	2700 g	5	1000

**CL 50****/ 1600**


Ref.	Color	Bulk weight	Unit*
150000	ALUZINC (high tensile)	6940 g	1
160000	AISI Stainless steel 304	6990 g	1
180000	ALUZINC (low tensile)		1

* Unit packaging

	0412	0406	0428	0438	0401	0403	0411	0405	0400	0410	0485	0497	0464	0476	0477	0498
OMEGA 16																
OMEGA 18																
OMEGA 20																
DELTA 18																
DELTA 22																
DELTA 30																
CL 24																
CL 29																
CL 35																
CL 50																
CONCERTINA																

PROFESSIONALS**Tools and experience**

Spare parts



	Ref.	Designation					
				21	062255	Spring MASTER PROFIL® ref. 0620	p. 13
01	017455	Punch + die for NIBBLEX® ref. 0172	p. 59	22	068155	Blades set for CANALCUT ref. 0690	p. 25
02	018455	Ø3.3 mm, Ø4.1 mm, Ø4.9 mm, Ø6.2 mm punches kit for POLYPERFOR ref. 0185	p. 59	23	069555	Twin blade for CANALCUT ref. 0690	p. 25
03	031155	Blade for ref. 0310 & 0320	p. 62	24	070255	Plate for MULTICOUP & MULTICOUP EXTRA, ref. 0700 & 0710	p. 44, 95
04	031255	Punch for ref. 0310, 0324 & 0335	p. 62	25	070355	130 mm plate for WOODYCUT XL ref. 0333 & CAMELEON 130 ref. 0850	p. 76, 95
05	031355	Die for ref. 0310 & 0320	p. 62	26	071155	65 mm stainless steel blade for ref. 0740, ref. 0710, ref. 0750	p. 44, 95
06	031555	Repair kit for ref. 0310 & 0324	p. 62	27	071455	105 mm stainless steel blade for PLURICOUP FLEX 105 ref. 0725	p. 44
07	031755	Spring for ref. 0320 & 0325	p. 62	28	071555	130 mm stainless steel blade for WOODYCUT XL ref. 0333 & CAMELEON 130 ref. 0850	p. 76, 95
08	032655	Blade for ref. 0324 & 0325	p. 62	29	073255	Stainless steel blade for TRIOCOUP ref. 0731	p. 87
09	032755	Die for ref. 0324 & 0325	p. 62	30	079155	Stainless steel blade for JUMBO ref. 0790	p. 97
10	033855	Cutting unit for MECAMAT ref.0335	p. 63	31	089255	Waste collector for STRATICUT® ref. 0890, ref. 0899	p. 92, 93
11	039055	Punch + die for INTERPERFOR 3,5x15 mm ref. 0341	p. 66	32	101055	Blade for ref. 0101 & 0110	p. 58
12	049055	Handle spring for JUNIOR ref. 0400	p. 106	33	101455	5 spring set for tin snips ref. 0109, 1090, 0102, 0120	p. 54
13	149155	Handle spring for MAJOR ref. 0410	p. 106	34	101755	5 spring set for aviation snips ref. 0105, 0106, 0107	p. 52, 53
14	049255	55 mm handle coiled spring (set of 2) for hand hog ring pliers ref. 0401, 0403, 0406, 0405, 0411, 0412, 0428, 0438	p. 104, 105, 106	35	101555	5 spring for nibbler shears ref. 0101, 0110, 0112, 0113	p. 58
15	149455 ... 149955	Hog ring holder ref. 1494 for Junior ; 1495 for Top graf 16 ; 1496 for Top graf 18 ; 1497 for Top graf 30 ; ref. 1499 for Top graf 20/22 - Major	p. 105, 106	36	103055	Blade for nibbler shears ref. 0113	p. 58
				37	105055	Stainless steel blade for nibbler shears ref. 0112	p. 58
				38	111055	Cutting unit for SUPERCUP NR1 & SUPERCUP INOX ref. 0110, 0112	p. 58
16	060155	Punching blade for PROFIL ref 0600	p. 12	39	112055	Axis & bolt for blade nibbler shears ref. 0101, 0110, 0112 & 0113	p. 58
17	263255	Punch for EASY PUNCH ref. 1632	p. 67	40	138555	Blade for CROCOCUT ref. 0385	p. 82
18	061455	10 blades for STAFF PRO ref. 0613	p. 42	41	160555	Spare rope for chalkline reels	p. 26, 81
19	061855	Punching blade for ERGOTOP® ref. 0619	p. 13	42	162855	Set of 2 spare punches for CORNER FIX ref. 0628	p. 24
20	062155	Punching blade for MASTER PROFIL® ref. 0620	p. 13	43	162955	Cutting wheels for PLAC&ROLL ref. 0629	p. 22

PROFESSIONALS**Tools and experience**

Hog rings packaging



45	164755	Flat rasp for VARIORAP ref. 0647	p. 21
46	264755	Rounded rasp for VARIORAP ref. 0647	p. 21
47	165055	Cutting unit for MINIRODCUT ref. 0650	p. 42
48	165955	Cutting unit for RODCUT ref. 0659	p. 86
49	197055	40 mm x2 blades for TECHNOCLEAN 40 ref. 0970	p. 95
50	197155	60 mm x2 blades for TECHNOCLEAN 60 ref. 0971	p. 95
51	197255	80 mm x2 blades for TECHNOCLEAN 80 ref. 0972	p. 95
52	199255	Large cutting razor blades x10 for ref. 0692 ; ref. 0700 ; ref. 1608	p. 24, 44, 96
53	199655	Hook knife blades x10 for ref. 1608	p. 96
54	262855	Nylon type for CORNER FIX ref. 0628 & SUPER TAKTIK ref. 0872	p. 24, 94
55	160755	Snap-off blades x10 for ref. 1606	p. 21
56	249736	Upper jaw for TURBO 50 ref. 0497	p. 110
57	249745	Lower jaw for TURBO 50 ref. 0497	p. 110
59	138855	M4, M6, M8 Die for MINI RODCUT M8 ref. 0388	p. 87
60	138955	Blade for TURBO SHEAR ref. 0389	p. 59
61	139755	Blade for FIBRO SHEAR ref. 0397	p. 83
62	166755	Flat rasp for EASY RAP ref. 0667	p. 21
63	260455	Punching blade for DUO PROFIL ref. 1604	p. 14

65	041601	Staples Omega 16 - Galva A/2500
66	044001	Staples Omega 16 - Galva green/2500
67	041901	Staples Omega 16 - Galva A/1250
68	044201	Staples Omega 16 - Galva green/1250
69	044300	Staples Omega 16 - AISI stainless steel 316/1250
70	041501	Staples Omega 16 - Galva A/250
71	044501	Staples Omega 16 - Galva green/250
72	900470	Staples Omega 18 - Galva A/1200
73	900480	Staples Omega 18 - Galva green/3000
74	042001	Staples Omega 20 - Galva A/1000
75	042301	Staples Omega 20 - AISI stainless steel 316/1000
76	043001	Staples Omega 20 - Galva green/1000
77	042101	Staples Omega 20 - Aluminium/1000
78	047201	Staples Omega 20 - Galva black/1000
79	042501	Staples Omega 20 - Galva A/200
80	043501	Staples Omega 20 - Galva green/200
81	042900	Staples Omega 20 - Galva white/200
82	900460	Staples Delta 22 - Galva A/1000
83	900461	Staples Delta 22 - AISI stainless steel 316/1000
84	046500	Staples Delta 30 - Galva A/2500
85	047101	Staples Delta 30 - Galva A/500
86	046801	Staples CL29 - AISI stainless steel 304/100
87	046901	Staples CL29 - Galva A/100
88	146800	Staples CL29 - AISI stainless steel 304/500
89	047300	Staples CL29 - AISI stainless steel 304/1000
90	047400	Staples CL29 - Galva A/1000
91	043700	Staples CL35 - AISI stainless steel 304/500
92	150000	Staples CL50 - Aluzinc High resistant/1600
93	160000	Staples CL50 - AISI stainless steel 304/1600
94	180000	Staples CL50 - Aluzinc Low resistant/1600
95	120000	Staples CL24 - Stainless steel/10000
96	190000	Staples CL24 - Galva/10000

EDMA®**117**