

ROOF UNIVERSAL

Accesorii pentru acoperisuri






German quality and technology

Our products are manufactured with the use of the newest technology and involvement of the best building insulation specialists. They have joined their over 20-year experience in design, production and distribution of roof membranes and roof accessories in order to produce and provide you with the best products available.

That's why our brand brings the latest achievements and innovative solutions in the roof and building insulation fields. In the production process of our products the best raw materials available on the market are used. Strict inspection allows to manufacture qualitative, safe, effective and durable products.

Roofers and investors appreciate RoofUniversal for its high quality. By purchasing the RoofUniversal products you are choosing healthy atmosphere in your house and peace for you and your family.



Ridge

Ridge tapes and accessories to enable proper ventilation of the ridge area and protect against penetration of snow, rain, moisture and dust.



RTS

Ridge tape made of profiled aluminum sheet, technical fabric and self-adhesive butyl tape. Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size: 240 mm; 310 mm x 5 rm

150 mm - 400 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 4 rolls

Pallet: 144 rolls / 720 rm

RTG

Ridge tape made of profiled aluminum sheet, geotextile and self-adhesive butyl tape.

Applied as sealing and ventilating element.

Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size: 240 mm; 310 mm x 5 rm

150 mm - 400 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 4 rolls

Pallet: 144 rolls / 720 rm

RTSP

Ridge tape made of profiled aluminum sheet, two-layer nonwoven and self-adhesive butyl tape. Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size: 240 mm; 310 mm x 5 rm

180 mm - 400 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 4 rolls

Pallet: 144 rolls / 720 rm







RTM

Ridge tape made of partly perforated profiled aluminum sheet and self-adhesive butyl tape. Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size: 300 mm x 5 rm

180 mm - 450 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 4 rolls

Pallet: 144 rolls / 720 rm

CERAMIC GRIP

Ridge tile grip made of aluminum sheet and coated with weatherproof polyester paint. Applied for fast and reliable installation of ridge tiles on the ridge and hip battens. The grip is mounted with the use of screws.



Type: Roben, Creaton, Tondach

RAL colour: wall red 8004, brown 8017, anthracite 7021,

chestnut 8015

Cardboard: 50 pcs.

UNI GRIP

Ridge tile grip made of aluminum sheet and coated with weatherproof polyester paint. Applied for fast and reliable installation of ridge tiles on the ridge and hip battens. The grip is mounted with the use of screws.

RAL colour: wall red 8004, brown 8017, anthracite 7021,

chestnut 8015

Cardboard: 50 pcs.













CANTILEVER G

Ridge batten bracket consisting of steel grip and nail. The product finds application as mounting element for ridge tiles on the ridge batten of ventilated pitched roofs.

Made of galvanized steel.

Grip width: 40 mm, 50 mm

Nail length: 180 mm, 210 mm, 230 mm, 260 mm

Cardboard: 100 pcs.

Pallet: 40 cardboards / 4000 pcs.



CANTILEVER B

Ridge batten bracket consisting of steel grip and bracket. The product finds application as mounting element for ridge tiles on the ridge batten of ventilated pitched roofs.

Made of galvanized steel.

Grip width: 40 mm, 50 mm

Bracket length: 210 mm Cardboard: 100 pcs.

Pallet: 32 cardboards / 3200 pcs.



CANTILEVER L

Regulated bracket for ridge batten consisting of steel grip and bracket. The product finds application as mounting element for ridge tiles on the ridge batten of ventilated pitched roofs. Made of galvanized steel.

Grip width: 40 mm, 50 mm
Bracket length: 180 - 225 mm
Cardboard: 100 pcs.

Pallet: 32 cardboards / 3200 pcs.









ridge

BITVENT

Ridge ventilating element manufactured from plastic. Finds application as sealing and ventilating element when installing bitumen shingles.

Protects the roof covering against moisture and dust while ensuring proper ventilation.



RAL colour: black 9005 Cardboard: 10 pcs.



AIRFLEX S

Ridge ventilating element made of PVC with ventilation openings and polymer bristles. Finds application as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



RAL colour: wall red 8004, brown 8019, black 9005,

anthracite 7021, chestnut 8015, cherry 3013

Cardboard: 32 pcs.

Pallete: 6 cardboards / 192 pcs.



Ridge deck manufactured from plastic.
The product finds application as ventilating and finishing element for ridge roof tiles.
Its special evenly-arranged openings ensure efficient ventilation of the roof ridge area.

Size: 50 mm x 120 mm

RAL colour: wall red 8004, brown 8019,

black 9005

Cardboard: 25 pcs.













RAL COLOURS


Ridge, chimney, eaves & valley



Roof ventilation system



Roof safety & snow protection



The information herein is provided in good faith and based on our best knowledge, research and experience. The information is not a commercial offer in the meaning of law.