

ROOF UNIVERSAL

Accesorii pentru acoperisuri



ROOF UNIVERSAL
The best solution in roofing
accesorii pentru acoperiş



Chimney

Chimney flashing products for durable and effective flashing around chimney, bay and roof windows as well as joining the roof and wall.

10 chimney

CTFS

Chimney flashing made of crosswise profiled aluminum sheet and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows.

Suitable also for joining surfaces of roof and wall.



Roll size: 300 mm x 5 rm;

50 mm - 450 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 1 roll

Pallet: 144 rolls / 720 rm

CTF3D

Chimney flashing made of aluminum sheet profiled into a three-dimensional pattern and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size: 300 mm x 5 rm;

50 mm - 450 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 1 roll

Pallet: 144 rolls / 720 rm

CTPB

Chimney flashing made of crosswise profiled lead tape and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size: 300 mm x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005

chestnut 8015

Cardboard: 1 roll

Pallet: 72 rolls / 360 rm









CTFFPB

Chimney flashing made of flat lead tape and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size: 300 mm x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005,

anthracite 7021, chestnut 8015, cherry 3011

Cardboard: 1 roll

Pallet: 48 rolls / 240 rm

FXB

Roofing tape made of aluminum foil and bitumen adhesive. Applied for joining and sealing roof treatments in the areas of chimneys, valleys, roof windows, firewalls, skylights and ventilating elements. Suitable for both, flat and pitched roofs.



Roll size: 100 mm; 150 mm; 300 mm x 10 rm RAL colour: wall red 8004, brown 8019, lead 9007,

cherry 3004, aluminum 9006

Cardboard: 3 rolls; 2 rolls; 1 roll
Pallet: 96 cardboards

FXL

Aluminum chimney strip. Finds application as finishing element in the areas where chimney flashing is used. The product enables proper sealing of the critical spots around chimney and ensures esthetic finishing of the roof works.



RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 20 pcs.











RAL COLOURS


Ridge, chimney, eaves & valley



Roof ventilation system



Roof safety & snow protection



The information herein is provided in good faith and based on our best knowledge, research and experience. The information is not a commercial offer in the meaning of law.