

ROOF UNIVERSAL


Accesorii pentru acoperisuri



exhaustor



cel mai bun pret



Iftode Universal 0236/325.382

Sealing tapes

Adhesive tapes dedicated to the roofing area for installing and sealing roof membranes, vapour barriers and other polymer-based construction products.



TPBD

Single-sided tape made of polypropylene nonwoven and acrylic dispersion adhesive.

The product finds application in joining and repairing roof membranes, wind barriers as well as other polypropylene-based products.



.....

Size:	50 mm x 25 rm
Application temperature:	> 5°C
Cardboard:	12 rolls
Pallet:	60 cardboards / 720 rolls

TPBD FASSADE

Single-sided tape made of polypropylene nonwoven coated with polyurethane on one side and acrylic dispersion adhesive on the other. The product finds application in joining and sealing FASSADE wind barrier as well as other polypropylene-based products.



.....

Size:	50 mm x 25 rm
Application temperature:	> 5°C
Cardboard:	12 rolls
Pallet:	60 cardboards / 720 rolls

UNO

Single-sided tape made of PE foil reinforced with polyester fibres and acrylic dispersion adhesive. The product finds application in joining and repairing plastic-based roof membranes and foils as well as fastening them to wood and metal elements.



.....

Size:	50 mm x 25 rm
Application temperature:	> 5°C
Cardboard:	12 rolls
Pallet:	60 cardboards / 720 rolls



DUO

Double-sided tape made of polyester mesh coated on both sides with a special acrylic dispersion adhesive. The product finds application in joining vapour barriers, roof membranes and foils as well as other plastic-based products.


Size:	20 mm x 25 m 20 mm x 50 m
Application temperature:	> 5°C
Cardboard:	12 rolls
Pallet:	90 cardboards / 1080 rolls



BUTYL

Double-sided tape with a separating film made of silicone paper. A solvent-free product based on butyl. The tape finds application in joining and sealing vapour barriers, roof and foundation foils as well as other plastic-based products.

Size:	15 mm x 25 m
Application temperature:	> 5°C
Cardboard:	14 rolls
Pallet:	56 cardboards / 784 rolls



PUR

Single-sided tape made of closed-cell structure polyethylene foam and coated with acrylic dispersion adhesive. The product finds application in sealing the insulations of roof and building constructions.

Size:	30 mm; 40 mm; 50 mm x 30 m
Application temperature:	> 5°C
Cardboard:	4 rolls
Pallet:	66 cardboards / 264 rolls



ALUFIX

Single-sided metalized tape made of PE foil coated with a special acrylic dispersion adhesive.

The product finds application in joining and repairing aluminum-based vapour barriers. Suitable also for membranes and foils with metalized surface.



.....

Size:	50 mm x 50 mm; 75 mm x 50 mm
Application temperature:	> 5°C
Cardboard:	36 rolls; 24 rolls
Pallet:	50 mm: 36 cardboards / 1296 rolls 75 mm: 36 cardboards / 864 rolls

COMPRI

Single-sided expandable tape made of flexible polyurethane foam soaked with modified acrylic.

The product finds application in sealing voids in roof and building constructions, especially in the areas of ridge, valley and roof windows.



.....

Size:	15 mm x 30 mm x 5 mm; 15 mm x 40 mm x 5 mm; 20 mm x 50 mm x 5 mm
Application temperature:	> 5°C
Cardboard:	20 rolls; 20 rolls; 15 rolls



RAL COLOURS

Ridge, chimney, eaves & valley

wall red 8004	black 9005	aluminum 9006	cherry 3011	cherry 3013	chestnut 8015
brown 8017	brown 8019	anthracite 7021	cherry 3004	lead 9007	white 9003

Roof ventilation system

wall red 8004	black 9005	cherry 3013	chestnut 8017	brown 8019	anthracite 7021
graphite 7024	green 6020	grey 7046			

Roof safety & snow protection

wall red 8004	black 9005	brown 8017	green 6020	anthracite 7016	chestnut 3009
cherry 3004	graphite 7024				

The information herein is provided in good faith and based on our best knowledge, research and experience. The information is not a commercial offer in the meaning of law.