

ROOF UNIVERSAL

Accesorii pentru acoperisuri



The best solution in roofing accesorii pentru acoperiş



Iftode Universal Galati,Bd.G. www.universalconstruct.ro




German quality and technology

Our products are manufactured with the use of the newest technology and involvement of the best building insulation specialists. They have joined their over 20-year experience in design, production and distribution of roof membranes and roof accessories in order to produce and provide you with the best products available.

That's why our brand brings the latest achievements and innovative solutions in the roof and building insulation fields. In the production process of our products the best raw materials available on the market are used. Strict inspection allows to manufacture qualitative, safe, effective and durable products.

Roofers and investors appreciate RoofUniversal for its high quality. By purchasing the RoofUniversal products you are choosing healthy atmosphere in your house and peace for you and your family.



Ridge

Ridge tapes and accessories to enable proper ventilation of the ridge area and protect against penetration of snow, rain, moisture and dust.



RTS

Ridge tape made of profiled aluminum sheet, technical fabric and self-adhesive butyl tape. Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size: 240 mm; 310 mm x 5 rm

150 mm - 400 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 4 rolls

Pallet: 144 rolls / 720 rm

RTG

Ridge tape made of profiled aluminum sheet, geotextile and self-adhesive butyl tape.

Applied as sealing and ventilating element.

Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size: 240 mm; 310 mm x 5 rm

150 mm - 400 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 4 rolls

Pallet: 144 rolls / 720 rm

RTSP

Ridge tape made of profiled aluminum sheet, two-layer nonwoven and self-adhesive butyl tape. Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size: 240 mm; 310 mm x 5 rm

180 mm - 400 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 4 rolls

Pallet: 144 rolls / 720 rm







RTM

Ridge tape made of partly perforated profiled aluminum sheet and self-adhesive butyl tape. Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size: 300 mm x 5 rm

180 mm - 450 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 4 rolls

Pallet: 144 rolls / 720 rm

CERAMIC GRIP

Ridge tile grip made of aluminum sheet and coated with weatherproof polyester paint. Applied for fast and reliable installation of ridge tiles on the ridge and hip battens. The grip is mounted with the use of screws.



Type: Roben, Creaton, Tondach

RAL colour: wall red 8004, brown 8017, anthracite 7021,

chestnut 8015

Cardboard: 50 pcs.

UNI GRIP

Ridge tile grip made of aluminum sheet and coated with weatherproof polyester paint. Applied for fast and reliable installation of ridge tiles on the ridge and hip battens. The grip is mounted with the use of screws.

RAL colour: wall red 8004, brown 8017, anthracite 7021,

chestnut 8015

Cardboard: 50 pcs.













CANTILEVER G

Ridge batten bracket consisting of steel grip and nail. The product finds application as mounting element for ridge tiles on the ridge batten of ventilated pitched roofs.

Made of galvanized steel.

Grip width: 40 mm, 50 mm

Nail length: 180 mm, 210 mm, 230 mm, 260 mm

Cardboard: 100 pcs.

Pallet: 40 cardboards / 4000 pcs.



CANTILEVER B

Ridge batten bracket consisting of steel grip and bracket. The product finds application as mounting element for ridge tiles on the ridge batten of ventilated pitched roofs.

Made of galvanized steel.

Grip width: 40 mm, 50 mm

Bracket length: 210 mm Cardboard: 100 pcs.

Pallet: 32 cardboards / 3200 pcs.



CANTILEVER L

Regulated bracket for ridge batten consisting of steel grip and bracket. The product finds application as mounting element for ridge tiles on the ridge batten of ventilated pitched roofs. Made of galvanized steel.

Grip width: 40 mm, 50 mm
Bracket length: 180 - 225 mm
Cardboard: 100 pcs.

Pallet: 32 cardboards / 3200 pcs.









8 ridge

BITVENT

Ridge ventilating element manufactured from plastic. Finds application as sealing and ventilating element when installing bitumen shingles.

Protects the roof covering against moisture and dust while ensuring proper ventilation.


Size: 290 mm x 1000 mm

RAL colour: black 9005 Cardboard: 10 pcs.



AIRFLEX S

Ridge ventilating element made of PVC with ventilation openings and polymer bristles. Finds application as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



RAL colour: wall red 8004, brown 8019, black 9005,

anthracite 7021, chestnut 8015, cherry 3013

Cardboard: 32 pcs.

Pallete: 6 cardboards / 192 pcs.



DECK

Ridge deck manufactured from plastic.

The product finds application as ventilating and finishing element for ridge roof tiles.

Its special evenly-arranged openings ensure efficient ventilation of the roof ridge area.

Size: 50 mm x 120 mm

RAL colour: wall red 8004, brown 8019,

black 9005

Cardboard: 25 pcs.











Chimney

Chimney flashing products for durable and effective flashing around chimney, bay and roof windows as well as joining the roof and wall.

CTFS

Chimney flashing made of crosswise profiled aluminum sheet and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows.

Suitable also for joining surfaces of roof and wall.



Roll size: 300 mm x 5 rm;

50 mm - 450 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 1 roll

Pallet: 144 rolls / 720 rm

CTF3D

Chimney flashing made of aluminum sheet profiled into a three-dimensional pattern and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size: 300 mm x 5 rm;

50 mm - 450 mm* x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 1 roll

Pallet: 144 rolls / 720 rm

CTPB

Chimney flashing made of crosswise profiled lead tape and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size: 300 mm x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005

chestnut 8015

Cardboard: 1 roll

Pallet: 72 rolls / 360 rm









CTFFPB

Chimney flashing made of flat lead tape and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size: 300 mm x 5 rm

RAL colour: wall red 8004, brown 8019, black 9005,


anthracite 7021, chestnut 8015, cherry 3011

Cardboard: 1 roll

Pallet: 48 rolls / 240 rm

FXB

Roofing tape made of aluminum foil and bitumen adhesive. Applied for joining and sealing roof treatments in the areas of chimneys, valleys, roof windows, firewalls, skylights and ventilating elements. Suitable for both, flat and pitched roofs.



Roll size: 100 mm; 150 mm; 300 mm x 10 rm RAL colour: wall red 8004, brown 8019, lead 9007,

cherry 3004, aluminum 9006

Cardboard: 3 rolls; 2 rolls; 1 roll
Pallet: 96 cardboards

FXL

Aluminum chimney strip. Finds application as finishing element in the areas where chimney flashing is used. The product enables proper sealing of the critical spots around chimney and ensures esthetic finishing of the roof works.



RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8015, cherry 3013, copper - Cu*

Cardboard: 20 pcs.










The best solution in roofing accesorii pentru acoperiş

Clips

Clips for reliable and effective installation of cement and ceramic roof tiles to ensure a safe roof for many years.



Iftode Universal Galati, Bd.G.Co. construct.ro; www.universalconstruct.ro



CLIP NORD-2

Roof tile clip made of hook-profiled steel wire. The clip is tipped with rectangular plate crafted from galvanized steel strip. The product can be applied with numerous types of ceramic and cement tiles.

Material: galvanized steel

Size: 65 mm x 20 mm x 15 mm

Cardboard: 100 pcs.



CLIP NORD-3

Roof tile clip made of hook-profiled steel wire. The clip is tipped with half-round plate crafted from galvanized steel strip. The product finds application in numerous types of ceramic and cement tiles.

Material: galvanized steel

Size: 65 mm x 20 mm x 15 mm

Cardboard: 100 pcs.



CLIP U

Roof tile clip made of galvanized and profiled steel wire. The product can be applied with all types of cement tiles and is installed by sticking its sharp end into the roof structure and fastening its other end to the edge of the roof tile.

Material: galvanized steel

Size: 45 mm x 33 mm x 25 mm (small)

55 mm x 40 mm x 40 mm (large)

Cardboard: 100 pcs.









14 clips

CLIP J

Roof tile clip made of J-shaped galvanized steel wire. The product is designed for ceramic tiles. It is installed by fastening one of its ends to the side-lock of the roof tile or both, side and top-lock, and its other end to the batten.

Material: galvanized steel

Size: 190 mm x 50 mm x 30 mm

200 mm x 40 mm x 30 mm 210 mm x 30 mm x 30 mm

Cardboard: 100 pcs.



Double side-clip made of J-shaped galvanized steel wire. The product is designed for ceramic tiles. It is installed by fastening its tips to the side-locks of two neighbouring roof tiles, the upper and the lower one.

Material: galvanized steel

Size: 320 mm x 15 mm x 15 mm

300 mm x 15 mm x 15 mm*

Cardboard: 100 pcs.

CLIP DC-6

Universal roof tile clip made of galvanized steel wire. The product is designed for ceramic tiles. It is installed by fastening one of its ends to the side-lock or both, side and top-lock, and its other end to the batten.

Material: galvanized steel

Size: 200 mm x 40 mm x 40 mm

Cardboard: 100 pcs.











CLIP DC-9

Roof tile side-clip made of galvanized steel wire. The product is designed for concrete and ceramic tiles. It is installed by sticking its sharp end into the roof structure and fastening its profiled end to the side-lock of the roof tile.

Material: galvanized steel

Size: 75 mm x 65 mm; 65 mm x 65 mm*

85 mm x 85 mm*; 75 mm x 48 mm*

Cardboard: 100 pcs.



CLIP BIBER

Roof tile side-clip made of galvanized steel tape. The product is designed for beaver-tail roof tiles. It is installed by fastening one of its ends to the batten and the other end to the side edge of the roof tile.

Material: galvanized steel

Size: 40 mm x 80 mm x 50 mm

Cardboard: 100 pcs.



CLIP C

Roof tile clip for use with cut roof tiles. Made of stainless steel bracket and steel wire. It is installed by fixing the steel bracket to the edge of the tile and fastening the steel wire to the nail in the roof structure, mostly in the batten.

Material: stainless steel

Size: 20 mm x 30 mm x 400 mm

Cardboard: 25 pcs.









ROOF UNIVERSAL
The best solution in roofing accesorii pentru acoperiş



Eaves

Ventilation elements for protecting eaves in pitched roofs and ventilation intakes in facades against penetration of birds, rodents and leaves.



CMB

Eaves comb manufactured from high quality plastic. The product ensures proper ventilation of the eaves area in the pitched roof while protecting it against penetration of birds, rodents, insects and leaves.

Size: 60 mm; 90 mm; 110 mm x 1 rm

RAL colour: wall red 8004, brown 8019, black 9005

Cardboard: 200 pcs; 150 pcs; 150 pcs.

Pallet: 60 mm: 30 cardboards / 6000 pcs.

90 mm: 14 cardboards / 2100 pcs. 110 mm: 21 cardboards / 2100 pcs.

CMBV

Eaves comb with a ventilating grate. Manufactured from high quality plastic. The product ensures proper ventilation of the eaves area in the pitched roof while protecting it against penetration of birds, rodents, insects and leaves.



RAL colour: wall red 8004, brown 8019, black 9005

Cardboard: 50 pcs.

Pallet: 12 cardboards / 600 pcs.

GRTV

Ventilating eaves grate. Manufactured from high quality plastic. The product ensures proper ventilation of the eaves area in the pitched roof while protecting it against penetration of birds, rodents, insects and leaves.

Size: 32 mm x 1 rm

RAL colour: wall red 8004, brown 8019, black 9005

Cardboard: 100 pcs.

Pallet: 10 cardboards / 1000 pcs.













18 eaves

EVGRT

Eaves grate manufactured from high quality plastic.
Applied to protect the eaves area against penetration of birds, rodents, insects and leaves. The product is also suitable for use as protecting element for ventilation intakes in building facades.



Size: 50 mm, 80 mm, 100 mm, 150 mm x 5 rm

BOX - 80 mm, 100 mm x 60 rm

RAL colour: wall red 8004, brown 8019, black 9005, white 9003*

Cardboard: 50 mm - 48 rolls, other - 24 rolls, BOX - 1 roll

Pallet: 50 mm: 30 cardboards / 1440 rolls

80, 100, 150 mm: 30 cardboards / 720 rolls

BOX - 54 cardboards

EVPLK

Overgutter plank made of aluminum sheet and coated with polyester paint. Applied as reinforcement and protection of the eaves area and its water-drainage system. The product is wrapped in protective polyethylene foil removable before application.

Size: 45 mm x 110 mm x 2 rm

RAL colour: wall red 8004, brown 8019, brown 8017, black 9005,

anthracite 7021, chestnut 8015, cherry 3011

Cardboard: 20 pcs.







* against order



Sealing tapes

Adhesive tapes dedicated to the roofing area for installing and sealing roof membranes, vapour barriers and other polymer-based construction products.



20 sealing tapes

TPBD

Single-sided tape made of polypropylene nonwoven and acrylic dispersion adhesive.

The product finds application in joining and repairing roof membranes, wind barriers as well as other polypropylene-based products.

Size: 50 mm x 25 rm

Application temperature: > 5°C Cardboard: 12 rolls

Pallet: 60 cardboards / 720 rolls



TPBD FASSADE

Single-sided tape made of polypropylene nonwoven coated with polyurethane on one side and acrylic dispersion adhesive on the other. The product finds application in joining and sealing FASSADE wind barrier as well as other polypropylene-based products.

Size: 50 mm x 25 rm

Application temperature: > 5°C Cardboard: 12 rolls

Pallet: 60 cardboards / 720 rolls



UNO

Single-sided tape made of PE foil reinforced with polyester fibres and acrylic dispersion adhesive. The product finds application in joining and repairing plastic-based roof membranes and foils as well as fastening them to wood and metal elements.

Size: 50 mm x 25 rm

Application temperature: > 5°C Cardboard: 12 rolls

Pallet: 60 cardboards / 720 rolls











sealing tapes 21

DUO

Double-sided tape made of polyester mesh coated on both sides with a special acrylic dispersion adhesive. The product finds application in joining vapour barriers, roof membranes and foils as well as other plastic-based products.

Size: 20 mm x 25 rm

20 mm x 50 rm

Application temperature: >5°C Cardboard: 12 rolls

Pallet: 90 cardboards / 1080 rolls



BUTYL

Double-sided tape with a separating film made of silicone paper. A solvent-free product based on butyl. The tape finds application in joining and sealing vapour barriers, roof and foundation foils as well as other plastic-based products.

Size: 15 mm x 25 rm

Application temperature: >5°C Cardboard: 14 rolls

Pallet: 56 cardboards / 784 rolls



PUR

Single-sided tape made of closed-cell structure polyethylene foam and coated with acrylic dispersion adhesive. The product finds application in sealing the insulations of roof and building constructions.

Size: 30 mm; 40 mm; 50 mm x 30 rm

Application temperature: >5°C Cardboard: 4 rolls

Pallet: 66 cardboards / 264 rolls









22 sealing tapes

ALUFIX

Size:

Single-sided metalized tape made of PE foil coated with a special acrylic dispersion adhesive.

The product finds application in joining and repairing aluminum-based vapour barriers. Suitable also for membranes and foils with metalized surface.



75 mm x 50 rm

Application temperature: > 5°C

Cardboard: 36 rolls; 24 rolls

Pallet: 50 mm: 36 cardboards / 1296 rolls

75 mm: 36 cardboards / 864 rolls



Single-sided expandable tape made of flexible polyurethane foam soaked with modified acrylic. The product finds application in sealing voids in roof and building constructions, especially in the areas of ridge, valley and roof windows.



15 mm x 40 mm x 5 rm; 20 mm x 50 mm x 5 rm

Application temperature: > 5°C

Cardboard: 20 rolls; 20 rolls; 15 rolls













Valley

A complete system for roof valleys enables durable flashing of neighbouring roof slopes and secures proper water drainage



24 valley

VALLEY Q

Roof valley made of crosswise profiled aluminium sheet and coated with polyester paint. The product finds application in flashing the area between two roof slopes and ensures proper water drainage within the roof.

Size: 500 mm x 2 rm

RAL colour: wall red 8004, brown 8017, black 9005, anthracite 7021,

chestnut 8015, cherry 3011, brown 8019*

Cardboard: 10 pcs.

Pallet: 30 cardboards / 300 pcs.

VALLEY L

Roof valley made of longitudinally corrugated aluminium sheet and coated with polyester paint. The product finds application in flashing the area between two roof slopes and ensures proper water drainage within the roof.

Size: 500 mm x 2 rm

RAL colour: wall red 8004, brown 8017, black 9005, anthracite 7021,

chestnut 8015, cherry 3011, brown 8019*

Cardboard: 10 pcs.

Pallet: 30 cardboards / 300 pcs..

VALLEY ROLL

Rolled roof valley made of crosswise profiled aluminium sheet and coated with polyester paint. The product finds application in flashing the area between two roof slopes and ensures proper water drainage within the roof.

Size: 500 mm x 2 rm

RAL colour: wall red 8004, brown 8017, brown 8019, black 9005,

anthracite 7021; chestnut 8015, cherry 3011

Cardboard: 1 roll













VALLEY CLIP

Roof valley clip made of aluminum sheet and coated with polyester paint. The product finds application as element for fastening the roof valley to the structure of the roof. Enables precise installation without additional drilling.



chestnut 8015, cherry 3011, brown 8019*

Cardboard: 50 pcs.



Valley wedge made of polyurethane foam with a layer of adhesive on one side. The product is used for sealing the area between the roof valley and the slope of the roof. Perfectly adjusts to the shape of the covering.

Size: 60 mm x 1 rm

RAL colour: wall red 8004, brown 8019, anthracite 7021

Cardboard: 200 pcs.

Pallet: 10 package / 2000 pcs.

SEAL 4

Square seal made of polyurethane foam with a layer of adhesive on one side. The product finds application in ealing the area between the roof valley and the slope of the roof. Perfectly adapts to the shape of the covering.

Size: 60 mm x 1 rm

RAL colour: wall red 8004, brown 8019, anthracite 7021

Cardboard: 200 pcs.

Pallet: 10 package / 2000 pcs.










ROOF UNIVERSAL
The best solution in roofing
accesorii pentru acoperiş



Ventilation and protection

Products for additional protection of the roof. Ventilating system for the roof and attic to improve performance of the covering.



GUTTER PROTECT

Protective mesh manufactured from high quality plastic. The product is applied to protect the gutters, both metal and plastic, against leaves and other impurities. Its side hooks allow for a fast and reliable installation.

175 mm x 600 mm

RAL colour: black 9005 Cardboard: 5 pcs.



ANTIBIRD

Protective element made of polycarbonate base and flexible steel spikes. The product prevents birds from sitting and nesting on roofs, facades, cornices, window panes and other parts of the buildings.



RAL colour: aluminium 9006

Bundle: 15 pcs.



FLEXOS

Flexible air duct made of high quality plastic. The product is applied as connecting element between the ventilating chimney and the attic. Withdraws moisture from usable and non-usable attics, kitchens and bathroom outside the roof.

Length: 60 cm; 100 cm

Diameter: 110 mm RAL colour: black 9005 Cardboard: 10 pcs.

Pallet: 46 cardboards / 460 pcs.











VENTOS

Ventilating chimney for use on bitumen shingles and metal roofing. Made of high quality plastic and suitable for roof slopes ranging between 5 and 45 degrees. Withdraws moisture from usable and non-usable attics, kitchens and bathrooms.



Set: base plate + chimney + screws

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8017, cherry 3013, green 6020, graphite 7024, grey 7046

Type: METAL N25, METAL W35, METAL X45, BITU U, BITU O

list of producers - page 30

Cardboard: 1 set
Pallet: 32 sets

VENTOS PLUS

Ventilating chimney for use on cement and ceramic roof tiles. Made of high quality plastic and suitable for roof slopes ranging between 5 and 45 degrees. Withdraws moisture from usable and non-usable attics, kitchens and bathrooms.



Set: base plate + chimney + screws

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8017, cherry 3013, green 6020, graphite 7024, grey 7046

GL – high gloss version available*

Type: ES, C, S, R - list of producers - page 31

Cardboard: 1 set
Pallet: 32 sets

VENTOS UNI EPDM

Universal ventilating chimney made of high quality plastic. The product is suitable for application on any roof covering with roof slope ranging between 5 and 45 degrees. Available with insulation against order.



Set: base plate with EPDM seal + chimney + screws

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8017, cherry 3013, green 6020, graphite 7024, grey 7046

Cardboard: 1 set
Pallet: 32 sets









VENTOS FLAT

Flat air vent for use on cement and ceramic roof tiles, bitumen shingles and metal roofing. Manufactured from high quality plastic and suitable for roof slopes ranging between 5 and 45 degrees.

Withdraws moisture from the roof area.

air vent + screws Set.

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8017, cherry 3013, green 6020, graphite 7024, grey 7046

METAL N25, METAL W35, METAL X45, BITU U, BITU O, Type:

ES, C, S, R - list of producers - page 31

Cardboard: 1 set Pallet: 32 sets

SATTOS

Antenna adapter for use on all types of roof covering. Manufactured from high quality plastic and tipped with a rubber cap. The product is designed for 15-65 mm diameter masts and suitable for use on roof slopes ranging between 5 and 45 degrees.

Set: base plate + rubber cap + metal ring + screws

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8017, cherry 3013, green 6020, graphite 7024, grey 7046

METAL N25, METAL W35, METAL X45, BITU U, BITU O, Type:

ES, C, S, R - list of producers - page 31

Cardboard: 1 set Pallet: 32 sets

SOLAROS

Solar cable adapter for use with the majority of roof coverings. The product enables to easily draw the 10-60 mm diameter cables through the roof slope. Suitable for use on roof slopes ranging between 5 and 45 degrees.

Set: adapter + screw

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021,

chestnut 8017, cherry 3013, green 6020, graphite 7024, grey 7046

METAL N25*, METAL W35*, METAL X45*, BITU U*, BITU O*, Type:

ES*, C*, S*, R* - list of producers - page 31

Cardboard: 1 set Pallet: 32 sets.











Plate types - metal roofing

METAL N25

ARCELOR MITTAL - Halny; ARECO SWEDEN - Vivaldi; BALEXMETAL - Spektrum; BLACHOTRAPEZ - Kingas (1, 2),

Eco, Diament, Kingas Plus; BLACHDOM - Bona;

BLACHDOM PLUS - Bona; BLACHPROFIL 2 - Alfa Premium, Alfa Plus, Euro;

BLACHSTAL - King; BLOK BUD - Natura; BUDMAT - Sara, Zefir;

BUDMAX-METAL - Bingo; BLACHODACH - Bingo; BORGA - Elegant;

BRATEX - Hestia, Hera; DACHPOL - Prima; DISPOL - Stella, Luna;

EUROBLACH - Korra; FINISH PROFILES - Kingstyle 350, 400; FINCO STAL - Akcent,

Viva, Akord, Takt; FLORIAN - Kinga, Kinga Plus; FINISH PROFILES - Florian, Kinga;

KROLL - Kroll 20/400, Kroll 14/350; LIMBLACH - Klaudia; LINDAB - LAPL;

NOWAX - Atena; POLONICA - Luna; PLANNJA - Regent, Smart, Regola, Scandic,

Rapid; PRUSZYŃSKI - Szafir, Rubin plus; REGAMET - Gloria, Viktoria;

 ${\tt ROL\text{-}BUD\text{-}Kaja;} \ {\tt RUUKKI\text{-}Monterrey\text{\,TS39,\,TS34,\,Plus,\,Nova;\,\textbf{STAL\text{-}HART\text{-}Kinga,}}$

 ${\sf Bella; TRAFFIC-Gold, Silver; TRANSBLACH-Korra; UNIBLACH-King; WAT-Major;}$

WŁASTAL - Perła; VICOR - Vika, Riki.

METAL W35

BLACHSTAL - Elita; BLACHOTRAPEZ - Diament Plus;

BLACHDOM - Perła; BLACHDOM PLUS - Perła;

BLACHPROFIL 2 - Omega; BUDMAT - Aria;

EUROBLACH - Kiara; FINCO-STAL - Tango; KROLL - Mistral, Syrius;

LIMBLACH - Aga; NOWAX - Diana; PLANNJA - Royal; POLONICA - Elios;

PRUSZYŃSKI - Kron; REGAMET - Olimpia; TRANSBLACH - Kiar.

METAL X45

BRATEX - Era; BUDMAT - Wenus; LINDAB - LPAH;

RUKKI - Elite.







Plate types - bitumen shingles

BITU U

for all types of shingles, installed under the bitumen shingle



BITU O

for all types of shingles, installed on the bitumen shingle



Plate types - roof tiles



ES - Euronit S



C - Monier Braas Celtic




R - Monier Braas Roman Prodach Roman Benders Mecklenburger



S - Monier Braas Baltic IBF Doppel S Nelskamp S Prodach Doppel S

ROOF UNIVERSAL
The best solution in roofing
accesorii pentru acoperiş



Snow protection

Snow protection system to prevent the excessive amounts of snow from sliding down the roof slope. Fastening elements for easy installation on any roof covering.



SNOWSTOPPER

Snow-stopping grate manufactured from galvanized steel. Applied as snow protection element on pitched roofs. The product protects against the large amounts of snow sliding down the roof slope.

Length: 1,2 m; 2,0 m; 3,0 m*

RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

FIX UNI

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on the roof. Suitable for use on roof slopes ranging between 15 and 60 degrees.

RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

FIX DB-DC

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on cement and ceramic roof tiles. Suitable for use on roof slopes ranging between 15 and 60 degrees.

RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.









FIX BIBER

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on beaver-tail roof tiles. Suitable for use on roof slopes ranging between 15 and 60 degrees.



RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

FIX BIBER LONG

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on pitched roofs. The product is designed for use with beaver-tail roof tiles.



RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

FIX METAL

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on type 350, 400, 420 and 460 metal roofing. Suitable for use on roof slopes ranging between 15 and 60 degrees.



Type: METAL 350, METAL 400, METAL 420, METAL 460
RAL colour: galvanized steel, wall red 8004, brown 8017, black 9005, green 6020, anthracite 7016,

chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.









FIX METAL FLAT

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on flat metal roofing. Especially recommended for standing-seam roof covering.

RAL colour: galvanized steel, wall red 8004, brown 8017,

> black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



CLIP

Clip for snow-stopping grate. The product is manufactured from galvanized steel and applied for joining several snow-stopping grates into a line.

60 mm Length:

RAL colour: galvanized steel, wall red 8004, brown 8017,

> black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



FIX TUBE UNI

Adapter for snow-stopping pipe. Manufactured from galvanized steel and applied as universal mounting element for fixing the snow-stopping pipe on the roof. Suitable for use on roof slopes ranging between 15 and 60 degrees.

RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs











FIX TUBE DB-DC

Adapter for snow-stopping pipe. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping pipe on cement and ceramic roof tiles. Suitable for use on roof slopes ranging between 15 and 60 degrees.



RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



Adapter for snow-stopping pipe. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping pipe on beaver-tail roof tiles. Suitable for use on roof slopes ranging between 15 and 60 degrees.



RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

FIX TUBE METAL

Adapter for snow-stopping pipe. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping pipe on type 350, 400, 420 and 460 metal roofing. Suitable for use on roof slopes ranging between 15 and 60 degrees.



Type: METAL 350, METAL 400, METAL 420, METAL 460 RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.











FIX TUBE METAL FLAT

Adapter for snow-stopping pipe. Made of galvanized steel and applied as mounting element for fixing the snow-stopping pipe on flat metal roofing, especially standing-seam roof coverings. Available in copper, aluminum or stainless steel against order.



RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

CLIP TUBE

Clip for snow-stopping pipe. Manufactured from galvanized steel and applied for joining two snow-stopping pipes into a line. Available in copper, aluminum and stainless steel against order.



black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



TUBE

Snow-stopping pipe. Manufactured from galvanized steel and applied as element protecting against the large amounts of snow sliding down the roof. Prevents gutter detachment. Available in copper, aluminum or stainless steel against order.

Length: 2,0 m

RAL colour: galvanized steel, wall red 8004, brown 8017,

> black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.









38 snow protection

SNOWSTOP

Snow stopper manufactured from galvanized steel. The product is used for splitting large amounts of snow as they slide down the roof towards the gutters. Available in several models dedicated for different types of roof coverings.

Height: 65 mm

RAL colour: wall red 8004, brown 8017, anthracite 7016,

chestnut 3009

Package: 100 pcs.



BLOCK

Grip for snow-stopping block. Manufactured from galvanized steel and applied as fastening element for fixing the wooden snow-stopping block on the roof. Suitable for use on roof slopes ranging between 15 and 60 degrees.

RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.












Roof safety

Roof safety system for an easy and safe access to the roof and chimney area. Variety of adapters enables installation on any roof covering.



40 roof safety

PLATFORM

Platform for performing roof maintenance works. Made of galvanized steel and covered with anti-slip corrugations to ensure safe foot traffic in the chimney area. Suitable for use on roof slopes ranging between 15 and 60 degrees.

Length: 0,4 m; 0,6 m; 0,8 m; 1,0 m; 1,2 m; 1,5 m;

2,0 m; 3,0 m*

RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 2 pcs.

STEP

Step for performing roof maintenance works. Manufactured from galvanized steel and applied as element enabling safe foot traffic in the chimney area. Fastened on the roof with the use of appropriate SUPPORT adapter.

140 mm x 256 mm Length:

galvanized steel, wall red 8004, brown 8017, RAL colour:

> black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 6 pcs.

GRIP

Universal grip manufactured from galvanized steel. The product finds application as fastening element for joining the roof platform and the roof step with the adapter mounted directly on the roof covering.

RAL colour: galvanized steel, wall red 8004, brown 8017,

> black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

10 pcs. Package:









SUPPORT UNI

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform on the flat roof covering.



RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

SUPPORT DB-DC

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform on profiled roof coverings made of cement and ceramic tiles.



RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

SUPPORT WEST DB-DC

One-piece adapter for step and platform grip.

The product is manufactured from galvanized steel and enables fixing the step and platform grip on concrete and ceramic roof tiles.



RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.







SUPPORT BIBER

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform on beaver-tail roof tiles.



RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



One-piece adapter for step and platform grip. The product is manufactured from galvanized steel and enables fixing the step and platform grip on beaver-tail roof tiles.




RAL colour: galvanized steel, wall red 8004, brown 8017,

black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

SUPPORT METAL

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform grip on type 350, 400, 420 and 460 profiled metal roofing.



Package: 10 pcs.











SUPPORT METAL FLAT

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform grip on standing-seam flat metal roofing.



galvanized steel, wall red 8004, brown 8017, RAL colour:

> black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

SUPPORT WALL

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform grip directly to the wall or chimney.



RAL colour: galvanized steel, wall red 8004, brown 8017,

> black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

LINK

Roof platform link. The product is manufactured from galvanized steel and applied as fastening element for joining two roof platforms into a line. The set contains mounting screws.



RAL colour: galvanized steel, wall red 8004, brown 8017,

> black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.











RAL COLOURS


Ridge, chimney, eaves & valley



Roof ventilation system



Roof safety & snow protection



The information herein is provided in good faith and based on our best knowledge, research and experience. The information is not a commercial offer in the meaning of law.

