


CAMELEON

technical profiles



dry-lining

interior plastering

exterior plastering

ETICS

0102

corner bead
aluminium
23.5 x 23.5 mm
12.5 mm plasterboard
1 mm gypsum
50 pieces
2.5 / 3.0 m



product

VWS link

graphic

cross-section

bundle

carton

roll

bag

information

product	page	product	page	product	page	product	page	product	page	product	page
• 0102	3	• 1555	21	• 3059	39	• 4412	63	• 6001	75	• 6440	35
• 0103	3	• 1556	22	• 3060	45	• 4414	63	• 6002	75	• 6443	36
• 0105	4	• 1562	22	• 3061	46	• 4416	63	• 6005	75	• 6444	61
• 0107	4	• 1563	22	• 3062	46	• 4418	63	• 6010	79	• 6445	36
• 0180	5	• 1566	12	• 3063	47	• 4420	63	• 6011	79	• 6446	61
• 0302	5	• 1568	9	• 3064	44	• 4422	63	• 6012	81	• 6447	49
• 0305	6	• 1569	16	• 3065	45	• 4424	63	• 6013	80	• 6448	60
• 0381	6	• 1570	13	• 3066	47	• 4603	74	• 6014	80	• 6449	49
• 0401	10	• 1572	18	• 3070	48	• 4650	63	• 6015	79	• 6450	35
• 0411	19	• 1576	14	• 3071	48	• 4651	63	• 6051	74	• 6456	62
• 0420	10	• 1578	14	• 3096	51	• 4653	63	• 6052	74	• 6458	60
• 0430	11	• 1580	15	• 3155	40	• 4940	73	• 6053	74	• 6459	50
• 0450	11	• 1584	12	• 3300	40	• 4950	70	• 6075	74	• 6460	59
• 0451	11	• 1589	15	• 3301	41	• 4951	70	• 6076	74	• 6465	50
• 0460	19	• 1590	16	• 3302	41	• 4960	70	• 6077	74	• 6470	59
• 0461	19	• 1603	23	• 3303	52	• 4970	71	• 6209	76	• 6475	50
• 0462	19	• 2001	33	• 3304	52	• 4971	71	• 6211	76	• 6485	65
• 0463	19	• 2002	33	• 3305	52	• 4972	71	• 6213	76	• 648502	66
• 0464	19	• 2003	33	• 3306	41	• 4973	71	• 6215	76	• 648504	66
• 0465	19	• 2010	25	• 3307	40	• 4974	71	• 6217	76	• 6490	67
• 0466	19	• 2020	26	• 3308	52	• 4975	71	• 6219	76	• 6492	67
• 0469	19	• 2021	32	• 3309	52	• 4976	72	• 6279	76	• 6495	67
• 0470	19	• 2022	26	• 3310	42	• 4977	72	• 6281	76	• 6520	55
• 0761	17	• 2023	31	• 3311	42	• 4978	72	• 6283	76	• 6525	55
• 0771	17	• 2024	31	• 3312	42	• 4980	70	• 6285	76	• 6533	55
• 0785	23	• 2025	31	• 3313	42	• 4981	72	• 6287	76	• 6603	77
• 0786	23	• 2026	31	• 3314	42	• 4982	73	• 6289	76	• 6604	77
• 0787	23	• 2027	32	• 3315	42	• 4983	72	• 6291	76	• 6605	77
• 0790	24	• 2028	31	• 3316	42	• 4984	73	• 6321	68	• 6606	77
• 0794	24	• 2031	33	• 3317	42	• 4985	72	• 6326	68	• 6607	77
• 0803	25	• 2032	33	• 3328	51	• 4986	73	• 6327	69	• 6608	77
• 0805	25	• 2036	34	• 3331	44	• 5115	54	• 6328	69	• 6609	77
• 0807	25	• 2046	27	• 3332	44	• 5120	54	• 633001	78	• 6610	77
• 0808	25	• 2049	27	• 3333	44	• 5125	54	• 633002	79	• 6803	77
• 0809	25	• 2050	28	• 3340	48	• 5133	54	• 633101	78	• 6804	77
• 0810	25	• 2051	28	• 3341	48	• 5215	54	• 633102	79	• 6805	77
• 1111	7	• 2052	29	• 3342	48	• 5220	54	• 633201	78	• 6806	77
• 1112	8	• 2053	29	• 3343	48	• 5225	54	• 633202	79	• 6807	77
• 1113	9	• 2056	29	• 3344	48	• 5233	54	• 633301	78	• 6808	77
• 1114	7	• 2086	34	• 4204	65	• 5515	55	• 633302	79	• 6809	77
• 1115	8	• 2088	35	• 4205	65	• 5520	55	• 633401	78	• 6810	77
• 1501	20	• 2246	30	• 4206	64	• 5525	55	• 633402	79	• 6903	78
• 1502	20	• 3021	43	• 4207	64	• 5533	55	• 6404	74	• 6904	78
• 1503	20	• 3022	37	• 4210	64	• 5620	57	• 6410	62	• 6905	78
• 1504	20	• 3024	42	• 4211	64	• 5625	57	• 6411	62	• 6906	78
• 1505	20	• 3025	37	• 4216	64	• 5901	56	• 6412	62	• 6907	78
• 1506	20	• 3026	42	• 4226	64	• 5910	57	• 6413	62	• 6908	78
• 1510	20	• 3032	43	• 4403	63	• 5915	56	• 6414	62	• 6909	78
• 1511	20	• 3034	43	• 4404	63	• 5920	56	• 6415	62	• 6910	78
• 1533	18	• 3048	38	• 4405	63	• 5925	56	• 6416	62	• 7020	53
• 1540	13	• 3049	38	• 4406	63	• 5933	56	• 6417	62	• 7100	30
• 1544	21	• 3052	39	• 4407	63	• 5941	58	• 6430	35	• 7125	53
• 1552	21	• 3054	39	• 4408	63	• 5942	58	• 6433	36		
• 1553	21	• 3057	39	• 4410	63	• 5980	58	• 6438	59		



0102

corner bead
aluminium
23.5 x 23.5 mm
12.5 mm plasterboard
1 mm gypsum
50 pieces
2.5 / 3.0 m



3



0103

corner bead
aluminium
45 x 45 mm
12.5 mm plasterboard
1 mm gypsum
25 pieces
2.5 / 3.0 m



CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



0105

stop bead
corner bead
single sided perforated
aluminium
23.5 x 23.5 mm
12.5 mm plasterboard
1 mm gypsum
50 pieces
3.0 m



4



0107

corner bead
with pixel
aluminium
23.5 x 23.5 mm
12.5 mm plasterboard
1 mm gypsum
200 pieces
2.5 / 3.0 m




CAMELEON
technical profiles



0180

corner bead
135°
aluminium
23.5 x 23.5 mm
12.5 mm
plasterboard
1 mm gypsum
50 pieces
2.5 / 3.0 m



5



0302

corner bead
galvanised steel
25 x 25 mm
12.5 mm plasterboard
1 mm gypsum
50 pieces
2.5 / 3.0 m



CAMELEON
technical profiles



0305

corner bead
with pixel
galvanised steel
30 x 30 mm
12.5 mm plasterboard
1 mm gypsum
25 pieces
2.5 / 3.0 m



6



0381

corner bead
minimesh
galvanised steel
34 x 34 mm
12.5 mm plasterboard
3 mm gypsum
50 pieces
2.5 / 3.0 m



CAMELEON
technical profiles



1111

corner bead

Genius

PVC

24 x 24 mm

12.5 mm plasterboard

1 mm gypsum

100 pieces

2.5 / 3.0 m



7



1114

arch corner bead

Genius

PVC

24 x 24 mm

12.5 mm plasterboard

1 mm gypsum

25 pieces

2.5 / 3.0 m



CAMELEON
technical profiles



1112

corner bead

Perfect

PVC

24 x 24 mm

12.5 mm plasterboard

1 mm gypsum

100 pieces

2.5 / 3.0 m



8



1115

arch corner bead

Perfect

PVC

24 x 24 mm

12.5 mm plasterboard

1 mm gypsum

25 pieces

2.5 / 3.0 m



CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



1113

stop bead

Perfect

PVC

14 x 23 mm

12.5 mm plasterboard

1 mm gypsum

50 pieces

2.5 / 3.0 m



9



1568

stop bead

Perfect for arch corners

PVC

14 x 23 mm

12.5 mm plasterboard

1 mm gypsum

20 pieces

3.0 m



CAMELEON
technical profiles



0401

stop bead
aluminium
13 x 23 mm
12.5 mm
1 mm gypsum
50 pieces
2.5 / 3.0 mm



10



0420

stop bead
galvanised steel
13 x 23 mm
12.5 mm plasterboard
1 mm gypsum
25 pieces
2.5 / 3.0 mm



CAMELEON
technical profiles



0430

stop bead
unpunched
galvanised steel
13.5 x 25 mm
12.5 mm plasterboard
1 mm gypsum
20 pieces
3.0 m



11



0450-51

stop bead
galvanised steel
1 mm gypsum
25 pieces
2.5 / 3.0 m



0450
14 x 30 mm
12.5 mm plasterboard

0451
16 x 28 mm
15 mm plasterboard



CAMELEON
technical profiles



1566

stop bead
with slide-out covering strip
PVC


12.5 x 27 mm

12.5 mm plasterboard

2 mm gypsum

35 pieces

3.0 m



12



1584

stop bead
with flexible lips
PVC

9.5 x 28.5 mm

9.5 - 12.5 mm

plasterboard

2 mm gypsum

30 pieces

3.0 m



CAMELEON
technical profiles



1540

corner bead for thick wallpapers

PVC

20 x 20 mm


12.5 mm plasterboard

2 mm

e.g. glass fibre or
structure wallpapers

60 pieces

2.6 m



13



1570

inner corner bead

70° - 135°

PVC


23 x 23 mm

12.5 mm plasterboard

2 mm gypsum

70 pieces

3.05 m



CAMELEON
technical profiles



1576

bullnose outside corner
bead

PVC

21 x 21 mm

r = 17.0 mm

2 mm gypsum

35 pieces

3.05 m



14



1578

bullnose archway corner bead

PVC

21 x 21 mm

r = 17.0 mm

2 mm gypsum

35 pieces

3.05 m



CAMELEON
technical profiles



1580

bullnose inside corner bead
PVC


22 x 22 mm

r = 23.5 mm

2 mm gypsum

35 pieces

3.05 m



15



1589

chamfer bead

135°

PVC

21 x 21 mm

27.0 mm

2 mm gypsum

30 pieces

3.05 m



CAMELEON
technical profiles



1569


connection profile
for mineral ceilings
for round connections
(e.g. columns)

convex or concave
PVC

28 x 22.5 mm

10 pieces

2.5 / 3.0 m



16



1590

arch corner bead

PVC

32 x 32 mm

12.5 - 25.0 mm plasterboard

1 mm gypsum

25 pieces

3.0 m



CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



0761

flexible corner tape

two parts

PVC

26 x 26 mm

12.5 mm plasterboard

1 mm gypsum

10 rolls

30.0 m



17



0771

flexible corner tape

two parts

aluzinc


26 x 26 mm

12.5 mm plasterboard

1 mm gypsum

10 rolls

30.0 m



CAMELEON
technical profiles



1533

movement bead
PVC
48.0 mm
12.5 mm plasterboard
3 mm gypsum
roll at 25 m



18



1572

shadow joint bead
PVC
12.0 mm joint
22 x 22 mm
12.5 mm plasterboard
2 mm gypsum
20 pieces
3.05 m



CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



0411

shadow joint bead
galvanised steel
15.0 mm joint
13 x 41 mm
12.5 mm plasterboard
1 mm gypsum
15 pieces
3.0 m



0460-70



shadow joint bead
galvanised steel
1 mm gypsum
12.5 - 15 mm plasterboard = pb
15 pieces

2.5 / 3.0 m

0460

16 x 32 mm
15 mm pb
6 mm joint

0463

14 x 46 mm
12.5 mm pb
15 mm joint

0466

16 x 36 mm
15 mm pb
4 mm joint

0461

14 x 38 mm
12.5 mm pb
4 mm joint

0464

14 x 54 mm
12.5 mm pb
20 mm joint

0469

16 x 38 mm
15 mm pb
10 mm joint

0462

14 x 42 mm
12.5 mm pb
10 mm joint

0465

16 x 54 mm
15 mm pb
20 mm joint

0470

14 x 36 mm
12.5 mm pb
6 mm joint



19

CAMELEON
technical profiles



1501-06

edging bead
 PVC L-form
 9.5 - 25 mm plasterboard (pb)
 1 mm gypsum
 50 pieces
 2.5 / 3.0 m

1501	1502	1503
9.5 mm pb	12.5 mm pb	15 mm pb
25 pieces		
1504	1505	1506
18 mm pb	20 mm pb	25 mm pb



20



1510-11

edging bead
 PVC U-form
 1 mm gypsum
 40 pieces
 2.5 / 3.0 m

1510
 9.5 mm plasterboard

1511
 12.5 mm plasterboard



CAMELEON
 technical profiles



1544

corner edging bead


PVC

12.5 mm plasterboard

1 mm gypsum

50 pieces

2.5 / 3.0 m



21



1552-55

edging bead
with fold L-form
galvanised steel

1 mm gypsum

25 pieces

2.5 / 3.0 m



1552

12.5 mm plasterboard

1553

15 mm plasterboard

1555

20 mm plasterboard

CAMELEON
technical profiles



1556

edging bead
without fold L-form
galvanised steel
12.5 mm plasterboard
1 mm gypsum
25 pieces
2.5 / 3.0 m



22



1562-63

edging bead
white coated with fold L-form
galvanised steel
1 mm gypsum
25 pieces
2.5 / 3.0 m



1562

12.5 mm plasterboard

1563


15 mm plasterboard

CAMELEON
technical profiles



1603

reveal bead
Dynamic L-form
PVC
12.5 mm plasterboard
1 mm gypsum
enhanced movement
absorption by TPE
30 pieces
2.5 / 3.0 m



23



0785-87

paper joint tapes
not perforated
52.0 mm
1 mm gypsum

20 rolls

0785

23 m

0786

75 m

10 rolls

0787

152 m

CAMELEON
technical profiles





0790

fibreglass joint tape

FIBATAPE

selfadhesive

50.0 mm

1 mm gypsum

60 rolls at 20 m

54 rolls at 45 m

24 rolls at 90 m

12 rolls at 153 m



24



0794

fiberglass joint tape

VWS

selfadhesive

50.0 mm

1 mm gypsum

72 rolls at 20 m

54 rolls at 45 m

24 rolls at 90 m

12 rolls at 153 m



CAMELEON
technical profiles



0803-10

foam tape for sound insulation
PE-foam anthracite
3.0 mm
30 m roll

30 rolls at 30 mm width
18 rolls at 50 mm width
12 rolls at 70 mm width
12 rolls at 75 mm width
10 rolls at 95 mm width
10 rolls at 100 mm width




25



2010

angle bead
angular
galvanised steel
34 x 34 mm
12 mm plaster
25 pieces
2.5 / 3.0 m




CAMELEON
technical profiles



2020

angle bead
round
galvanised steel
34 x 34 mm
12 mm plaster
25 pieces
3.0 m




26



2022

angle bead
galvanised steel
50 x 50 mm
15 mm plaster
15 pieces
2.5 / 3.0 m



CAMELEON
technical profiles



2046

square hole angle bead
aluminium
25 x 25 mm
6 mm plaster
40 pieces
2.5 / 3.0 m




27



2049

square hole angle bead
angular
galvanised steel
30 x 30 mm
8 mm plaster
25 pieces
2.5 / 3.0 m




CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



2050

square hole angle bead
round
galvanised steel
30 x 30 mm
8 mm plaster
25 pieces
2.5 / 3.0 m



28



2051

square hole angle bead
galvanised steel
30 x 30 mm
8 mm plaster
25 pieces
2.5 / 3.0 m



CAMELEON
technical profiles

Ifode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



2052-53


square hole angle bead
galvanised steel
41 x 41 mm
15 pieces
2.5 / 3.0 m

2052

10 mm plaster

2053

12 mm plaster



29



2056

square hole angle bead
galvanised steel
25 x 25 mm
6 mm plaster
25 pieces
2.5 / 3.0 m



CAMELEON
technical profiles



2246

angle bead
PVC
22 x 22 mm
6 mm plaster
40 pieces
2.5 / 3.0 m



30



7100

corner bead
with triangular holes
and extraction
PVC
25 x 25 mm
5 mm plaster
50 pieces
2.5 m



CAMELEON
technical profiles

lftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



2025+28

stop bead
galvanised steel
25 pieces
2.5 / 3.0 m

2025	2028
9 x 32 mm	14 x 28 mm
9 mm plaster	14 mm plaster



31



2023+24+26

stop bead
galvanised steel
25 pieces
2.5 / 3.0 m

2023	2024
3 x 28 mm	6 x 28 mm
3 mm plaster	6 mm plaster

2026
10 x 32 mm
10 mm plaster



CAMELEON
technical profiles



2027

stop bead
galvanised steel
10 x 55 mm
10 mm plaster
25 pieces
2.5 / 3.0 m




32



2021

flexible corner bead
galvanised steel
9 x 50 mm
9 mm plaster
15 pieces
2.5 / 3.0 m



CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



2001-03

depth gauge bead
galvanised steel
50 pieces
2.5 / 3.0 m

2001	2002
6 x 21 mm	10 x 23 mm
6 mm plaster	10 mm plaster

2003
13 x 21 mm
13 mm plaster



33



2031+32

bellcast bead
galvanised steel
25 pieces
2.5 / 3.0 m

2031	2032
9 x 47 mm	12 x 51 mm
9 mm plaster	12 mm plaster




CAMELEON
technical profiles



2036

movement bead
galvanised steel
14 x 66 mm
14 mm plaster
25 pieces
2.5 / 3.0 m



34



2086

wire lath
(Stucanet S)
galvanised wire
70 x 240 cm
15 pieces



CAMELEON
technical profiles



2088

rib lath
galvanised steel
4 mm plaster
60 x 250 cm
20 pieces



35



6430+40+50

reveal bead
PVC
30 pieces
2.6 m



6430
6 mm plaster

6440
9 mm plaster

6450
15 mm plaster



CAMELEON
technical profiles



6433+43

reveal bead
with soft-lip
PVC

30 pieces
2.6 m

6433
6 mm plaster

6443
9 mm plaster



36



6445

reveal bead
with divider
PVC

9 mm plaster
30 pieces
2.6 m




CAMELEON
technical profiles





3022

angle bead
with PVC-nose
galvanised steel
50 x 50 mm
15 mm plaster
15 pieces
2.5 / 3.0 m



3025

angle bead
with PVC-nose
galvanised steel
45 x 45 mm
10 mm plaster
15 pieces
3.0 m



37




CAMELEON
technical profiles



3048

square hole angle
bead 135°
with PVC-nose
galvanised steel
41 x 41 mm
8 mm plaster
15 pieces
2.5 / 3.0 m




38



3049

square hole angle bead
with PVC-nose
galvanised steel
30 x 30 mm
8 mm plaster
15 pieces
2.5 / 3.0 m



CAMELEON
technical profiles



3052+54


square hole angle bead
with PVC-nose
galvanised steel
41 x 41 mm
15 pieces
2.5 / 3.0 m

3052

10 mm plaster

3054

14 mm plaster



39



3057+59

square hole angle bead
with sharp PVC-nose
galvanised steel
41 x 41 mm
15 pieces
2.5 / 3.0 m

3057

10 mm plaster

3059

14 mm plaster




CAMELEON
technical profiles



3155

square hole angle bead
for arch corners
with PVC-nose
galvanised steel
41 x 41 mm
12 mm plaster
15 pieces
2.5 m





40



3300+07

angle bead
PVC
40 x 40 mm
25 pieces
2.5 / 3.0 m

3300	3307
11 mm plaster	14 mm plaster



CAMELEON
technical profiles



3301+06

angle bead
PVC

40 x 40 mm

25 pieces


2.5 / 3.0 m

3301

6 mm plaster

3306

8 mm plaster



3302


stop bead
PVC

40 x 40 mm

6 mm plaster

25 pieces

2.5 / 3.0 m



41



CAMELEON
technical profiles



3310-17

render stop bead

PVC

plaster = wing height

50 pieces

2.5 m

3314	3310
3 x 23 mm	5 x 23 mm
3317	3315
6 x 23 mm	8 x 23 mm
3311	3316
10 x 23 mm	12 x 23 mm
3312	3313
14 x 23 mm	20 x 23 mm



42



3024+26

stop bead


with PVC-nose

galvanised steel

25 pieces

2.5 / 3.0 m

3024	3026
10 x 48 mm	14 x 52 mm
10 mm plaster	14 mm plaster




CAMELEON

technical profiles



3021

flexible angle bead
with PVC-nose
galvanised steel
10 x 50 mm
10 mm plaster
15 pieces
2.5 / 3.0 m



43



3032+34

bellcast bead
with PVC-nose
galvanised steel
25 pieces
2.5 / 3.0 m



3032

10 x 48 mm

10 mm plaster

3034

14 x 51 mm

14 mm plaster

CAMELEON
technical profiles



3331-33

bellcast bead
PVC
50 pieces
2.0 m

3331	3332
6 x 40 mm	8 x 40 mm
6 mm plaster	8 mm plaster

3333
11 x 40 mm
11 mm plaster





44



3064

wire arch corner bead
(APB)
galvanised wire
60 x 60 mm
15 mm plaster
40 pieces
2.95 m





CAMELEON
technical profiles



3065

wire arch corner bead
(APBK)
with PVC-nose
galvanised wire
60 x 60 mm
15 mm plaster
25 pieces
2.95 m




45



3060

wire corner bead
(APS)
galvanised wire
62 x 62 mm
15 mm plaster
40 pieces
2.95 m




CAMELEON
technical profiles



3061

wire corner bead
(APA)
galvanised wire
30 x 62 mm
15 mm plaster
40 pieces
2.95 m





46



3062

wire corner bead
(AP)
galvanised wire
62 x 62 mm
15 mm plaster
40 pieces
2.95 m





CAMELEON
technical profiles



3063

wire corner bead
(APK)
with PVC-nose
galvanised wire
62 x 62 mm
15 mm plaster
25 pieces
2.95 m





47



3066

wire corner bead
round
(APR)
galvanised wire
62 x 62 mm
15 mm plaster
25 pieces
2.95 m



CAMELEON
technical profiles



3340-44

movement bead
co-extruded
PVC
plaster = wing height
10 pieces
2.5 m

3340	3341
4 x 68 mm	6 x 68 mm
3342	3343
10 x 68 mm	15 x 68 mm
3344	
20 x 68 mm	



48



3070+71

movement bead
with soft-PVC centre part
galvanised steel
plaster = wing height
10 pieces
3.0 m

3070	3071
10 x 130 mm	15 x 130 mm




CAMELEON
technical profiles




6447

reveal bead
Accordeon
PVC
9 mm plaster
enhanced movement
absorption by TPE
30 pieces
2.6 m



6449

reveal bead
Dynamic
PVC
9 mm plaster
enhanced movement
absorption by TPE
30 pieces
2.6 m



49




CAMELEON
technical profiles



6459

reveal bead
Dynamic
PVC
6 mm plaster
enhanced movement
absorption by TPE
30 pieces
2.6 m



50



6465+75

reveal bead
PVC
30 pieces
2.6 m



6465 6475
6 mm plaster 9 mm plaster



CAMELEON

technical profiles





3096

fibreglass mesh
blue / white
140 g/m²
100 cm width
10 x 10 mm aperture
50 / 100 m² roll



3328

angle bead
with extraction
PVC with mesh
12.5 x 12.5 cm
5 / 8 mm plaster
10 pieces
2.5 m



51



CAMELEON
technical profiles




3304+08+09


angle bead
with extraction
PVC with mesh
12.5 x 12.5 cm
10 pieces
2.5 m

3304 3308
11 mm plaster 8 mm plaster

3309
14 mm plaster





52



3303+05

angle bead
with extraction
PVC with mesh
12.5 x 12.5 cm
15 pieces
2.5 m

3303 3305
3 mm plaster 6 mm plaster




CAMELEON
technical profiles




7020

corner bead
with extraction
PVC with mesh
10 x 10 cm
4 mm plaster
25 pieces
2.5 m




53



7125

corner bead
InsoFlex
PVC with mesh
12.5 x 12.5 cm
50 / 100 pieces
2.5 m



712501
4 mm

712502
6 mm

CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro





5115-33

corner bead
with triangular holes
PVC with mesh
100 pieces
2.5 m


5115
6 x 9 cm

5120
8 x 12 cm

5125
10 x 15 cm

50 pieces

5133
10 x 23 cm



54



5215-33

corner bead
aluminium with mesh
100 pieces
2.5 m


5215
6 x 9 cm

5220
8 x 12 cm

5225
10 x 15 cm

50 pieces

5233
10 x 23 cm



CAMELEON
technical profiles



5515-33

corner bead
PVC with mesh
100 pieces
2.5 m

5515

6 x 9 cm

5520

8 x 12 cm


5525

10 x 15 cm

50 pieces

5533

10 x 23 cm



55



6520-33

corner bead
for arch corners
PVC with mesh
50 pieces
2.5 m

6520


8 x 12 cm

6525

10 x 15 cm

6533

10 x 23 cm




CAMELEON
technical profiles





5901

Rolleck
PVC with mesh
12.5 x 12.5 cm
roll
25 m / 50 m



56



5915-33

corner bead
flexible
PVC with mesh
100 pieces
2.5 m


5915
6 x 9 cm

5920
8 x 12 cm

5925
10 x 15 cm

50 pieces

5933
10 x 23 cm



CAMELEON

technical profiles



5620-25


panzermesh corner bead
mesh yellow
50 pieces
2.6 m

5620


8 x 12 cm

5625

10 x 15 cm




57



5910

reinforcement mesh arrow
(AGP)
33 x 38.5 cm
4.0 x 4.0 mm aperture
50 pieces



CAMELEON
technical profiles





5941+42

lintel mesh corner bead
with diagonal reinforcement
4.0 x 4.0 mm aperture
25 pieces


5941

10 cm

reveal depth

5942

20 cm




58



5980

fibreglass mesh
160 g/m²
100 cm width
4.0 x 4.0 mm aperture
50 m² roll





CAMELEON
technical profiles



6438

reveal bead
Phantom II Dynamic
PVC with mesh
5 mm plaster
enhanced movement
absorption by TPE
30 pieces
2.6 m



59



6460+70


reveal bead
PVC with mesh
30 pieces
2.6 m

6470

6 mm plaster

6460

9 mm plaster



CAMELEON
technical profiles



Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro





6448

reveal bead
Dynamic
PVC with mesh
9 mm plaster
enhanced movement
absorption by TPE
30 pieces
2.6 m



60



6458

reveal bead
Dynamic
PVC with mesh
6 mm plaster
enhanced movement
absorption by TPE
30 pieces
2.6 m




CAMELEON
technical profiles



6444

reveal bead
Dynamic
PVC with mesh
14 mm plaster
enhanced movement
absorption by TPE
30 pieces
2.6 m




61



6446

reveal bead
Accordeon
PVC with mesh
9 mm plaster
enhanced movement
absorption by TPE
30 pieces
2.6 m



CAMELEON
technical profiles


Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



6456



reveal bead
MultiFlex
PVC with mesh
5 mm plaster
+/- 4.0 mm
10 pieces
2.4 m



62



6410-17

render stop bead
PVC with mesh
plaster = wing height
25 pieces



2.5 m

6414

3 x 23 mm

6417

6 x 23 mm

6411

10 x 23 mm

6412

14 x 23 mm

6410

5 x 23 mm

6415


8 x 23 mm

6416

12 x 23 mm

6413

20 x 23 mm



CAMELEON

technical profiles



4403-24


starter track
aluminium
20 pieces
2.5 m

4403 to 4410
30 mm to 100 mm

10 pieces
4412 to 4418
120 mm to 180 mm

2 pieces
4420 to 4424
200 mm to 240 mm

further dimensions on request



63




4650-53

clip on profile
PVC with mesh
25 pieces
2.5 m

4650 to 4651
5 mm plaster to 10 mm plaster

4653
14 mm plaster



CAMELEON
technical profiles






4206+16

starter track
Premium I + III
PVC
10 pieces
2.0 m

4206 III
60 - 90 mm
4216 I
100 - 160 mm




4207


4210+11

combined bellcast bead for
starter track Premium I-III
PVC with mesh

4207 III 5 mm plaster
4210 I+II 5 mm plaster
4211 I+II 10 mm plaster
10 pieces
2.0 m




64



4226

starter track
Premium II
PVC
180 - 240 mm
10 pieces
2.0 m



CAMELEON
technical profiles



4204+05

4205
starter track Premium IV
PVC

30 - 50 mm

25 pieces


2.0 m

4204
bellcast bead for
starter track Premium IV
PVC without mesh

5 mm plaster

25 pieces

2.0 m



65





6485

dripnose bead
Exclusive
PVC with mesh

5 mm plaster

20 pieces

2.5 m




CAMELEON
technical profiles





648502

dripnose
corner profile outwards
Exclusive
PVC with mesh
5 mm plaster
10 x 10 cm
10 pieces





66



648504

dripnose corner
profile inwards
Exclusive
PVC with mesh
5 mm plaster
10 x 10 cm
4 pieces



CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro





6490+92

driprnose bead
Standard
PVC with mesh
10 x 10 cm
20 pieces
2.5 m

6490
5 mm

6492
10 mm





67



6495

driprnose bead
InsoFlex
PVC with mesh
5 mm plaster
10 x 10 cm
20 pieces
2.5 m



CAMELEON
technical profiles



Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro





6321

movement bead
E-type
PVC
10 - 30 mm joint
25 pieces
2.5 m





68



6326

movement bead
V-type
PVC
10 - 30 mm joint
25 pieces
2.5 m




CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



6327

movement
bead 2000
E-type
PVC co-extruded
5 mm plaster
15 - 60 mm joint
25 pieces
2.5 m





69



6328

movement
bead 2000
V-type
PVC co-extruded
5 mm plaster
15 - 60 mm joint
25 pieces
2.5 m



CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



4950+51

fibreglass mesh
groove bead
trapezium shape
10 pieces
2.0 m

4950

Type I

30/20/17 mm

4951

Type II

37/20/17 mm





70



4960

fibreglass mesh
groove bead
V-form
Type III
30/0/17 mm
10 pieces
2.0 m



CAMELEON
technical profiles



4970+72+74

fibreglass mesh groove bead
corner profile
10 pieces

4970

Type I outwards
30/20/17 mm

4972

Type II outwards
37/20/17 mm

4974

Type III outwards
30/0/17 mm



71



4971 +73+75

fibreglass mesh
groove bead
corner profile
10 pieces

4971


Type I inwards
30/20/17 mm

4973

Type II inwards
37/20/17 mm

4975

Type III inwards
30/0/17 mm



CAMELEON
technical profiles






4976-78

fibreglass mesh groove bead
stop profile
10 pieces

4976	4977
Type I	Type II
30/20/17 mm	37/20/17 mm

4978
Type III
30/0/17 mm



72




4981+83+85

fibreglass mesh groove bead
T-type
10 pieces

4981	4983
Type I	Type II
30/20/17 mm	37/20/17 mm

4985
Type III
30/0/17 mm



CAMELEON
technical profiles




4982+84+86

fibreglass mesh groove bead
cross-type
10 pieces

4982	4984
Type I	Type II
30/20/17 mm	37/20/17 mm

4986
Type III
30/0/17 mm




73



4940

groove bead
PVC
5 mm plaster
32/30/23 mm
20 pieces
2.5 m



CAMELEON
technical profiles





4603

connection piece PVC
for starter track

460301	460304
30 mm	1.15 m
100 pieces	10 pieces

6051-53


naildowel

6051
8 x 60 mm
100 pieces

6052	6053
6 x 60 mm	6 x 35 mm
100 pieces	200 pieces

6075-77

distance piece
PVC
100 pieces




6075	6076
50 x 50 x 3 mm	50 x 50 x 5 mm
red	yellow
6077	
50 x 50 x 10 mm	
black	

74



6404

sheet metal flashing profile
PVC with mesh
5 - 10 mm plaster
25 pieces
2.5 m




CAMELEON

technical profiles




6001-02



6005


6002

holding track
PVC
20 pieces
2.5 m




6005

connection piece
PVC (T-splines)
50 pieces
0.49 m



6001

starting track
PVC
20 pieces
2.5 m



75



CAMELEON

technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro




6209-19

dowel for insulation boards
polypropylene
with plastic nail
250 pieces

6209	6211
90 mm	110 mm
6213	6215
130 mm	150 mm
6217	6219
170 mm	190 mm

minimum depth of anchoring 40 mm
in a solid subfont

76





6279-91

dowel for insulation boards
polypropylene
with steel nail
200 pieces

6279	6281	
100 mm	120 mm	
6283	6285	
140 mm	160 mm	
6287	6289	6291
180 mm	200 mm	220 mm
		100 pieces

minimum depth of anchoring 40 mm
in a solid subfont

CAMELEON
technical profiles





6603-24

stop bead
aluminium
10 pieces
2.5 m

6603	6604	6605
30 mm	40 mm	50 mm
6606	6607	6608
60 mm	70 mm	80 mm
6609	6610	6611 - 6624
90 mm	100 mm	110 - 240 mm



77



6803-24

cover bead
aluminium
10 pieces
2.5 m

6803	6804	6805
30 mm	40 mm	50 mm
6806	6807	6808
60 mm	70 mm	80 mm
6809	6810	6811 - 6824
90 mm	100 mm	110 - 240 mm



CAMELEON
technical profiles






6903-24

cover bead
with attachment side
aluminium
10 pieces
2.5 m

6903	6904	6905
30 mm	40 mm	50 mm
6906	6907	6908
60 mm	70 mm	80 mm
6909	6910	6911 - 6924
90 mm	100 mm	110 - 240 mm



78



633001- 633401

joint bead
surface
10 pieces
3.0 m
aluminium

633001	633101
50 mm	70 mm

633401
100 mm

PVC*

633201	633301
50 mm	70 mm

*white or ivory

CAMELEON
technical profiles





633002- 633402

joint bead

corner

10 pieces

3.0 m

aluminium

633002

50 mm

633102

70 mm

633402

100 mm

PVC*

633202

50 mm

633302

70 mm

*white
or ivory



79



6010/15+11

stop bead

for cement boards

6010 / 6015

see page 80

6011

stop bead


for cement boards

PVC with mesh

5 mm plaster

25 pieces

2.5 m



CAMELEON
technical profiles



6010/15

6010
edging bead for
cement boards 125 = 12.5 mm
(basic profile)

PVC

50 pieces

2.0 m

6015

edging bead for
cement boards
100 = 10 mm
(basic profile)

PVC

50 pieces

2.0 m

80

6013+14

6013
movement bead
horizontal above
for cement boards
PVC with mesh

5 mm plaster

10 pieces

2.5 m

6014


movement bead
horizontal beneath
for cement boards

PVC with mesh

5 mm plaster

10 pieces

2.5 m



CAMELEON
technical profiles




6010/15+12

dripnose for
cement boards

6010 / 6015
see page 80

6012
dripnose bead
for cement boards
PVC with mesh
5 mm plaster
25 pieces
2.5 m






81

CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro





2.4 Profile Selection based on Mortar Type

The following table gives the correct combinations of plaster profile and plaster mortar:





Mortar/Plaster	Profile materials for exterior use					Profile materials for interior use (except wet rooms and domestic bathrooms)				
	galvanised	galvanised with coating	galvanised with PVC edge	aluminium	stainless steel	galvanised	galvanised with coating	galvanised with PVC edge	aluminium	stainless steel
Gypsum mortar and mortars containing gypsum	⊘	⊘	⊘	⊘	⊘	✓	✓	✓	✓	✓
Lime plaster	✓	✓	✓	✓	2	✓	✓	✓	✓	✓
Lime cement plaster	✓	✓	✓	✓	2	✓	✓	✓	✓	✓
Cement plaster	✓	✓	✓	✓	2	✓	✓	✓	✓	✓
Silicate plaster	✗	✓	✓	✓	2	✗	✓	✓	✓	✓
Silicone resin plaster	✗	✓	✓	✓	✓	✗	✓	✓	✓	✓
Synthetic resin plaster	✗	✓	✓	✓	✓	✗	✓	✓	✓	✓
One-coat plaster (single layer)	✗	✓	✓	✓	2	✓	✓	✓	✓	✓
Insulating plaster	✓	✓	✓	⊘	✓	✓	✓	✓	✓	✓
Renovating plaster	✗	✗	✗	✗	✓	✗	✗	✗	✗	✓
Clay plasters	⊘	⊘	⊘	⊘	⊘	✓	✓	✗	✓	✓
Reinforcement plaster organic	✗	✓	✗	✓	✓	✗	✗	✗	✓	✓
Reinforcement plaster mineral	✓	✓	✓	✓	2	✓	✓	✓	✓	✓
Adhesive plaster	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

- 1) In the case of synthetic resin, silicone resin or silicate finishing plasters/top coats on mineral substrates, incorporated galvanised profiles are to be protected additionally with a quartz filled, organically bound plaster primer (not thinned).
- 2) Aluminium with base coat.

- ✓ permitted
- ✗ not permitted
- ⊘ not suitable



82



IMPORTANT INSTRUCTIONS

MATERIALS

Sendzimir galvanized or electrolytically galvanized slit coils or steel sheets, zinc coating on both sides. Bare aluminium bands or with acrylic or polyester enamel coating. Aluminium zinc plated and aluminium coils. Plastics, particularly rigid and plasticised PVC are impact resistant.

PRODUCTION

Roll forming on profiling machines (with preservation of the material surfaces). Bending, milling and cutting. Extrusion and co-extrusion. Custom lengths and other dimensions on request.

WARRANTY

We ensure, as part of our general business conditions, the flawless quality, and the careful preparation of our profiles. Since the composition and the chemical and physical properties of the plasters are beyond our control, the resistance against corrosion of our profiles are not guaranteed. Be ensured in the case of the use of new insulation and plaster materials the profiles must be compatible with those materials. Changing conditions in the processing of plaster require a tuning on the particular construction project, which is up to the purchaser and user.

The warranty for plaster profiles is based on the industry standard warranty provisions, otherwise the legal provision. The period begins with the proof of delivery. Attain in self-experiments the best security against possible errors, for which we can not accept any liability. Storage and application instructions must always be observed and followed.

QUALITY MANAGEMENT

As of 07/17/96, the VWS Befestigungstechnik GmbH and its subsidiary are certified in accordance with DIN EN ISO 9001.

PACKAGING, DELIVERY AND SHIPPING

VWS is a contracting partner in the Vfw, contract No. D-42000-2006-0325. Multiple films, paper and wire bundling and / or cardboard packaging of VWS profiles. Marking of packaging by type mark, profile number, length, possible colour, bars per bundle, and an indication of the production site and production date. Instructions on packaging must be observed. For the use of EAN scanners to store the goods, the goods are provided with the special EAN-numbers and the corresponding VWS bar codes. All deliveries are ex works if no other agreement exists. Deliveries will be made only in complete packaging units (PU). Shipping on euro-pallets or long-stock storage racks by contract carriers or collection.

GENERAL TERMS AND CONDITIONS

All of our deliveries and services are subject to our Terms and Conditions. In addition, they are subject to patents and utility models legal restrictions of our local trade and industry partners. All deliveries are subject to our respective day of delivery prices exclusive of VAT, unless explicitly agreed otherwise. For payment of the invoices our applicable or from case to case agreed payment policies apply.

SERVICE

Field sales, applications engineering, samples, worksheets, test reports, catalogues, internet and fairs at home and abroad.

IMPORTANT PROCESSING INSTRUCTIONS

In generally store VWS profiles cool and dry. We recommend horizontal storage and transport on even racks. Profile selection by application area (inside or outside), planned plaster thickness and appropriate bar length. Account for the divisibility into short lengths for windows and avoid section joints. For exterior edges and bases long bar lengths are recommended. It is useful to cut the VWS profiles with a hand shears, this should not happen with a cutting disc, otherwise there is a risk that the zinc coating is damaged and there will be corrosion on the profiles. VWS profiles once fixed, allowing continuous application and finishing of the plaster surfaces by precise edges. Attaching of slats is no longer necessary. VWS profiles close to soil are particularly vulnerable to splashing water and constant damp conditions and therefore they should be protected in advance with a suitable coat.

COMPATIBILITY

Check the compatibility between the plaster and the product material. Attention should be paid to the system design and installation guidelines of the system supplier. For new developments of plasters the compatibility of the different materials (plaster, profiles and wire lath) has to be ensured. For all galvanized steel sections, we refer to the information sheet for planning and application of plaster beads in exterior and interior of the Technical Committee of Plaster Bead Manufacturers Europrofiles.

Download at www.vws.de

SPECIAL PRODUCT INFORMATION

The customer undertakes to examine carefully VWS profiles for compatibility with other materials and in each application as well as attending to observe the system design and installation guidelines of the system suppliers.

Subject to alterations.

Illustrations and dimensions may differ from the original.

Changes in form and colour are reserved.

All mounting proposals are not binding.

We exclude a general liability due to the proposals of the installation and processing instructions in the current VWS catalogue.

Please find at <http://www.vws.de/media/tmb/en> the relevant Technical Data Sheets of our product range. The revision status is crucial for the use of the products at the time of installation.

Reprinting and reproduction, in whole or in part only with written permission of VWS Befestigungstechnik GmbH

Earlier catalogues are no longer valid.

CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro



CAMELEON
technical profiles

Iftode Universal, Galati, B-dul G. Cosbuc nr 350, tel/fax:0236/325.382,
office350@universalconstruct.ro www.universalconstruct.ro