



**A**ustralia



### Table of contents – colour worlds

Introduction	04
Australia	06
Alaska	10
Africa	14
Atlantis	18
Sandstone	22
Natural stone	26
Coloured Quartz	30
General information	34











Premium product characteristics

and colour combinations create exciting floors.

#### Interiors

# Discover new floor ambiance for interior spaces

Floor coverings influence our feelings and moods. Consequently, individual design with choice of colours and patterns is crucial for a feeling of well-being in rooms. Combination gives unbound possibilities and free rein to creativity.

Through frequent daily use, floors are the most stressed areas of a building, but are often neglected for decades and their influence on ambiance fades. Premium product quality and characteristics tailored by specific user requirements are therefore crucial for optimum performance and long term appeal. Abrasion, wear and slip-resistance are key performance characteristics for accurate selection of the right system. Whilst colour, texture and shape provide choice and individual expression. The spectrum of opportunity spans from industrial floors to secondary rooms, to living rooms and work rooms.

We offer you a flooring ambiance with long-lasting appeal. Enrich your life with a Coelan Floor.







Enjoy serene moments in harmoniously designed outdoor areas with quality floors.

### Outdoor areas


# Experience the special floor feeling in outdoor areas

Balconies and terraces are places of tranquility and rejuvenation. This is where we can sit back and escape from the daily routine for precious moments. Here an individual design and long floor service life are the crucial factors for our well-being.

As well as supporting activity and use, outdoor areas are heavily stressed day by day, year by year through exposure to sun, rain, snow and ice, as well as constant temperature fluctuations. Signs of stress manifest through the formation of cracks and crazing in floor coating, often at joints. This leads to moisture ingress which quickly spreads through the underlying screed leading to vapour pressure and frost heave forces. The result is spalling of the screed base and increasing levels of blistering and delamination of the coating system. Clearly the selection of the right floor is crucial. Our selection of coating systems for outdoor areas offers high-quality products that can withstand any weather influences.

In addition to product quality, colours and shapes are also determining factors for a harmonious design. Create tranquil areas with a look that guarantees wellness and thus provides possibilities for living a relaxed and balanced life.

We enable you to design special places under the open sky that will be a source of satisfaction to you for years to come.









With COELAN® Colour Flakes you can take Australian landscapes home. Set accents and combine coloured coatings with 31 different types of Colour Flakes. Whether single-colour, mixed colours, extremely fine, fine or coarse, with marble, terrazzo, or gemstone effect, scattered partial surface or full surface – there are no limits to your fantasy.

Features





Colour Flake ruby no. 342

### For your interiors


We offer products for different interior spaces. Our floors are used in private living rooms and work rooms, and in highly stressed industrial environments. The products are persuasive through their high-quality technical features. The new colour worlds allow individual design.

#### COEPLAN 2-K Poured Coating PLUS

COEPLAN 2-K Poured Coating PLUS, based on polyurethane resins, with or without sealer, with or without scattered Colour Flakes; our flooring systems are used in the highly stressed and creative design area. You can always rely on the right product for the technical features.

# Glow-red sunlight illuminates the room

For unforgettable **MOMENTS**.







Fascinating COlours are reflected in the air.

Time to linger.

# For your outdoor areas

We developed the COETRANS coating system more than 25 years ago for balconies and terraces, arbours, and outdoor stairs. Now with the new colour worlds you create outdoor areas to meet your desires and ideas.

#### **COETRANS**

These coating systems are manufactured on the basis of polyurethane resins and have all the characteristics to satisfy the rigorous requirements imposed on outdoor areas.

### Technical data



Non-fading



Weather-resistant



Elastic



Crack-bridging (to 2 mm)



Jointless installation is possible



Temperature-resistant (-40 °C to +90 °C)




Low installation height



Features

Can be combined with 31 grades of Colour Flakes










Integrate traces of Alaska in your rooms – with COELAN® Colour Flakes. Set accents and combine coloured coatings with 31 different types of Colour Flakes.

Whether single-colour, mixed colours, extremely fine, fine or coarse, with marble, terrazzo, or gemstone effect, scattered partial surface or full surface – there are no limits to your fantasy.







Colour Flake beige red no. 354

# For your interiors

We offer products for different interior spaces. Our floors are used in private living rooms and work rooms, and in highly stressed industrial environments. The products are persuasive through their high-quality technical features. The new colour worlds allow individual design.

#### **COEPLAN 2-K Poured Coating Plus**

COEPLAN 2-K Poured Coating PLUS, based on polyurethane resins, with or without sealer, with or without scattered Colour Flakes; our flooring systems are used in the highly stressed and creative design area. You can always rely on the right product for the required technical features.

Cool elements bring clarity into rooms.

For undisturbed MOMENTS..

### Technical data



Can be used as a rolled coating, unfilled coating, or filled coating



Low-solvent



Stress-resistant



Abrasion-resistant



Resistant to chemicals



Slip-resistance can be adjusted to suit



Can be combined with 31 grades of Colour Flakes





Rock-grey

Colour Flake (coarse) grey no. 006

# For your outdoor areas

We developed the COETRANS coating system more than 25 years ago for balconies and terraces, arbours, and outdoor stairs. Now with the new colour worlds you create outdoor areas to meet your desires and ideas.

#### **COETRANS**

These coating systems are manufactured on the basis of polyurethane resins and have all the characteristics to satisfy the rigorous requirements imposed on outdoor areas.

### Technical data



Non-fading



Weather-resistant

Light colouring illuminates the **environment**. For radiant Memories.



Elastic



Crack-bridging (to 2 mm)



Jointless installation is possible




Temperature-resistant (-40 °C to +90 °C)



Low installation height



Can be combined with 31 grades of Colour Flakes









COELAN® Colour Flakes bring African moments into the house. Set accents and combine the coloured coatings with 31 different Colour Flakes that can be implemented individually.

Whether single-colour, mixed colours, extremely fine, fine or coarse, with marble, terrazzo, or gemstone effect, scattered partial surface or full surface – there are no limits to your fantasy.





Colour Flake amber no. 152

Ivory-beige



Colour Flake beige-brown no. 104

# For your interiors

We offer products for different interior spaces. Our floors are used in private living rooms and work rooms, and in highly stressed industrial environments. The products are persuasive through their high-quality technical features. The new colour worlds allow individual design.

#### **COEPLAN 2-K Poured Coating Plus**


COEPLAN 2-K Poured Coating PLUS, based on polyurethane resins, with or without sealer, with or without scattered Colour Flakes; our flooring systems are used in the highly stressed and creative design area. You can always rely on the right product for the technical features.

Earthy Colours conjure soft light into the room.

Time to let go.

### Technical data

Features







Colour Flake uni-toffee no. 875


# For your outdoor areas

We developed the COETRANS coating system more than 25 years ago for balconies and terraces, arbours, and outdoor stairs. Now with the new colour worlds you create outdoor areas to meet your desires and ideas.

#### **COETRANS**

These coating systems are manufactured on the basis of polyurethane resins and have all the characteristics to satisfy the rigorous requirements imposed on outdoor areas.

### Technical data



Features

Non-fading

Weather-resistant

Elastic

Crack-bridging (to 2 mm)

Jointless installation is possible

Temperature-resistant (-40 °C to +90 °C)

Low installation height


Can be combined with 31 grades of Colour Flakes

Africa at your feet

IFTODE UNIVERSAL SRL Bld. G. Cosbuc Nr.156,350,416 www.universalconstruct.ro Tel/Fax: +40 236 310 555

Warm Colours awaken the floor to life.

For intensive sensibility.



www.universalconstruct.ro

Tel/Fax: +40 236 310 555









With COELAN® Colour Flakes Atlantis emerges at your home. Set accents and combine coloured coatings with 31 different types of Colour Flakes. Whether single-colour, mixed colours, extremely fine, fine or coarse, with marble, terrazzo, or gemstone effect, scattered partial surface or full surface – there are no limits to your fantasy.







Colour Flake opal no. 020

Colour Flake beige-melange no. 121

# For your interiors

We offer products for different interior spaces. Our floors are used in private living rooms and work rooms, and in highly stressed industrial environments. The products are persuasive through their high-quality technical features. The new colour worlds allow individual design.

#### **COEPLAN 2-K Poured Coating Plus**


COEPLAN 2-K Poured Coating PLUS, based on polyurethane resins, with or without sealer, with or without scattered Colour Flakes; our flooring systems are used in the highly stressed and creative design area. You can always rely on the right product for the required technical features.

Ocean colours create ambience in the room.

Space to dream.

### Technical data

Features







# Deep-sea-black

Colour Flake diamond no. 747

# For your outdoor areas

We developed the COETRANS coating system more than 25 years ago for balconies and terraces, arbours, and outdoor stairs. Now with the new colour worlds you create outdoor areas to meet your desires and ideas.

#### **COETRANS**

These coating systems are manufactured on the basis of polyurethane resins and have all the characteristics to satisfy the rigorous requirements imposed on outdoor areas.

### Technical data



Non-fading



Weather-resistant



Elastic

Rushing Shadows enliven the environment.

For moving moments.



Crack-bridging (to 2 mm)



Jointless installation is possible



Temperature-resistant (-40 °C to +90 °C)



Low installation height



Can be combined with 31 grades of Colour Flakes









Nature and elegance: infinite possibilities of individual design are revealed in the fine look of sandstone. Whether rectangular or square, installed longitudinally or transversely, the sandstone fleece offers flexible processing with minimum thickness. Rooms get an individual appearance and thus become unique.





Installation: Diagonal



# For your interiors

With the combination of coloured and transparent polyurethane resins, as well as a thin, flexible sandstone fleece, now it is possible to add all of the necessary requirements of an indoor floor covering to the sandstone look.

### COEPLAN 2-K Poured Coating with sandstone fleece

Through the extremely high level of stress-resistance and flexible installation we offer you an optimal system for designing interior spaces. The easy-to-clean floor far outshines the original sandstone.

Delicate Structures enrich the room.

For fulfilled moments.

### Technical data

Features







Installation: Cross joint

Installation: Three-quarter swathe

### For your outdoor areas

For the first time the naturalness and structure of sandstone has been successfully combined with the quality and advantages offered by proven polyurethane resin coatings. Now COETRANS FS is available for outdoor areas.

#### **COETRANS FS**

The low installation height and seamless processing make COETRANS FS a flexible implementation floor covering for outdoor areas. A high level of weather-resistance and temperature-resistance make the product extremely robust.

### Technical data



Non-fading



Weather-resistant



Temperature-resistant (–40 °C to +90 °C)



Seamless processing



Low installation height



Features

Flexible installation

The most delicate patterns grace the floor.

Space for style.









Nature and contrast: The extensive colour variety of natural sandstone enables free design space for all floors. Single colours, offset with motifs, and multicolour contrast mixtures show the harmonious, multi-faceted interplay of the individual stones. Taste and style are presented here.





Features

Contrast terra White Rosé



Green White Contrast bordeaux



Tel/Fax: +40 236 310 555


# For your interiors

High-quality polyurethane resins combined with natural stone, (2–4 mm grain) bring optimal product characteristics and many design possibilities together. DEKORSTONE DS is the optimal choice for indoor areas such as stairways and also for larger surfaces.

#### **DEKORSTONE DS**


Our low-solvent product can be installed with minimal installation height. The high-level stress-resistance and slip-resistance, as well as the fire classification, are additional product advantages. DEKORSTONE DS is also available for rooms with underfloor heating.

Natural elements enrich rooms.









Black Contrast black Light-gray



Dark-beige Contrast terra Contrast sienna

# For your outdoor areas

Rounded marble and granite granulates are compounded with primer, sealing layer, and binder to form a mortar system. COETRANS DS is a near-natural product for outdoor areas such as balconies, terraces, arbours, stairs.

#### **COETRANS DS**

Product characteristics such as, light-resistance, weather-resistance, and temperature resistance and the slip-resistance classification make COETRANS DS an outstanding covering for outdoor areas. In addition it is capable of withstanding high stress and it has an advantageous drainage effect.

#### Technical data





Non-fading



Weather-resistant



Temperature-resistant (-40 °C bis +90 °C)



Jointless installation



Slip-resistance classification R10



Fire classification B1



High stressability



Drainage effect

Strong effects move the floor.

Time for Nature.









Design and variety: the different colours and colour blends of the Coloured Quartz make it possible to mix patterns and motifs as desired. The most rigorous requirements imposed on quality and creativity are satisfied, both with the mortar covering and with the scatter application. Thus custom room design takes on a new dimension.





Ochre Umbra Yellow/white/black



Papyrus
Oxide/graphite/ivory
Oxide

# For your interiors

Our product, DEKORSTONE CQ, is a mortar system that consists of binder and Coloured Quartz; grading curve 0.7 to 1.2 mm. DEKORSTONE CQ offers ideal prerequisites for coloured, unusual design of interior spaces.

### **DEKORSTONE CQ**

Naturally low-solvent DEKORSTONE CQ can be implemented in all indoor areas. High stressability at a low installation height, and the slip-resistance and fire classification perfect the system.

Shimmering light fills the room.

Time to sit back.

### Technical data



Non-fading



Low-solvent



Jointless installation



Slip-resistance classification R10



Fire classification B1




Stress-resistant



Suitable for underfloor heating




Low installation height







Gray/white/red Red/white/black Agate



Graphite
Gray/white/black
Ivory

# For your outdoor areas

COETRANS CQ & DE is a mortar or scattering system comprised of primer, sealing layer, binder or adhesive layer and Coloured Quartz. The combination of polyurethane resin with Coloured Quartz, (grading curve 0.7 to 1.2 mm), make this system optimal for outdoor implementation.

### COETRANS CQ & DE

COETRANS CQ & DE is an ideal product for outdoor stairs, balconies, terraces, and arbours, thanks to its resistance to weather and temperature as well as the slip-resistance classification. Jointless installation with simultaneous high stressability and the flexible look offered by two installation variants make COETRANS CQ & DE an optimal choice.

### Technical data



Can be used as scatter application and mortar application



Non-fading



Weather-resistant



Temperature-resistant (-40 °C bis +90 °C)



Jointless installation



Slip-resistance classification R10



Fire classification B1



High stressability

Brilliant Colour combinations awaken the environment.

For emotional life.



In addition to high-quality product systems COELAN® naturally offers you comprehensive customer service. An extensive network of trained specialised companies, as well as our employees in sales and technology are pleased to help you.

In our own Training Center our partners and employees are trained and educated on a regular basis. COELAN® maintains its own research and development department in which products are tested and further developed on an ongoing basis.

Our company is certified and we assure the high quality of our products through DIN EN ISO 9001 : 2000.



Curious? Give us a call!

Your COELAN® team

Iftode Universal SRL
Bld. George Cosbuc Nr.156, 350, 416
Galati, Romania
Tel./Fax: +40 236 310 555 , 236 325 382
E-mail: office350@universalconstruct.ro
www.universalconstruct.ro

Please note that 100 % colour accuracy cannot be guaranteed due to printing techniques.

The information in this brochure does not claim to be complete. It does not replace our more extensive instructions provided in our technical data sheets and processing instructions for the application techniques and technical features of our products.

This technical information is provided as advice to the best of our knowledge. Because implementation conditions with which we are not familiar are conceivable, this advice is non-binding. In addition we reserve the right to make technical changes in the interest of progress. Publication of this edition renders all previous technical information invalid. You can avail yourself of our special technical application consulting for all questions. Agreements and assurances always must be provided in writing. Consequently have oral promises confirmed in writing. In all other aspects our delivery and payment terms apply.









