


UNIVERSAL FLOOR INDUSTRY

sisteme pardoseli tehnice industriale
acustic, termic, fonic, foc, hidro



- ✓ proiectare
- ✓ distribuție
- ✓ vânzare de sisteme
- ✓ cursuri
- ✓ detalii montaj
- ✓ tehnologii
- ✓ accesorii



CEL MAI BUN PRET!

Iftode Universal
sisteme de construcții


✓ agenție pentru România



COELAN the new perspective for your floor




SISTEME PARDOSELI WPC - terase



fonotherm®
high insulating technology
poliuretan, EPDM & plumb

CLICK

PVC FLOOR TRAFFIC LINE



CLICK FLOOR TRAC

The original ECOR

The universal grid for a permeable ground



Drain System
sistem de drenaj și evacuare apă

STOP FIRE

Sisteme construcții antifoc
securitate/prevenire/stingere

compartimentări
placări
planșee
structuri metalice,
protecție
la foc
interior-exterior



50% reducere la
sistemul de plafon
pentru orice proiect
ce implică și
sistemul de
pardoseli!




Gypsum Fibreboards Jointing Techniques



Gypsum Fibreboards Surface Finishing

**Loft Insulation
Element N+F/
Cellar Ceilings
Insulation Element N+F**
Thermal Insulation for
Intermediate Floors/
Insulation for Concrete
Cellar Ceilings



Original FERMACELL Tools



Powerpanel HD External Wall System



Greenline Gypsum Fibreboard



Greenline Flooring Element



Composite Boards Thermal Insulation - Walls



Flooring Elements Dry Flooring



Gypsum Fibreboards & Flooring Elements For Moisture Affected Areas - Domestic or Standard Use




Powerpanel H2O For Wall Areas Subject to High Levels of Humidity/Moisture



Powerpanel TE & Showertray Element For Floor Areas Subject to High Levels of Humidity/Moisture



Levelling Compounds/Infills



fermacell Flooring Element	2 E 11	2 E 22	2 E 13 (2 E 14)	2 E 23	2 E 31 (2 E 33)	2 E 32 (2 E 34)	2 E 35	Powerpanel H2O Flooring Element
Construction	2 x 10 mm Gypsum Fibreboard	2 x 12,5 mm Gypsum Fibreboard	2 x 10 mm Gypsum Fibreboard + 20 mm (+ 30 mm) polystyrene hard foam	2 x 12,5 mm Gypsum Fibreboard + 20 mm polystyrene hard foam	2 x 10 mm (2 x 12,5 mm) Gypsum Fibreboard + 10 mm Wood fibre	2 x 10 mm (2 x 12,5 mm) Gypsum Fibreboard + 10 mm mineral wool	2 x 12,5 mm Gypsum Fibreboard + 20 mm mineral wool	2 x 12,5 mm Powerpanel H2O board

fermacell®

✓ agenție pentru România

✓ proiectare


✓ distribuție

✓ vânzare de sisteme

✓ cursuri ✓ detalii montaj


6.1.2 Levelling of wooden-joist floor

with Flooring Element




6.1.4 Levelling on vaulted ceiling


with Flooring Element or Powerpanel H₂O Flooring Element
(building physics must be taken into account)




6.1.5 Trapezoidal steel sheet floor with Flooring Element



6.1.7 Covering installation pipes with fermacell Levelling Compound, covered with Flooring Element




6.1.12 Movement joint on suitable underfloor heating or insulation with Flooring Element or Powerpanel H₂O Flooring Element



Iftode Universal

sisteme de construcții



incalzire in pardoseala

fermacell

pardoseli acustice flotante



instalare
✓ ușoară
✓ rapidă




potrivită pentru camere umede

cea mai bună izolare fonică



rezistență la foc A1 și A2



COEPLAN – the new perspective for your floor

Choose from four types of decorative flooring to create your dream floor:

COELAN®

Iftode Universal
sisteme de construcții



COEPLAN FC



COEPLAN DS




COEPLAN CQ

COETRANS – the decorative coatings from COELAN

COETRANS not only boasts outstanding properties,
it is also a real eye-catcher

due to its design capacity and capability

Choose the surface from a range of 4 coating systems to meet
all your aesthetic and
technical requirements.



COETRANS CQ



COETRANS DS



COETRANS FC



COETRANS DE

COERAMIK Tile Coating Professional - ...Get a new bathroom – without a hammer and chisel!

Achieve the bathroom/kitchen of your dreams in 7 easy steps.



before



after



COELAN transparent Wood Coating- a great innovation for various applications like: Wooden facades, Wooden slats, Wooden windows, Wooden stairs, Wooden bridges, Wooden fencing.

Coloured coatings: up to 12 basic colours and 16 coloured flakes (fine, medium, coarse, unicoloured to tricoloured, partially or fully scattered into the surface), there are hundred ways to design your (dream) floor.

Natural stones: 13 standard natural stone colours - unicoloured or tricoloured, combined or individually blended - result in more than 182 ways to coat your floor.

Coloured quartz sand: 12 standard colours - unicoloured or tricoloured, combined or individually blended – result in over 156 coloured quartz floorings.

Wooden coatings: 10 basic colours, which are always in stock, and 121 special colours ensure an architect's vision becomes reality.

✓ proiectare

✓ distribuție

✓ detalii montaj

✓ tehnologii

✓ vânzare de sisteme

✓ cursuri

✓ accesorii

KEMPEROL 2K-PUR

KEMPEROL 2K-PUR is a solvent-free, fleece-reinforced and liquid-applied waterproofing system based on polyurethane resin. The odorless product can be used universally on flat roofs, balconies, terraces and for indoor areas such as bath rooms, catering kitchens and plant rooms. It is the ideal waterproofing system for sensitive areas such as nurseries, hospitals, schools or senior citizens' homes. KEMPEROL 2K-PUR meets modern standards of sustainability: it is not only a solvent-free product, but some 80% of the polyalcohols (resins) are obtained from renewable raw materials (castor oil). KEMPEROL 2K-PUR is root and rod resistant according to FLL-testing and classified W3 according to ETAG 005.

KEMPEROL 022

The solvent-free liquid waterproofing KEMPEROL 022 has been specially developed for use according to ETAG 022. KEMPEROL 022 Waterproofing is applied on wet room walls and floors with direct or indirect load and floor drainage. It is ideal for household bathrooms as well as for sanitary facilities in hotels, shower installations, sculleries or washrooms.

KEMPERDUR Deko 2K


KEMPERDUR Deko 2K is a decorative protective finish for balconies, terraces and roofs. It is used to maintain and visually enhance surfaces. KEMPERDUR Deko is a one-component product, ready-to use straight from the container, with no mixing required. KEMPERDUR Deko 2K is a solvent free alternative product to the standard KEMPERDUR Deko. It has been developed for sensitive areas, where solvents are to be avoided.

KEMPERDUR HB High-Build


Light resistant KEMPERDUR HB High-Build is a three-component system from the proven KEMPER SYSTEM family. It is designed for areas subject to foot traffic, both indoors and outdoors. Applied at a thickness of 3 mm (± 1 mm) it provides an extremely durable surface, particularly in areas subject to frequent foot traffic. KEMPERDUR HB High-Build covers small cracks, joints, overlaps and other surface irregularities.

KEMPERDUR TC

KEMPERDUR TC is a multi-component, solvent-free, polyurethane-based coating system. Parking decks, driveways, inner courtyards and ramps are just as ideal for this treatment as are balconies, terraces and covered walkways. And because the multifunctional KEMPERDUR TC does not contain any solvents it is especially recommended for interior surfaces in halls, basements or retail premises. The surface of KEMPERDUR TC can be designed according to the field of application by strewing in different kinds of KEMPERDUR Colour quartz or granite or coated with KEMPERDUR Deko or Deko 2K.



Wall joints



Drains



KEMPERDUR Deko 2K, HB lightgrey



Granite 0,5 - 1,0 mm grain size, grey




Granite 0,5 - 1,0 mm grain size, red



Colored Quartz 0,4 - 0,8 mm grain size, dark grey



Colored Quartz 0,4 - 0,8 mm grain size, light grey



Door and window joints



UNIVERSAL FLOOR INDUSTRY

sisteme pardoseli tehnice industriale

SISTEME PARDOSELI WPC - terase

- ✓ Aspect înalt calitativ, natural de lemn
- ✓ Plăcute pentru picioarele goale: nu se fisurează și nu se așchiază
- ✓ Rezistente la intemperii
- ✓ Antiderapante și când sunt umede
- ✓ Ușor de îngrijit, întreținere redusă
- ✓ Certificate PEFC
- ✓ Reciclabile
- ✓ 5 ani garanție



Iftode Universal
sisteme de construcții



ADJUSTABLE SUPPORTS TO BRING THE HEIGHT ON THE REQUIRED LEVEL FOR WOODEN TERRACES, FLOORS, GATES AND CONCRETE TILES



adjustable from 1 to 49 cm




UNIVERSAL FLOOR INDUSTRY

sisteme pardoseli tehnice industriale

Supports for terraces they make the difference!



Tlevel



Fast installation



Smart dewatering

Maximal dewatering due to open joints, optimal dewatering under the slabs.



Flexible Heights

system allows an adjustment from 1 cm up to 20 cm.




Permanent ventilation





No need of split or mortar



Smart adjustment of inclines



MODUPLAST - Various solutions for: foundations, formwork, slabs, water, drainage, environment.



Flat decks

CLICK
PVC FLOOR TRAFFIC LINE




Iftode Universal
sisteme de construcții

UNIVERSAL
FLOOR INDUSTRY
sisteme pardoseli tehnice industriale

COLORS



INDUSTRIAL
TRAFFIC
LINE



VISIOFLOOR



EUROTILE



STANDLINE



Plinta



Rampa acces
zebra




Agent
curatare



ISO 868, EN 434, EN13501-1, EN 433,
EN13893, EN14041, EN685



100% recyclable




10 milioane m2 montati
la nivel mondial!!

Iftode Universal

sisteme de construcții

CLICK FLOOR TRAC



- * Produs unic si simplu, nu necesita unelte la montaj
- * Se niveleaza mai bine decat produsele concurente
- * Permite strecurarea apei si a luminii dedesubt
- * Exista intr-o varietate de 7 culori
- * Se poate depozita in marimea dorita
- * Suprafata nu este alunecoasa, usor de demontat
- * Se curata cu apa si sapun sau apa presurizata
- * Flexibil si rezistent la folosiri multiple
- * Foarte solicitat de catre departamentul militar Englezesc si American.
- * Stabilitate UV testat pentru SAEJ1960
- * Retardant la incendiu la UL94HB
- * Temperatura operative a ABS-ului -49° C la +49°C
- * Inert chemic. Rezistent la uleiuri/derivate din petrol
- * Suporta o incarcatura statica pana la 37000kg/m2 .



**UNIVERSAL
FLOOR INDUSTRY**
sisteme pardoseli tehnice industriale




Sifoane de pardoseala, rigole, sisteme antirefulare, separatoare, sisteme septice si de ridicare, camine vizitare, dispozitive ventilatie conducte, filtre carbune activ.



Drain System
sistem de drenaj si evacuare apa



Dispozitive de protectie anti-incendiu





The original ECOR

The universal grid for a permeable ground

Iftode Universal
sisteme de construcții

**UNIVERSAL
FLOOR INDUSTRY**
sisteme pardoseli tehnice industriale



Certificates and Approvals

- ✓ UV-resistant, certified DIN EN 60068-2-5
- ✓ Point axle loading up to 20 T/m², DIN 1072:1985
- ✓ Heavy-duty, tried and tested DIN EN 124:2011
- ✓ Environmentally safe, tested OECD 202:2004
- ✓ Factory warranty: 20 years from purchase date
- ✓ NATO certified E50 - MOD / 9330-99-858-1406
- ✓ TÜV CERT
- ✓ TÜV Nord „Made In Germany“



Loadability, up to (t/m²)**

800	800	800	ECOR MINERAL
200	300	150	ECOR GREEN / MICROGREEN
E40	E50	S50	


** 1m² = 10.764 ft²



SOUND INSULATION
SOUND UNDER CONTROL.

fonotherm®
high insulating technology
poliuretan, EPDM & plumb

Iftode Universal
sisteme de construcții



STOP FIRE
Sisteme construcții antifoc
securitate/prevenire/stingere

uși, trape fum
antifoc
gamă completă

Gpard
FIRE
ancoră chimică



menținută
sigilare



CSTB
FIRE TESTED
SEISMIC
(FOR REBAR)



compartimentări
placări
planșee
structuri metalice,
protecție
la foc
interior-exterior


1. AUTOMOTIVE SOUND INSULATION MATERIALS FOR CARS, ENGINES AND AUTOMOTIVE APPLICATIONS. RELAX WHILE TRAVELLING
2. BUILDING. SOUNDPROOFING AND THERMAL INSULATION.

From facade paneling to window and ventilation systems, to complete noise isolation, insulating materials from Iftode Universal ensure a pleasant living climate. Building energy efficiency is increased and the quality of life is enhanced. Residents enjoy a tranquil home, even in residential areas with high levels of noise stress. With our products owners sustainably increase the value of their building.

- roofs
- floors / ceilings
- windows installing
- * walls
- * pipes, ducts

3. SOUND ABSORPTION FOR UTILITY AND COMMERCIAL VEHICLES

Innovative sound absorbing materials supplied by us ensure a calm and pleasant working environment in utility vehicles due to reduced noise levels, thus improving the occupational health and safety.



Soluuții antivibrație și antiseismice pentru: pardoseli, pereți, plafoane, utilaje etc.



antivibrații perete



antivibrații plafon



antivibrații sol

Membrane pvc pentru pardoseli:

- ☐ spitale, clinici și cabinete medicale
- ☐ birouri
- ☐ depozite
- ☐ showroom-uri și magazine
- ☐ mijloace de transport
- ☐ bucătării
- ☐ casnic (rezidențial)
- ☐ școli și grădinițe
- ☐ spații umede (piscine și dusuri)
- ☐ pereți
- ☐ săli de dans și balet

- ☐ Trafic domestic redus
- ☐ Trafic domestic mediu
- ☐ Trafic domestic intens
- ☐ Trafic comercial redus
- ☐ Trafic comercial mediu
- ☐ Trafic comercial intens
- ☐ Trafic comercial extrem
- ☐ Trafic industrial redus
- ☐ Trafic industrial mediu
- ☐ Trafic industrial intens

- ☐ antiderapant
- ☐ acustic
- ☐ compact
- ☐ disipativ
- ☐ conductiv



Sistemul de pardoseli **CINEMA** este adecvat în mod deosebit pentru săli de cinematografe, concerte și aule. Motivul: componentele prefabricate sunt montate pe o podea brută. Nu joacă nici un rol dacă se planifică o dispunere în trepte radială, segmentată sau liniară.

Subconstrucția îmbinată prin înșurubare, din profiluri de oțel prefabricate, permite instalarea pe o suprafață suport plană, înclinată sau în trepte. Avantajul: perioadele de montare se reduc la

minim și sistemul face posibilă de aceea o siguranță de planificare în derularea construcției. Suprafața practicabilă constă din plăci din sulfat de calciu din clasa de materiale pentru construcții A1.

Contraofertăm orice relație **argumentată** tehnic și comercial!