

**CAMELEON FASSADE**  
*fațadă ventilată*

**Facade System**  
Dry and ventilated

**Wood<sup>®</sup>**

Prefinished Engineered Wood Siding







Provincial



Prestige



Classic



## Nature at its best...

Wood Prefinished Engineered Wood Siding and Trims are the natural choice for a beautiful, durable and low-maintenance exterior finish.

Wood offers all of the advantages of regular wood siding but contrary to regular wood, it resists termite damage and will not rot, crack or split.

Wood Engineered Wood Siding is made of real wood manufactured with quality additives following a unique and stringent process that increases strength, rigidity and durability.

Wood siding's 12,7 mm thickness – over 30% thicker than competitive products, provides exceptional strength making it ultra-durable and resistant to impact and hail damage.

What's more, installation is also simpler with

Wood siding's panel interlock system. The panels self-align and lock making installation easy.

## Selection of colours

Wood's luxurious array of warm traditional earthtones and bright dramatic contemporary shades enhance and complement any house style from traditional to modern.

Wood siding profiles are available in 5 attractive colours!

Wood sidings are finished with 4 coats of acrylic paint baked on at high temperatures. They resist the harshest of climates and only require an annual hose-down to keep looking fresh for years!

## Long lasting performance.

25 year warranty on the substrate and 15 years on the finish.






**Prestige**



**Provincial**



**Classic**



### Wood® „Prestige”

#### Incomparable Beauty

The craftsmanship of the Wood Prestige Double shiplap profile will enhance any home. It's authentic deep-grained cedar look even feels like wood!

- Authentic, beautiful look of wood.
- Heavy duty 12,7 mm thickness – 30% thicker than competitive sidings.
- Resists buckling, delamination, fungal decomposition, peeling and splitting.
- 275 mm wide panel simulating two 137,5 mm planks, results in a faster installation.
- Special panel interlock system for precise horizontal alignment and easier installation.
- Baked-on finish for ultra-low maintenance.
- Available in 5 attractive colours.
- Long lasting performance. 25 year warranty on the substrate and 15 years on the finish.

### Wood® „Provincial”

#### Rustic Charm

Go in another direction with Wood's Provincial siding. Go vertical, make a bold statement! Stand out from the neighbours with this double round profile that goes up fast and looks dramatic.

- The bold look of vertical siding.
- Provincial Vertical siding can also be installed horizontally and diagonally.
- Heavy duty 12,7 mm thickness – 30% thicker than competitive sidings.
- Resists buckling, delamination, fungal decomposition, peeling and splitting.
- Special interlock system for precise alignment and easier installation.
- Baked-on finish for ultra-low maintenance.
- Available in 5 attractive colours.
- 25 year warranty on the substrate and 15 years on the finish.

### Wood® „Classic”

#### Traditional Style

Wood Classic bevel profile creates shadow lines that enhance its traditional look. A classic style in rich tones that will make your house a heritage home.

- The look and feel of real wood.
- Heavy duty 12,7 mm thickness – 30% thicker than competitive sidings.
- Resists buckling, delamination, fungal decomposition, peeling and splitting.
- Panel interlock system for precise horizontal alignment and easier installation.
- Baked-on finish for ultra-low maintenance.
- Available in 5 attractive colours.
- 25 year warranty on the substrate and 15 years on the finish.

## Five attractive colours



White



Almond



Green



Red Wine




Midnight Blue

### Wood® Accessories




**Joint**  
Prestige, Classic




**Screwnail 2,7 x 50 mm**  
color-headed




**Retouching Colour**  
341 ml



**Bottom Vent 25/50**  
Length: 5.000 mm



**Fixing Screw 3x40 / V2A with Torx**  
For fixing of Wood Cladding System



**Starter Profile Standard Length 6.000 + 10 mm**  
For Wood Cladding System