

BITS

Composition




- Cold formed
- S2 special steel for optimal hardness and elasticity
- Good torque transmission
- Optimal positive seating in DIN screws
- Grooved for fixing into a holder
- Suited for all screw applications for manual and machine usage
- Precision finished according to DIN/ISO



- Turned and precision milled
- S2 special steel for optimal hardness and elasticity
- Highest torque transmission
- Optimal positive seating in DIN screws
- With color coding for quick identification of the suitable profile
- Grooved for fixing into a holder
- Suited for all screw applications for manual and machine usage
- Precision finished according to DIN/ISO


Surfaces

Sand blasted



- Fine surface without coating
- Sandblasted tools must be oiled

Nickel plated




- The chrome layer is manufactured by electroplating in an electro bath process
- There are several steps that are passed through
- Nickel offers very good corrosion protection and is resistant against air, water, diluted acids and most treatments of alkaline solution.
- The light gold optics are typical

Matt chrome




- The chrome layer is manufactured by electroplating in an electro bath process
- There are several steps, e.g. degrease / nickel plating and chrome plating
- Matt = matt nickel layer shines through chrome layer resulting in matt finish
- Ideal corrosion and wear and tear protection

Inox stainless steel



- For stainless steel elements or stainless steel screws
- Tools made from conventional steel manufacturing tools leave behind abrasion and sometimes traces of rust. Optical damage - is the consequence of engineering damage.
- The tools are suitable for workshop usage and have the necessary strength.
- Are not made of 100% stainless steel therefore slightly magnetic
- Storage should be separated from standard tools

Phosphate



- Phosphating = chemical /electro-chemical process
- Dip coating or spraying method
- Intention is the generation of phosphate layer, which is immovable on the base metal
- The surface receives therefore a very good absorption capacity for oil and wax.
- Reliable corrosion protection
- To be bound to phosphated tools when oiled

Bit profile

CLASSIC

- Surface sand-blasted, phosphate or nickel plated
- Manufactured from S2 special steel
- Cold formed
- Precision finished according to DIN/ISO

CHROME^{plus}

- Turned and precision milled
- Manufactured from S2 special steel
- With colour coding
- Precision finished according to DIN/ISO

INOX^{plus}

- Manufactured Inox S2 special steel
- Cold formed
- Specially for working with stainless steel components
- Precision finished according to DIN/ISO

MICRO

- Surface nickel-plated
- Manufactured from S2 special steel
- Cold formed
- Extra short execution
- Precision finished according to DIN/ISO

Bit holder



- Quick and direct bit adaptor
- Practical pocket sized
- Large selection at 4 different assortments
- Ideal for work on assembly lines and frameworks
- Spring loaded design



BIT HOLDERS**Magnetic bit holder**

- DIN 7427
- Magnetic
- For 1/4" Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand, electric screwdriver and drills
- Ideally suited for fittings in trade and industry
- Special steel




1/4"



Item	H mm	L mm	g
514.1102	10.0	50.0	50
514.1103	10.0	100.0	60

Magnetic bit holder with depth adjustment

- Ideally suited for working in dry lining
- Magnetic
- Depth adjustment
- For 1/4" Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand, electric screwdriver and drills
- Ideally suited for fittings in trade and industry
- Special steel



1/4"



Item	H mm	L mm	g
514.1109	15.0	50.0	20

Magnetic quick release bit holder

- Magnetic
- Quick change function and locking device
- For 1/4" Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand, electric screwdriver and drills
- Ideally suited for fittings in trade and industry
- Special steel




1/4"



Item	H mm	L mm	g
514.1104	15.0	50.0	50
514.1110	15.0	150.0	130
514.1111	15.0	300.0	250

Magnetic quick release bit holder

- Magnetic
- Quick change function and locking device
- For 1/4" Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand, electric screwdriver and drills
- Ideally suited for fittings in trade and industry
- Special steel



1/4"



Item	H mm	L mm	g
514.1114	16.0	65.0	50

INOXplus® quick release bit holder

- Quick change function and locking device
- For 1/4" Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand, electric screwdriver and drills
- Ideally suited for fittings in trade and industry
- Rust proof
- Stainless steel



1/4"



Item	H mm	L mm	g
910.1114	16.0	65.0	50

Auto slimlock magnetic quick release bit holder

- Extremely slim design - ideal for hard to access areas
- Magnetic
- Quick change function and locking device
- For 1/4" Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand, electric screwdriver and drills
- Ideally suited for fittings in trade and industry
- Special steel



1/4"



Item	D mm	L mm	g
514.1113	11.5	65.0	30

Auto slimlock magnetic quick release bit holder display

- Extremely slim design - ideal for hard to access areas
- Magnetic
- Quick change function and locking device
- For 1/4" Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand, electric screwdriver and drills
- Ideally suited for fittings in trade and industry
- Special steel



1/4"

Item	30 pcs	30 x 514.1113	800
514.1113D			

ADAPTOR**Square drive adaptor**

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Square drive adaptor to DIN3120 / ISO 1174 with ball lock
- Ideally suited for fittings in trade and industry
- For using in electric drivers and drills
- Sand blasted
- Special steel



1/4"



Item		L mm	g
514.1106	1/4"	65.0	20
514.1107	3/8"	65.0	30
514.1108	1/2"	70.0	40

Socket drive adaptor set

- External hexagon drive to DIN 3126 / ISO 1173
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Ideally suited for fittings in trade and industry
- For using in electric drivers and drills
- Sand blasted
- Special steel




1/4"

Item			
514.1105	3 pcs	1/4" - 3/8" - 1/2"	100

Magnetic SDS bit holder

- SDS adaptor
- Magnetic
- For 1/4" Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Ideally suited for fittings in trade and industry
- For using in electric drivers and drills with SDS adaptor
- Special steel



1/4"

Item	H mm	L mm	
514.1130	11.0	80.0	35

Magnetic SDS quick release bit holder

- SDS adaptor
- Magnetic
- Quick change function and locking device
- For 1/4" Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Ideally suited for fittings in trade and industry
- For using in electric drivers and drills with SDS adaptor
- Special steel



1/4"

Item	H mm	L mm	
514.1131	14.0	80.0	40

SDS socket drive adaptor

- SDS adaptor
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Ideally suited for fittings in trade and industry
- For using in electric drivers and drills with SDS adaptor
- Sand blasted
- Special steel



Item		L mm	
514.1132	3/8"	60.0	20
514.1133	1/2"	65.0	50

SDS chuck adaptor


- SDS adaptor
- Thread 1/2" x 20 Pitch
- Ideally suited for fittings in trade and industry
- For using in electric drivers and drills with SDS adaptor
- Special steel



Item	D mm	L mm	
514.1134	18.0	65.0	40

SCREWDRIVER BITS**ERGOTORQUE® bit screwdriver**


- Extra short execution
- Magnetic
- One component handle
- Optimal power transmission
- 1/4" hexagonal holder for bits
- Hanging hole



Item		L mm	
911.1190	1/4"	63.0	30

ERGOTORQUE® bit screwdriver


- One component handle
- Optimal power transmission
- Magnetic
- For bits to DIN 3126 / C 6,3
- Hanging hole
- Blade made of chrome vanadium



Item	L1 mm	L2 mm	L3 mm	
911.1198	200,0	100,0	100,0	90
911.1199	250,0	150,0	100,0	100

ERGOTORQUE® quick change bit screwdriver


- Locking and fast change device
- One component handle
- Optimal power transmission
- Magnetic
- For bits to DIN 3126 / C 6,3
- Hanging hole
- Blade made of chrome vanadium



Item		L1 mm	L2 mm	L3 mm	
911.1145	1/4"	200,0	100,0	100,0	100

ERGOTORQUE® bit screwdriver


- Flexible
- Limited torque
- Double spiral shaft
- One component handle
- Plastic protective coating
- 1/4" hexagonal holder for bits
- Hanging hole



Item		L1 mm	L2 mm	L3 mm	L4 mm	
911.1129	1/4"	150,0	50,0	200,0	8,0	200

ERGOTORQUE® bit screwdriver, extra long


- Flexible blade with double spiral shaft
- Limited torque
- For bits to DIN 3126 / C 6,3
- Plastic protective coating
- Hanging hole



Item		D mm	L1 mm	L2 mm	L3 mm	L4 mm	
911.1172	1/4"	10,0	150,0	50,0	200,0	43,0	280

ERGOTORQUEplus® bit screwdriver


- Two component handle
- Optimal power transmission
- Magnetic
- For bits to DIN 3126 / C 6,3
- Hanging hole
- Blade made of chrome vanadium



Item		L1 mm	L2 mm	L3 mm	
159.1198	1/4"	205,0	100,0	105,0	90

RATCHET BIT SCREWDRIVER
Ratchet bit screwdriver


- Robust gearing with 24 teeth
- Ratchet function
- 180° multi adjustable blade
- For bits to DIN 3126 / C 6,3
- Magnetic
- Integrated bit magazine with 13 bits
- Ergonomically designed handle



Item		D mm	L1 mm	L2 mm	L3 mm	
911.2470	1/4"	10,0	190,0	82,0	108,0	380

T-handle ratchet bit screwdriver


- Robust gearing with 24 teeth
- Ratchet function
- Locking and fast change device
- 45° two way revolving head
- For bits to DIN 3126 / C 6,3
- Fast change bit stop function
- Magnetic
- Integrated bit magazine with 5 bits
- Two component handle



Item		D mm	L1 mm	L2 mm	L3 mm	
911.2475	1/4"	15,0	140,0	26,0	114,0	380

Mini ratchet screwdriver

- Exact gearing with 72 teeth
- Ratchet function
- For bits to DIN 3126 / C 6,3
- Magnetic
- Two component handle
- Blade mirror polished chrome




1/4"

Item		D mm	L1 mm	L2 mm	L3 mm	
159.2061	1/4"	10,0	95,0	27,0	68,0	140

Revolver ratchet bit screwdriver

- Exact gearing with 72 teeth
- Ratchet function
- Handle with double function (standard and pistol handle)
- For bits to DIN 3126 / C 3,6
- Magnetic
- 40 Nm maximum torque
- Integrated bit magazine
- Two component handle
- Blade mirror polished chrome




1/4"

Item		L1 mm	L2 mm	L3 mm	
159.2051	1/4"	260,0	130,0	130,0	450

T handle ratchet bit screwdriver

- Exact gearing with 72 teeth
- Ratchet function
- For bits to DIN 3126 / C 6,3
- Magnetic
- Two component handle
- Chrome plated and mirror polished




1/4"

Item		B mm	L1 mm	L2 mm	
159.2071	1/4"	74,0	79,0	18,0	130

BIT RATCHETS

CHROMEplus® bit reversing ratchet

- For bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Reversing
- Gearing with 72 teeth
- Two component handle
- Chrome plated and mirror polished
- Special steel




1/4"

Item	A mm	D mm	L mm	Repair set	
918.1495	18.5	22.0	115.0	914.1494	160

Bit reversing ratchet

- For bits with 10 mm external hexagon drive
- Reversing
- Gearing with 72 teeth
- Two component handle
- Mirror polished
- Special steel



10 mm

Item	A mm	D mm	L mm	Repair set	
914.3893	30.0	32.0	120.0	914.3494	180

GEARplus® mini reversible ratcheting spanner


- Especially handy and compact
- Rotating assembly
- One way angled head
- Exact gearing with 72 teeth
- Chrome plated and mirror polished
- Chrome vanadium



Item		A1 mm	A2 mm	B1 mm	B2 mm	L mm	
503.4691	1/4" x 1/4"	9.7	7.8	12.6	14.2	90.0	40

GEARplus® mini reversible ratcheting spanner

- Especially handy and compact
- Rotating assembly
- One way angled head
- Exact gearing with 72 teeth
- Chrome plated and mirror polished
- Chrome vanadium




Item		A1 mm	A2 mm	B1 mm	B2 mm	L mm	
503.4511	8 x 10 mm	7.3	6.5	20.0	17.0	128.0	40
503.4678	8 x 10 mm	13.5	9.7	19.3	14.2	124.5	40
503.4679	1/4" x 5/16"	10.2	9.7	17.2	14.2	115.0	40

1/4" CLASSIC BITS 25 mm

CLASSIC bit for slotted screws

- Slotted
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel




1/4"



Item	mm	L mm	Content	g
911.2237	4.0	25.0	1	10
911.2238	4.0	25.0	5	60
911.2240	4.5	25.0	1	10
911.2241	4.5	25.0	5	60
911.2243	5.5	25.0	1	10
911.2244	5.5	25.0	5	60
911.2246	6.0	25.0	1	10
911.2247	6.0	25.0	5	60
911.2249	6.5	25.0	1	10
911.2250	6.5	25.0	5	60
911.2252	8.0	25.0	1	10
911.2253	8.0	25.0	5	60

CLASSIC bit for hexagon screws

- Hexagon
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel




1/4"



Item	mm	L mm	Content	g
911.2255	3 mm	25.0	1	10
911.2256	3 mm	25.0	5	60
911.2258	4 mm	25.0	1	10
911.2259	4 mm	25.0	5	60
911.2261	5 mm	25.0	1	10
911.2262	5 mm	25.0	5	60
911.2264	6 mm	25.0	1	10
911.2265	6 mm	25.0	5	60
911.2267	7 mm	25.0	1	10
911.2268	7 mm	25.0	5	60

CLASSIC bit for phillips screws PH

- PH
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"



Item		L mm	Content	g
911.2201	PH1	25.0	1	10
911.2202	PH1	25.0	5	30
911.2204	PH2	25.0	1	10
911.2205	PH2	25.0	5	30
911.2207	PH3	25.0	1	10
911.2208	PH3	25.0	5	30

CLASSIC bit for phillips screws PZ

- PZ
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	g
911.2219	PZ1	25.0	1	10
911.2220	PZ1	25.0	5	60
911.2222	PZ2	25.0	1	10
911.2223	PZ2	25.0	5	60
911.2225	PZ3	25.0	1	10
911.2226	PZ3	25.0	5	60

Item		L mm	Content	g
911.2279	TB9	25.0	1	10
911.2280	TB9	25.0	5	60
911.2282	TB10	25.0	1	10
911.2283	TB10	25.0	5	60
911.2285	TB15	25.0	1	10
911.2286	TB15	25.0	5	60
911.2288	TB20	25.0	1	10
911.2289	TB20	25.0	5	60
911.2291	TB25	25.0	1	10
911.2292	TB25	25.0	5	60
911.2294	TB27	25.0	1	10
911.2295	TB27	25.0	5	60
911.2297	TB30	25.0	1	10
911.2298	TB30	25.0	5	60
911.2300	TB40	25.0	1	10
911.2301	TB40	25.0	5	60

CLASSIC bit for TX screws

- TX
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	g
911.2303	T7	25.0	1	10
911.2304	T7	25.0	5	60
911.2306	T8	25.0	1	10
911.2307	T8	25.0	5	60
911.2309	T9	25.0	1	10
911.2310	T9	25.0	5	60
911.2312	T10	25.0	1	10
911.2313	T10	25.0	5	60
911.2315	T15	25.0	1	10
911.2316	T15	25.0	5	60
911.2318	T20	25.0	1	10
911.2319	T20	25.0	5	60
911.2321	T25	25.0	1	10
911.2322	T25	25.0	5	60
911.2324	T27	25.0	1	10
911.2325	T27	25.0	5	60
911.2327	T30	25.0	1	10
911.2328	T30	25.0	5	60
911.2330	T40	25.0	1	10
911.2331	T40	25.0	5	60

CLASSIC bit for tamperproof five star bits

- Five star bit, tamperproof
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	g
911.3101	TS10	30.0	1	10
911.3111	TS10	30.0	5	50
911.3102	TS15	30.0	1	10
911.3112	TS15	30.0	5	50
911.3103	TS20	30.0	1	10
911.3113	TS20	30.0	5	50
911.3104	TS25	30.0	1	10
911.3114	TS25	30.0	5	50
911.3105	TS27	30.0	1	10
911.3115	TS27	30.0	5	50
911.3106	TS30	30.0	1	10
911.3116	TS30	30.0	5	50
911.3107	TS40	30.0	1	10
911.3117	TS40	30.0	5	50

CLASSIC bit for TX tamperproof screws

- For tamperproof TX
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	g
911.2273	TB7	25.0	1	10
911.2274	TB7	25.0	5	60
911.2276	TB8	25.0	1	10
911.2277	TB8	25.0	5	60

CLASSIC bit for spline screws

- Spline
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	g
911.2341	M4	25.0	1	10
911.2342	M4	25.0	5	60
911.2344	M5	25.0	1	10
911.2345	M5	25.0	5	60
911.2347	M6	25.0	1	10
911.2348	M6	25.0	5	60
911.2350	M8	25.0	1	10
911.2351	M8	25.0	5	60
911.2353	M10	25.0	1	10

CLASSIC bit for security screws

- Security
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	g
911.2910	4,0	25,0	1	10
911.2911	4,0	25,0	5	60
911.2913	6,0	25,0	1	10
911.2914	6,0	25,0	5	60
911.2916	8,0	25,0	1	10
911.2917	8,0	25,0	5	60
911.2919	10,0	25,0	1	10
911.2920	10,0	25,0	5	60

CLASSIC bit for hexagon tamperproof screws

- Tamperproof hexagon
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	g
911.2934	2,0	25,0	1	10
911.2935	2,0	25,0	5	60
911.2937	2,5	25,0	1	10
911.2938	2,5	25,0	5	60
911.2940	3,0	25,0	1	10
911.2941	3,0	25,0	5	60
911.2943	4,0	25,0	1	10
911.2944	4,0	25,0	5	60
911.2946	5,0	25,0	1	10
911.2947	5,0	25,0	5	60
911.2949	6,0	25,0	1	10
911.2950	6,0	25,0	5	60
911.2952	1/8"	25,0	1	10
911.2953	1/8"	25,0	5	60
911.2955	3/32"	25,0	1	10
911.2956	3/32"	25,0	5	60
911.2958	5/32"	25,0	1	10
911.2959	5/32"	25,0	5	60
911.2961	5/64"	25,0	1	10
911.2962	5/64"	25,0	5	60
911.2964	7/64"	25,0	1	10
911.2965	7/64"	25,0	5	60
911.2967	9/64"	25,0	1	10
911.2968	9/64"	25,0	5	60



CLASSIC bit for TRIWING® screws

- TRIWING®
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	g
911.2922	4,0	25,0	1	10
911.2923	4,0	25,0	5	60
911.2925	6,0	25,0	1	10
911.2926	6,0	25,0	5	60
911.2928	8,0	25,0	1	10
911.2929	8,0	25,0	5	60
911.2931	10,0	25,0	1	10
911.2932	10,0	25,0	5	60

CLASSIC bit for Torque® screws

- Torque®
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	g
911.2901	6,0	25,0	1	10
911.2902	6,0	25,0	5	60
911.2904	8,0	25,0	1	10
911.2905	8,0	25,0	5	60
911.2907	10,0	25,0	1	10
911.2908	10,0	25,0	5	60

CLASSIC mini bit case

- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Bits made of special steel
- Box made from impact resistant plastic



1/4"

Item	Content	g
911.2840	11 pcs CLASSIC mini bit case	130
2 x	5,5 - 6,5 mm	
4 x	PH1 - 2 x PH2 - PH3	
4 x	PZ1 - 2 x PZ2 - PZ3	
1 x	1/4"	

CLASSIC mini bit case display

- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Bits made of special steel
- Box made from impact resistant plastic
- Supplied in counter sales display



1/4"

Item	kg
911.2840D 12 pcs 12 x 911.2840D	1.85

CLASSIC mini bit case display

- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Bits made of special steel
- Box made from impact resistant plastic
- Supplied in counter sales display



1/4"

Item	kg
911.2845D 12 pcs 12 x 911.2845	1.85

CLASSIC mini bit case

- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Bits made of special steel
- Box made from impact resistant plastic



1/4"

Item	kg
911.2845 11 pcs CLASSIC mini bit case	130

4 x		T15 - T20 - T25 - T30
3 x		PH1 - PH2 - PH3
3 x		PZ1 - PZ2 - PZ3
1 x		1/4"

CLASSIC mini bit case

- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Bits made of special steel
- Box made from impact resistant plastic



1/4"

Item	kg	
911.2850 11 pcs CLASSIC mini bit case	130	
10 x		T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
1 x		1/4"

CLASSIC mini bit case display

- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Bits made of special steel
- Box made from impact resistant plastic
- Supplied in counter sales display



1/4"

Item	kg
911.2850D 12 pcs	1.85

CLASSIC mini bit case display

- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Bits made of special steel
- Box made from impact resistant plastic
- Supplied in counter sales display



1/4"

Item	kg
911.2855D 12 pcs	1.85

CLASSIC mini bit case

- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Bits made of special steel
- Box made from impact resistant plastic



1/4"

Item	kg
911.2855 11 pcs CLASSIC mini bit case	130
10 x TB7 - TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40	
1 x 1/4"	

CHROMEplus® bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes reversing GEARplus® bit ratchet ring spanner and 1/4" socket adaptor
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Chrome plated
- Special steel
- Includes mirror polished chrome box



1/4"

Item	kg
918.4520 20 pcs CHROMEplus® bit set	0.32
1 x 1/4" x 1/4"	
1 x 1/4"	
3 x PH1 - PH2 - PH3	
3 x PZ1 - PZ2 - PZ3	
3 x 4,5 - 5,5 - 6,5 mm	
3 x 4 - 5 - 6 mm	
6 x TB10 - TB15 - TB20 - TB25 - TB30 - TB40	

CHROMEplus® bit set display

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes reversing GEARplus® bit ratchet ring spanner and 1/4" socket adaptor
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Chrome plated
- Special steel
- Includes mirror polished chrome box
- Supplied in counter sales display



1/4"

Item	kg
918.4520D 12 pcs	3.20

TRIPLEplus® bit set display

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes reversing GEARplus® bit ratchet ring spanner and 1/4" socket adaptor
- 6 current TRIPLEplus® sockets
- Practical belt holder
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- In durable plastic storage case
- Supplied in counter sales display



1/4"

TRIPLEplus® bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes reversing GEARplus® bit ratchet ring spanner and 1/4" socket adaptor
- Includes bitholder and 1/4" socket adapter
- 6 current TRIPLEplus® sockets
- Practical belt holder
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- In durable plastic storage case



1/4"

Item	kg
916.2010D 25 pcs TRIPLEplus® bit set	0.61

CHROMEplus® bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes magnetic quick release bit holder and 1/4" socket adapter
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- Includes mirror polished chrome box



1/4"

1 x		1/4"
1 x		75 mm
1 x		1/4"
6 x		5 - 6 - 8 - 10 - 11 - 13 mm
3 x		4 - 5,5 - 6 mm
3 x		PH1 - 2 x PH2
2 x		PZ1 - PZ2
4 x		3 - 4 - 5 - 6 mm
4 x		TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40

Item	kg
911.2070 30 pcs CHROMEplus® bit set	0.26
1 x	
1 x	
4 x	
4 x	
3 x	
3 x	
7 x	
7 x	

CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes magnetic quick release bit holder and 1/4" socket adapter
- Practical belt holder
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- In durable plastic storage case



1/4"

Item			kg
911.2060	32 pcs	CLASSIC bit set	0.30
1 x		1/4"	
1 x		1/4"	
3 x		PH1 - PH2 - PH3	
6 x		2 x PZ1 - 2 x PZ2 - 2 x PZ3	
3 x		5,5 - 6,5 - 8 mm	
3 x		4 - 5 - 6 mm	
15 x		2 x TB10 - 3 x TB15 - 2 x TB20 - 3 x TB25 - 3 x TB30 - 2 x TB40	

CHROMEplus® bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes CHROMEplus® mini bit reversing ratchet and 1/4" socket adaptor
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Chrome plated
- Special steel
- Includes mirror polished chrome box and belt pouch



1/4"

Item			kg
918.4500	31 pcs	CHROMEplus® bit set	0.60
1 x		1/4" x 1/4"	
1 x		1/4"	
1 x		1/4"	
3 x		PH1 - PH2 - PH3	
3 x		PZ1 - PZ2 - PZ3	
3 x		4,5 - 5,5 - 6,5 mm	
3 x		4 - 5 - 6 mm	
7 x		TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40	
7 x		T10 - T15 - T20 - T25 - T27 - T30 - T40	

CLASSIC bit set display

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes magnetic quick release bit holder and 1/4" socket adapter
- Practical belt holder
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- In durable plastic storage case
- Supplied in counter sales display



1/4"

Item			kg
911.2060D	10 pcs	10 x 911.2060	3.10

CHROMEplus® bit set display

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes CHROMEplus® bit reversing ratchet and 1/4" socket adaptor
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Chrome plated
- Special steel
- Includes mirror polished chrome box and belt pouch
- Supplied in counter sales display



1/4"

Item			kg
918.4500D	11 pcs	11 x 918.4500	6.60

CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes quick release screwdriver bits and 1/4" socket adapter
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" security bits
- Nickel plated
- Special steel
- In durable steel storage case



Item		kg
911.2029	29 pcs CLASSIC bit set	0.88
1 x		1/4"
1 x		1/4"
9 x		TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40
6 x		2 - 2,5 - 3 - 4 - 5 - 6 mm
4 x		4 - 6 - 8 - 10 mm
4 x		4 - 6 - 8 - 10 mm
3 x		6 - 8 - 10 mm
1 x		1/4"

CLASSIC bit and drive socket display

- Ideal set of compilation for Plumbing Heating and Air conditioning
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Includes magnetic drive sockets and stud screwdrivers for a damage free inserting boring and unscrewing bolts and stud bolts
- Orderly arrangement of the popular 1/4" bits and drive sockets
- Special steel
- Supplied in counter sales display


CLASSIC bit and drive socket set

- Ideal set of compilation for Plumbing Heating and Air conditioning
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Includes magnetic drive sockets and stud screwdrivers for a damage free inserting boring and unscrewing bolts and stud bolts
- Orderly arrangement of the popular 1/4" bits and drive sockets
- Sand blasted
- Special steel
- In durable plastic storage case



Item		kg
122.2100	31 pcs CLASSIC bit and drive socket set	0.67
4 x		7 - 8 - 10 - 13 mm
4 x		M6 - M8 - M10 - M12
1 x		50 mm
5 x		PH1 - 3 x PH2 - PH3
5 x		PZ1 - 3 x PZ2 - PZ3
2 x		5,5 - 6,5 mm
3 x		4 - 5 - 6 mm
7 x		T10 - T15 - T20 - T25 - T27 - T30 - T40

Item		kg
122.2100D	10 pcs 10 x 122.2100	7.00



CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes bit holder and 1/4" socket adapter
- Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" bits
- Sand blasted
- Special steel
- In durable plastic storage case



1/4"

Item	kg
911.2026 100 pcs CLASSIC bit set	0.75
1 x 60 mm	
2 x 25 - 50 mm	
1 x 1/4"	
1 x 1/4"	
9 x 3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm	
8 x PH0 - PH1 - 5 x PH2 - PH3 -	
8 x PZ0 - PZ1 - 5 x PZ2 - PZ3	
9 x 1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm	
10 x 1/16" - 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"	
6 x 2 - 2,5 - 3 - 4 - 5 - 6 mm	
6 x 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32"	
9 x T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45	
9 x TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40	
3 x M5 - M6 - M8	
3 x #1 - #2 - #3	
4 x #1 - #2 - #3 - #4	
4 x 4 - 6 - 8 - 10 mm	
3 x 6 - 8 - 10 mm	
4 x #0 - #1 - #2 - #3	

CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes bit holder, bit ratchet, 1/4" socket adaptor and 1/4" mini bit screwdriver
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Sand blasted
- Special steel
- In durable plastic storage case



1/4"

Item	kg
911.2080 99 pcs CLASSIC bit set	0.75
1 x 1/4"	
9 x 3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm	
8 x PH0 - PH1 - 5 x PH2 - PH3	
8 x PZ0 - PZ1 - 5 x PZ2 - PZ3	
9 x 1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm	
10 x 5/64" - 7/64" - 9/64" - 3/32" - 5/32" - 7/32" - 3/16" - 1/16" - 1/8" - 1/4"	
6 x 2 - 2,5 - 3 - 4 - 5 - 6 mm	
6 x 5/64" - 7/64" - 9/64" - 3/32" - 1/8" - 5/32"	
9 x T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45	
9 x TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40	
3 x M5 - M6 - M8	
3 x #1 - #2 - #3	
4 x #1 - #2 - #3 - #4	
4 x 4 - 6 - 8 - 10 mm	
3 x 6 - 8 - 10 mm	
4 x #0 - #1 - #2 - #3	

CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes bit holder, bit ratchet, 1/4" socket adapter and 1/4" bit screwdriver
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Sand blasted
- Special steel
- In durable plastic storage case



1/4"

CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes bit holder and 1/4" socket adapter
- Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" bits
- Sand blasted
- Special steel
- In durable plastic storage case



1/4"

Item	kg
911.2085 122 pcs CLASSIC bit set	1.15

1 x		1/4"
1 x		1/4"
1 x		1/4"
2 x		30 - 50 mm
1 x		1/4"
10 x		4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
10 x		5/32" - 3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 1/2"
9 x		3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm
5 x		PH0 - PH00 - PH1 - PH2 - PH3
5 x		PZ0 - PZ00 - PZ1 - PZ2 - PZ3
9 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm
10 x		1/16" - 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"
6 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm
13 x		T5 - T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45
9 x		TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40
3 x		M5 - M6 - M8
3 x		#1 - #2 - #3
4 x		4 - 6 - 8 - 10 mm
4 x		4 - 6 - 8 - 10 mm
3 x		6 - 8 - 10 mm
4 x		#0 - #1 - #2 - #3
4 x		4 - 6 - 8 - 10 mm
3 x		4 - 5 - 6 mm
3 x		TB15 - TB20 - TB30
4 x		#1 - #2 - #3 - 4 #
4 x		4 - 6 - 8 - 10 mm
3 x		6 - 8 - 10 mm
9 x		TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50

Item	kg
911.2027 99 pcs CLASSIC bit set	0.75

1 x		1/4"
1 x		1/4"
1 x		1/4"
9 x		3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8
5 x		PH0 - PH1 - 2 x PH2 - PH3
5 x		PZ0 - PZ1 - 2 x PZ2 - PZ3
9 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8
6 x		2 - 2,5 - 3 - 4 - 5 - 6
6 x		5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32"
9 x		T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45
9 x		TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40
3 x		M5 - M6 - M8
3 x		#1 - #2 - #3
4 x		#1 - #2 - #3 - #4
4 x		4 - 6 - 8 - 10 mm
3 x		6 - 8 - 10 mm
4 x		#0 - #1 - #2 - #3
3 x		4 - 5 - 6 mm
3 x		TB15 - TB20 - TB30
4 x		#1 - #2 - #3 - 4 #
4 x		4 - 6 - 8 - 10 mm
3 x		6 - 8 - 10 mm

CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes quick release bit holder
- Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" bits
- Sand blasted
- Special steel
- In durable plastic storage case



1/4"

Item	kg
911.2031 113 pcs CLASSIC bit set	1.17
1 x 1/4"	
1 x 1/4"	
3 x PH2	
3 x PZ2	
7 x T10 - T15 - 3 x T20 - T25 - T30	
14 x 7 x 4 - 7 x 6 mm	
21 x 7 x PH1 - 7 x PH2 - 7 x PH3	
21 x 7 x PZ1 - 7 x PZ2 - 7 x PZ3	
21 x 7 x 4 - 7 x 5 - 7 x 6 mm	
14 x 2 x T10 - 2 x T15 - 2 x T20 - 2 x T25 - 2 x T27 - 2 x T30 - 2 x T40	
7 x T10 - T15 - T20 - T25 - T27 - T30 - T40	

**CLASSIC bit display**

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Contains the most current 1/4" bits and bit holder
- Nickel plated
- Special steel
- In durable plastic storage bit magazine
- 30 Drawers with labels
- Magazine can be placed or can be secured to the wall
- Polypolymer housing
- Drawers out of polystyrene



1/4"

Item	kg
911.2200 280 pcs CLASSIC bit display	6.60
10 x 5 x 50 - 5 x 100 mm	
5 x 65 mm	
5 x 65 mm	
30 x 10 x 4 - 10 x 5,5 - 10 x 6,5 mm	
30 x 10 x 4 - 10 x 5 - 10 x 6 mm	
30 x 10 x PH1 - 10 x PH2 - 10 x PH3	
30 x 10 x PZ1 - 10 x PZ2 - 10 x PZ3	
70 x 10 x (T10 - T15 - T20 - T25 - T27 - T30 - T40)	
70 x 10 x (TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40)	

CLASSIC bit display

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Contains the most current 1/4" bits and bit holder
- Nickel plated
- Special steel
- In durable clear acrylic counter display with a push cover



1/4"

Item	kg
911.2000 1580 pcs CLASSIC bit display	10.10
10 x 60 mm	
10 x 65 mm	
200 x 50 x PH1 - 100 x PH2 - 50 x PH3	
200 x 50 x PZ1 - 100 x PZ2 - 50 x PZ3	
230 x 50 x 4 mm - 100 x 5,5 mm - 50 x 6,5 mm - 30 x 8 mm	
230 x 50 x (3 - 4 - 5 - 6 mm) - 30 x 8 mm	
350 x 50 x (T10 - T15 - T20 - T25 - T27 - T30 - T40)	
350 x 50 x (TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40)	

1/4" CLASSIC BITS 50 mm

CLASSIC bit for slotted screws

- Slotted
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	g
911.2746	3,0	50,0	1	10
911.2747	3,0	50,0	5	60
911.2749	4,0	50,0	1	10
911.2750	4,0	50,0	5	60
911.2752	4,5	50,0	1	10
911.2753	4,5	50,0	5	60
911.2755	5,0	50,0	1	10
911.2756	5,0	50,0	5	60
911.2758	5,5	50,0	1	10
911.2759	5,5	50,0	5	60
911.2761	6,0	50,0	1	10
911.2762	6,0	50,0	5	60
911.2764	6,5	50,0	1	10
911.2765	6,5	50,0	5	60
911.2767	7,0	50,0	1	10
911.2768	7,0	50,0	5	60

CLASSIC bit for hexagon screws

- Hexagon socket
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	g
911.2800	1,5	50,0	1	10
911.2801	1,5	50,0	5	60
911.2803	2,0	50,0	1	10
911.2804	2,0	50,0	5	60
911.2806	2,5	50,0	1	10
911.2807	2,5	50,0	5	60
911.2809	3,0	50,0	1	10
911.2810	3,0	50,0	5	60
911.2812	4,0	50,0	1	10
911.2813	4,0	50,0	5	60
911.2815	5,0	50,0	1	10
911.2816	5,0	50,0	5	60
911.2818	5,5	50,0	1	10
911.2819	5,5	50,0	5	60
911.2821	6,0	50,0	1	10
911.2822	6,0	50,0	5	60
911.2824	7,0	50,0	1	10
911.2825	7,0	50,0	5	60

CLASSIC bit for phillips screws PH

- PH
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with and electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	g
911.2210	PH1	50,0	1	10
911.2211	PH1	50,0	5	60
911.2213	PH2	50,0	1	10
911.2214	PH2	50,0	5	60
911.2216	PH3	50,0	1	10
911.2217	PH3	50,0	5	60

CLASSIC bit for phillips screws PZ

- PZ
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Ideally suited for fittings in trade and industry
- Can be used by hand or with and electric screwdriver
- Nickel plated
- Special steel



1/4"

Item	D	L mm	Content	g
911.2228	PZ1	50,0	1	10
911.2229	PZ1	50,0	5	60
911.2231	PZ2	50,0	1	10
911.2232	PZ2	50,0	5	60
911.2234	PZ3	50,0	1	10
911.2235	PZ3	50,0	5	60

CLASSIC bit for spline screws

- Spline
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Ideally suited for fittings in trade and industry
- Can be used by hand or with and electric screwdriver
- Nickel plated
- Special steel




1/4"

Item		L mm	Content	g
911.2701	M3	50,0	1	10
911.2702	M3	50,0	5	60
911.2704	M4	50,0	1	10
911.2705	M4	50,0	5	60
911.2707	M5	50,0	1	10
911.2708	M5	50,0	5	60
911.2710	M6	50,0	1	10
911.2711	M6	50,0	5	60
911.2713	M8	50,0	1	10
911.2714	M8	50,0	5	60

CLASSIC bit for TX screws

- TX
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Ideally suited for fittings in trade and industry
- Can be used by hand or with an electric screwdriver
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	
911.2716	T7	50,0	1	10
911.2717	T7	50,0	5	60
911.2719	T8	50,0	1	10
911.2720	T8	50,0	5	60
911.2722	T9	50,0	1	10
911.2723	T9	50,0	5	60
911.2725	T10	50,0	1	10
911.2726	T10	50,0	5	60
911.2728	T15	50,0	1	10
911.2729	T15	50,0	5	60
911.2731	T20	50,0	1	10
911.2732	T20	50,0	5	60
911.2734	T25	50,0	1	10
911.2735	T25	50,0	5	60
911.2737	T27	50,0	1	10
911.2738	T27	50,0	5	60
911.2740	T30	50,0	1	10
911.2741	T30	50,0	5	60
911.2743	T40	50,0	1	10
911.2744	T40	50,0	5	60

CLASSIC bit for TX tamperproof screws

- For tamperproof TX
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Tamperproof
- Ideally suited for fittings in trade and industry
- Can be used by hand or with an electric screwdriver
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	
911.2770	TB7	50,0	1	10
911.2771	TB7	50,0	5	60
911.2773	TB8	50,0	1	10
911.2774	TB8	50,0	5	60
911.2776	TB9	50,0	1	10
911.2777	TB9	50,0	5	60
911.2779	TB10	50,0	1	10
911.2780	TB10	50,0	5	60
911.2782	TB15	50,0	1	10
911.2783	TB15	50,0	5	60
911.2785	TB20	50,0	1	10
911.2786	TB20	50,0	5	60
911.2788	TB25	50,0	1	10
911.2789	TB25	50,0	5	60
911.2791	TB27	50,0	1	10
911.2792	TB27	50,0	5	60
911.2794	TB30	50,0	1	10
911.2795	TB30	50,0	5	60
911.2797	TB40	50,0	1	10
911.2798	TB40	50,0	5	60

1/4" CLASSIC BITS 75 mm

CLASSIC bit for slotted screws

- Slotted
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel




1/4"

Item	mm	L mm	Content	
911.7533	3,0	75,0	1	20
911.7733	3,0	75,0	5	110
911.7534	4,0	75,0	1	20
911.7734	4,0	75,0	5	110
911.7535	5,0	75,0	1	20
911.7735	5,0	75,0	5	110
911.7536	6,0	75,0	1	20
911.7736	6,0	75,0	5	110
911.7537	7,0	75,0	1	20
911.7737	7,0	75,0	5	110

CLASSIC bit for hexagon screws

- Hexagon socket
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	
911.7558	2,0	75,0	1	20
911.7558	2,0	75,0	5	110
911.7559	2,5	75,0	1	20
911.7759	2,5	75,0	5	110
911.7560	3,0	75,0	1	20
911.7760	3,0	75,0	5	110
911.7561	4,0	75,0	1	20
911.7761	4,0	75,0	5	110
911.7562	5,0	75,0	1	20
911.7762	5,0	75,0	5	110
911.7563	6,0	75,0	1	20
911.7763	6,0	75,0	5	110



CLASSIC bit for phillips screws PH

- PH
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"



Item		L mm	Content	g
911.7530	PH1	75,0	1	20
911.7730	PH1	75,0	5	110
911.7531	PH2	75,0	1	20
911.7731	PH2	75,0	5	110
911.7539	PH3	75,0	1	20
911.7739	PH3	75,0	5	110

CLASSIC bit for phillips screws PZ

- PZ
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"



Item		L mm	Content	g
911.7527	PZ1	75,0	1	20
911.7727	PZ1	75,0	5	110
911.7528	PZ2	75,0	1	20
911.7728	PZ2	75,0	5	110
911.7529	PZ3	75,0	1	20
911.7729	PZ3	75,0	5	110

CLASSIC bit for TX screws

- TX
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"



Item		L mm	Content	g
911.7551	T10	75,0	1	20
911.7751	T10	75,0	5	110
911.7552	T15	75,0	1	20
911.7752	T15	75,0	5	110
911.7553	T20	75,0	1	20
911.7753	T20	75,0	5	110
911.7554	T25	75,0	1	20
911.7754	T25	75,0	5	110

Item		L mm	Content	g
911.7555	T27	75,0	1	20
911.7755	T27	75,0	5	110
911.7556	T30	75,0	1	20
911.7756	T30	75,0	5	110
911.7557	T40	75,0	1	20
911.7757	T40	75,0	5	110

CLASSIC bit for TX tamperproof screws

- For tamperproof TX
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"



Item		L mm	Content	g
911.7501	TB8	75,0	1	20
911.7701	TB8	75,0	5	110
911.7502	TB10	75,0	1	20
911.7702	TB10	75,0	5	110
911.7503	TB15	75,0	1	20
911.7703	TB15	75,0	5	110
911.7504	TB20	75,0	1	20
911.7704	TB20	75,0	5	110
911.7505	TB25	75,0	1	20
911.7705	TB25	75,0	5	110
911.7506	TB27	75,0	1	20
911.7706	TB27	75,0	5	110
911.7507	TB30	75,0	1	20
911.7707	TB30	75,0	5	110
911.7508	TB35	75,0	1	20
911.7708	TB35	75,0	5	110
911.7509	TB40	75,0	1	20
911.7709	TB40	75,0	5	110

CLASSIC bit for hexagon tamperproof screws

- Tamperproof hexagon
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Tamperproof
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	g
911.7510	2,0	75,0	1	20
911.7710	2,0	75,0	5	110
911.7511	2,5	75,0	1	20
911.7711	2,5	75,0	5	110
911.7512	3,0	75,0	1	20
911.7712	3,0	75,0	5	110
911.7513	4,0	75,0	1	20
911.7713	4,0	75,0	5	110
911.7514	5,0	75,0	1	20
911.7714	5,0	75,0	5	110
911.7515	6,0	75,0	1	20
911.7715	6,0	75,0	5	110

CLASSIC bit for security screws

- Security
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	kg
911.7523	4.0	75.0	1	20
911.7723	4.0	75.0	5	110
911.7524	6.0	75.0	1	20
911.7724	6.0	75.0	5	110
911.7525	8.0	75.0	1	20
911.7725	8.0	75.0	5	110
911.7526	10.0	75.0	1	20
911.7726	10.0	75.0	5	110

CLASSIC bit for Torque® screws

- Torque®
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	kg
911.7516	6.0	75.0	1	20
911.7716	6.0	75.0	5	110
911.7517	8.0	75.0	1	20
911.7717	8.0	75.0	5	110
911.7518	10.0	75.0	1	20
911.7718	10.0	75.0	5	110

CLASSIC bit for TRIWING® screws

- TRIWING®
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	kg
911.7519	4,0	75.0	1	20
911.7719	4,0	75.0	5	110
911.7520	6,0	75.0	1	20
911.7720	6,0	75.0	5	110
911.7521	8,0	75.0	1	20
911.7721	8,0	75.0	5	110
911.7522	10,0	75.0	1	20
911.7722	10,0	75.0	5	110

CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- In durable plastic storage case



1/4"

Item	kg
911.7550 32 pcs CLASSIC bit set	0.67

4 x	4 - 5 - 6 - 7 mm
6 x	1 x PH1 - 3 x PH2 - 2 x PH3
9 x	2 x PZ1 - 4 x PZ2 - 3 x PZ3
6 x	2 - 2,5 - 3 - 4 - 5 - 6 mm
7 x	T10 - T15 - T20 - T25 - T27 - T30 - T40

CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" security bits
- Nickel plated
- Special steel
- In durable plastic storage case



1/4"

Item	kg
911.7532 32 pcs CLASSIC bit set	0.65

1 x	6 mm
2 x	PH1 - PH2
3 x	PZ1 - PZ2 - PZ3
6 x	2 - 2,5 - 3 - 4 - 5 - 6 mm
9 x	TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40
4 x	#1 - #2 - #3 - #4
4 x	4 - 6 - 8 - 10 mm
3 x	6 - 8 - 10 mm

CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes quick release bit holder
- Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" bits
- Sand blasted
- Special steel
- In durable plastic storage case



1/4"

Item	kg
911.2031 113 pcs CLASSIC bit set	1.17
1 x 1/4"	
1 x 1/4"	
3 x PH2	
3 x PZ2	
7 x T10 - T15 - 3 x T20 - T25 - T30	
14 x 7 x 4 - 7 x 6 mm	
21 x 7 x PH1 - 7 x PH2 - 7 x PH3	
21 x 7 x PZ1 - 7 x PZ2 - 7 x PZ3	
21 x 7 x 4 - 7 x 5 - 7 x 6 mm	
14 x 2 x T10 - 2 x T15 - 2 x T20 - 2 x T25 - 2 x T27 - 2 x T30 - 2 x T40	
7 x T10 - T15 - T20 - T25 - T27 - T30 - T40	



CLASSIC bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Includes bit holder and 1/4" socket adapter
- Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" bits
- Sand blasted
- Special steel
- In durable plastic storage case




1/4"

Item	kg
911.2027 99 pcs CLASSIC bit set	0.75
1 x 1/4"	
1 x 1/4"	
1 x 1/4"	
9 x 3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8	
5 x PH0 - PH1 - 2 x PH2 - PH3	
5 x PZ0 - PZ1 - 2 x PZ2 - PZ3	
9 x 1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8	
6 x 2 - 2,5 - 3 - 4 - 5 - 6	
6 x 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32"	
9 x T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45	
9 x TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40	
3 x M5 - M6 - M8	
3 x #1 - #2 - #3	
4 x #1 - #2 - #3 - #4	
4 x 4 - 6 - 8 - 10 mm	
3 x 6 - 8 - 10 mm	
4 x #0 - #1 - #2 - #3	
3 x 4 - 5 - 6 mm	
3 x TB15 - TB20 - TB30	
4 x #1 - #2 - #3 - 4 #	
4 x 4 - 6 - 8 - 10 mm	
3 x 6 - 8 - 10 mm	

1/4" SCREWDRIVING TOOLS

CLASSIC drive socket, magnetic

- Magnetic
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- For a damage free inserting boring and unscrewing bolts
- Ideally suited for fittings in trade and industry
- Sand blasted
- Special steel



1/4"



Item	Ø mm	L mm	H mm	kg
122.2101	7.0	60.0	8.0	30
122.2102	8.0	60.0	12.0	30
122.2103	10.0	60.0	15.0	40
122.2104	13.0	60.0	18.0	50

CLASSIC stud screwdriver

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- For a damage free inserting and unscrewing bolts from floor
- Ideally suited for fittings in trade and industry
- Sand blasted
- Special steel



1/4"



Item	Ø mm	L mm	H mm	kg
122.2105	M6	50.0	12.0	20
122.2106	M8	50.0	12.0	20
122.2107	M10	50.0	12.0	20
122.2108	M12	50.0	14.0	20

CLASSIC bit and drive socket display

- Ideal set of compilation for Plumbing Heating and Air conditioning
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Includes magnetic drive sockets and stud screwdrivers for a damage free inserting boring and unscrewing bolts and stud bolts
- Orderly arrangement of the popular 1/4" bits and drive sockets
- Special steel
- Supplied in counter sales display

1/4"



Item	kg
122.2100D	10 pcs 10 x 122.2100

CLASSIC bit and drive socket set

- Ideal set of compilation for Plumbing Heating and Air conditioning
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Includes magnetic drive sockets and stud screwdrivers for a damage free inserting boring and unscrewing bolts and stud bolts
- Orderly arrangement of the popular 1/4" bits and drive sockets
- Sand blasted
- Special steel
- In durable plastic storage case




1/4"

Item	kg
122.2100	31 pcs CLASSIC bit and drive socket set
	0,67
4 x	7 - 8 - 10 - 13 mm
4 x	M6 - M8 - M10 - M12
1 x	50 mm
5 x	PH1 - 3 x PH2 - PH3
5 x	PZ1 - 3 x PZ2 - PZ3
2 x	5,5 - 6,5 mm
3 x	4 - 5 - 6 mm
7 x	T10 - T15 - T20 - T25 - T27 - T30 - T40

1/4" CHROMEplus® BITS 25 mm

CHROMEplus® bit for slotted screws

- Slotted
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel




1/4"



Item	mm	L mm	Content	kg
918.2045	3.0	25.0	1	10
918.2035	3.0	25.0	3	40
918.2046	4.0	25.0	1	10
918.2036	4.0	25.0	3	40
918.2047	5.0	25.0	1	10
918.2037	5.0	25.0	3	40
918.2048	6.0	25.0	1	10
918.2038	6.0	25.0	3	40

CHROMEplus® bit for phillips screws PH

- PH
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel




1/4"

Item		L mm	Content	g
918.2016	PH1	25,0	1	10
918.2006	PH1	25,0	3	40
918.2017	PH2	25,0	1	10
918.2007	PH2	25,0	3	40
918.2018	PH3	25,0	1	10
918.2008	PH3	25,0	3	40

CHROMEplus® bit for phillips screws PZ

- PZ
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item		L mm	Content	g
918.2021	PZ1	25,0	1	10
918.2011	PZ1	25,0	3	40
918.2022	PZ2	25,0	1	10
918.2012	PZ2	25,0	3	40
918.2023	PZ3	25,0	1	10
918.2013	PZ3	25,0	3	40

CHROMEplus® bit for hexagon screws

- Hexagon socket
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	mm	L mm	Content	g
918.2041	3,0	25,0	1	10
918.2051	3,0	25,0	3	40
918.2042	4,0	25,0	1	10
918.2052	4,0	25,0	3	40
918.2043	5,0	25,0	1	10
918.2053	5,0	25,0	3	40
918.2044	6,0	25,0	1	10
918.2054	6,0	25,0	3	40

CHROMEplus® bit for TX screws

- TX
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel




1/4"



Item		L mm	Content	g
918.2090	T7	25,0	1	10
918.2060	T7	25,0	3	40
918.2091	T8	25,0	1	10
918.2061	T8	25,0	3	40
918.2092	T9	25,0	1	10
918.2062	T9	25,0	3	40
918.2093	T10	25,0	1	10
918.2063	T10	25,0	3	40
918.2094	T15	25,0	1	10
918.2064	T15	25,0	3	40
918.2095	T20	25,0	1	10
918.2065	T20	25,0	3	40
918.2096	T25	25,0	1	10
918.2066	T25	25,0	3	40
918.2097	T27	25,0	1	10
918.2067	T27	25,0	3	40
918.2098	T30	25,0	1	10
918.2068	T30	25,0	3	40
918.2099	T40	25,0	1	10
918.2069	T40	25,0	3	40

CHROMEplus® bit for TX tamperproof screws

- For tamperproof TX
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Tamperproof
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"



Item		L mm	Content	g
918.2271	TB7	25,0	1	10
918.2071	TB7	25,0	3	40
918.2272	TB8	25,0	1	10
918.2072	TB8	25,0	3	40
918.2273	TB9	25,0	1	10
918.2073	TB9	25,0	3	40
918.2274	TB10	25,0	1	10
918.2074	TB10	25,0	3	40
918.2275	TB15	25,0	1	10
918.2075	TB15	25,0	3	40
918.2276	TB20	25,0	1	10
918.2076	TB20	25,0	3	40
918.2277	TB25	25,0	1	10
918.2077	TB25	25,0	3	40
918.2278	TB27	25,0	1	10
918.2078	TB27	25,0	3	40
918.2279	TB30	25,0	1	10
918.2079	TB30	25,0	3	40
918.2280	TB40	25,0	1	10
918.2080	TB40	25,0	3	40

CHROMEplus® mini ratchet bit case

- Integrated ratchet function
- Exact gearing with 72 teeth
- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim design - ideal for hard to access areas
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Colour coding
- Bits made of special steel
- Box made from impact resistant plastic



1/4"

Item			
918.2840	9 pcs	CHROMEplus® mini ratchet bit case	180
2 x		5 - 6 mm	
3 x		PH1 - PH2 - PH3	
3 x		PZ1 - PZ2 - PZ3	
1 x		1/4"	

CHROMEplus® mini ratchet bit case

- Integrated ratchet function
- Exact gearing with 72 teeth
- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim design - ideal for hard to access areas
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Colour coding
- Bits made of special steel
- Box made from impact resistant plastic



1/4"

Item			
918.2845	9 pcs	CHROMEplus® mini ratchet bit case	180
3 x		PH1 - PH2 - PH3	
3 x		PZ1 - PZ2 - PZ3	
2 x		T20 - T25	
1 x		1/4"	

CHROMEplus® mini ratchet bit case display

- Integrated ratchet function
- Exact gearing with 72 teeth
- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim, ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Colour coding
- Bits made of special steel
- Box made from impact resistant plastic
- Supplied in counter sales display



1/4"

Item			
918.2840D	12 pcs	12 x 918.2840D	2.35

CHROMEplus® mini ratchet bit case display

- Integrated ratchet function
- Exact gearing with 72 teeth
- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim, ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Colour coding
- Bits made of special steel
- Box made from impact resistant plastic
- Supplied in counter sales display



1/4"

Item			
918.2845D	12 pcs	12 x 918.2845	2.35

CHROMEplus® mini ratchet bit case

- Integrated ratchet function
- Exact gearing with 72 teeth
- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim design - ideal for hard to access areas
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Colour coding
- Bits made of special steel
- Box made from impact resistant plastic


1/4"

Item			
918.2850	9 pcs	CHROMEplus® mini ratchet bit case	180
8 x		T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30	
1 x		1/4"	

CHROMEplus® mini ratchet bit case

- Integrated ratchet function
- Exact gearing with 72 teeth
- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim design - ideal for hard to access areas
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Colour coding
- Bits made of special steel
- Box made from impact resistant plastic


1/4"

Item			
918.2855	9 pcs	CHROMEplus® mini ratchet bit case	180
8 x		TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30	
1 x		1/4"	

CHROMEplus® mini ratchet bit case display

- Integrated ratchet function
- Exact gearing with 72 teeth
- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim, ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Colour coding
- Bits made of special steel
- Box made from impact resistant plastic
- Supplied in counter sales display


1/4"

Item			
918.2850D	12 pcs	12 x 918.2850	2.35

CHROMEplus® mini ratchet bit case display

- Integrated ratchet function
- Exact gearing with 72 teeth
- Compact and handy design - fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
- Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremely slim, ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Nickel plated bits
- Colour coding
- Bits made of special steel
- Box made from impact resistant plastic
- Supplied in counter sales display


1/4"

Item			
918.2855D	12 pcs	12 x 918.2855	2.35

CHROME®plus bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Includes magnetic quick release bit holder and 1/4" socket adapter
- Ideally suited for fittings in trade and industry
- Practical belt holder
- Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- Includes durable two component storage case



1/4"

Item	kg
918.2030 32 pcs CHROME®plus bit set	0.32
1 x 1/4"	
1 x 1/4"	
4 x 4,5 - 5,5 - 6 - 6,5 mm	
4 x PH1 - 2 x PH2 - PH3	
4 x PZ1 - 2 x PZ2 - PZ3	
4 x 3 - 4 - 5 - 6 mm	
7 x T10 - T15 - T20 - T25 - T27 - T30 - T40	
7 x TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40	

CHROME® bit set display

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Includes magnetic quick release bit holder and 1/4" socket adapter
- Ideally suited for fittings in trade and industry
- Practical belt holder
- Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- Includes durable two component storage case
- Supplied in counter sales display



1/4"

Item	kg
918.2030D 12 pcs 12 x 918.2030	3.88

CHROME®plus bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Includes magnetic quick release bit holder
- Ideally suited for fittings in trade and industry
- Practical belt holder
- Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- Includes durable two component storage case



1/4"

Item	kg
918.2070 71 pcs CHROME®plus bit set	0.75

1 x 1/4"	1/4"
1 x 1/4"	1/4"
6 x 3 x 4 mm - 3 x 6 mm	
12 x 3 x PH1 - 6 x PH2 - 3 x PH3	
12 x 3 x PZ1 - 6 x PZ2 - 3 x PZ3	
9 x 3 x 4 mm - 3 x 5 mm - 3 x 6 mm	
14 x 3 x T10 - 2 x T15 - 2 x T20 - 2 x T25 - 2 x T27 - 2 x T30 - 2 x T40	
6 x TB15 - TB20 - TB25 - TB27 - TB30 - TB40	
2 x 4 - 6 mm	
4 x 2 x PH2 - 2 x PH3	
3 x 2 x PZ1 - 2 x PZ2	

CHROME®plus bit set display

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Includes magnetic quick release bit holder
- Ideally suited for fittings in trade and industry
- Practical belt holder
- Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special steel
- Includes durable two component storage case
- Supplied in counter sales display



1/4"

Item	kg
918.2070D 10 pcs 10 x 918.2070	7.50

CHROMEplus® bit display

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Contains the most current 1/4" bits and bit holder
- Nickel plated
- Special steel
- In durable plastic storage bit magazine
- 30 Drawers with labels
- Magazine can be placed or can be secured to the wall
- Polypropylene housing
- Drawers out of polystyrene


1/4"

Item	kg
918.2200 280 pcs CHROMEplus® bit display	6.60
10 x 5 x (50 - 100 mm)	
5 x 65 mm	
5 x 50 mm	
30 x 10 x (3 - 5 - 6 mm)	
30 x 10 x (4 - 5 - 6 mm)	
30 x 10 x (PH1 - PH2 - PH3)	
30 x 10 x (PZ1 - PZ2 - PZ3)	
70 x 10 x (T10 - T15 - T20 - T25 - T27 - T30 - T40)	
70 x 10 x (TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40)	

1/4" CHROMEplus® BITS 75 mm
CHROMEplus® bit for slotted screws


- Slotted
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel


1/4"

Item	mm	L mm	Content	kg
918.2145	3.0	75.0	1	20
918.2135	3.0	75.0	3	70
918.2146	4.0	75.0	1	20
918.2136	4.0	75.0	3	70
918.2147	5.0	75.0	1	20
918.2137	5.0	75.0	3	70
918.2148	6.0	75.0	1	20
918.2138	6.0	75.0	3	70

CHROMEplus® bit for phillips screws PH


- PH
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel


1/4"

Item	L mm	Content	kg
918.2116	PH1	75.0	1
918.2106	PH1	75.0	3
918.2117	PH2	75.0	1
918.2107	PH2	75.0	3
918.2118	PH3	75.0	1
918.2108	PH3	75.0	3

CHROMEplus® bit for phillips screws PZ

- PZ
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

Item	L mm	Content	kg
918.2121	PZ1	75.0	1
918.2111	PZ1	75.0	3
918.2122	PZ2	75.0	1
918.2112	PZ2	75.0	3
918.2123	PZ3	75.0	1
918.2113	PZ3	75.0	3



CHROMEplus® bit for hexagon screws

- Hexagon socket
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel




1/4"

Item	mm	L mm	Content	g
918.2141	3	75,0	1	20
918.2151	3	75,0	3	70
918.2142	4	75,0	1	20
918.2152	4	75,0	3	70
918.2143	5	75,0	1	20
918.2153	5	75,0	3	70
918.2144	6	75,0	1	20
918.2154	6	75,0	3	70

CHROMEplus® bit for TX tamperproof screws

- For tamperproof TX
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Tamperproof
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel




1/4"

Item		L mm	Content	g
918.2371	TB7	75,0	1	20
918.2171	TB7	75,0	3	70
918.2372	TB8	75,0	1	20
918.2172	TB8	75,0	3	70
918.2373	TB9	75,0	1	20
918.2173	TB9	75,0	3	70
918.2374	TB10	75,0	1	20
918.2174	TB10	75,0	3	70
918.2375	TB15	75,0	1	20
918.2175	TB15	75,0	3	70
918.2376	TB20	75,0	1	20
918.2176	TB20	75,0	3	70
918.2377	TB25	75,0	1	20
918.2177	TB25	75,0	3	70
918.2378	TB27	75,0	1	20
918.2178	TB27	75,0	3	70
918.2379	TB30	75,0	1	20
918.2179	TB30	75,0	3	70
918.2380	TB40	75,0	1	20
918.2180	TB40	75,0	3	70

CHROMEplus® bit for TX screws

- TX
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with an electric screwdriver
- Colour coding
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel




1/4"

Item		L mm	Content	g
918.2190	T7	75,0	1	20
918.2160	T7	75,0	3	70
918.2191	T8	75,0	1	20
918.2161	T8	75,0	3	70
918.2192	T9	75,0	1	20
918.2162	T9	75,0	3	70
918.2193	T10	75,0	1	20
918.2163	T10	75,0	3	70
918.2194	T15	75,0	1	20
918.2164	T15	75,0	3	70
918.2195	T20	75,0	1	20
918.2165	T20	75,0	3	70
918.2196	T25	75,0	1	20
918.2166	T25	75,0	3	70
918.2197	T27	75,0	1	20
918.2167	T27	75,0	3	70
918.2198	T30	75,0	1	20
918.2168	T30	75,0	3	70
918.2199	T40	75,0	1	20
918.2169	T40	75,0	3	70

1/4" INOXplus® BITS 25 mm

INOXplus® bit for slotted screws

- Slotted
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for external working
- Rust proof
- Stainless steel




1/4"

Item	mm	L mm	Content	g
910.2234	3.0	25,0	1	5
910.2233	3.0	25,0	5	30
910.2238	5.5	25,0	1	5
910.2237	5.5	25,0	5	30
910.2244	6.5	25,0	1	5
910.2243	6.5	25,0	5	30

INOXplus® bit for hexagon screws

- Hexagon socket
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for external working
- Rust proof
- Stainless steel



1/4"

Item	mm	L mm	Content	g
910.2259	4,0	25,0	1	5
910.2258	4,0	25,0	5	30
910.2262	5,0	25,0	1	5
910.2261	5,0	25,0	5	30
910.2265	6,0	25,0	1	5
910.2264	6,0	25,0	5	30

Item		L mm	Content	g
910.2312	T10	25,0	5	30
910.2316	T15	25,0	1	5
910.2315	T15	25,0	5	30
910.2319	T20	25,0	1	5
910.2318	T20	25,0	5	30
910.2322	T25	25,0	1	5
910.2321	T25	25,0	5	30
910.2328	T27	25,0	1	4
910.2327	T27	25,0	5	30
910.2331	T30	25,0	1	4
910.2330	T30	25,0	5	30
910.2336	T40	25,0	1	4
910.2335	T40	25,0	5	30

INOXplus® bit for phillips screws PH

- PH
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for external working
- Rust proof
- Stainless steel



1/4"

Item	mm	L mm	Content	g
910.2202	PH1	25,0	1	5
910.2201	PH1	25,0	5	30
910.2205	PH2	25,0	1	5
910.2204	PH2	25,0	5	30
910.2208	PH3	25,0	1	5
910.2207	PH3	25,0	5	30

INOXplus® bit for TX tamperproof screws

- For tamperproof TX
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for external working
- Rust proof
- Stainless steel



1/4"

Item		L mm	Content	g
910.2343	TB10	25,0	1	5
910.2342	TB10	25,0	5	30
910.2346	TB15	25,0	1	5
910.2345	TB15	25,0	5	30
910.2349	TB20	25,0	1	5
910.2348	TB20	25,0	5	30
910.2352	TB25	25,0	1	5
910.2351	TB25	25,0	5	30
910.2358	TB27	25,0	1	5
910.2357	TB27	25,0	5	30
910.2361	TB30	25,0	1	5
910.2360	TB30	25,0	5	30
910.2366	TB40	25,0	1	5
910.2365	TB40	25,0	5	30

INOXplus® bit for Phillips-screws PZ

- PZ
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for external working
- Rust-proof
- Stainless steel



1/4"

Item	mm	L mm	Content	g
910.2220	PZ1	25,0	1	5
910.2219	PZ1	25,0	5	30
910.2223	PZ2	25,0	1	5
910.2222	PZ2	25,0	5	30
910.2226	PZ3	25,0	1	5
910.2225	PZ3	25,0	5	30

INOXplus® bit set

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for external working
- Precise arrangement of the popular 1/4" Bits
- Practical belt holder
- Rust proof
- Stainless steel
- In durable two component storage case



Item		Content	g
910.2055	18 pcs	INOXplus® bit set	190
1 x	1/4"		
2 x	5,5 - 6,5 mm		
3 x	4 - 5 - 6 mm		
3 x	PH1 - PH2 - PH3		
3 x	PZ1 - PZ2 - PZ3		
6 x	T10 - T15 - T20 - T25 - T27 - T30		

INOXplus® bit for TX screws

- TX
- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for external working
- Rust proof
- Stainless steel



1/4"

Item	mm	L mm	Content	g
910.2313	T10	25,0	1	5

INOXplus® bit display

- External hexagon drive to DIN 3126 / ISO 1173 - C 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for external working
- Contains the most current 1/4" bits and bit holder
- Rust proof
- Stainless steel
- In durable plastic storage bit magazine
- 30 Drawers with labels
- Magazine can be placed or can be secured to the wall
- Polypropylene housing
- Drawers out of polystyrene




1/4"

Item		kg
910.2200	280 pcs INOXplus® bit display	6.60
5 x	50 mm	
5 x	100 mm	
5 x	65 mm	
5 x	50 mm	
30 x	10 x 3 - 10 x 5,5 - 10 x 6,5 mm	
30 x	10 x 4 - 10 x 5 - 10 x 6 mm	
30 x	10 x PH1 - 10 x PH2 - 10 x PH3	
30 x	10 x PZ1 - 10 x PZ2 - 10 x PZ3	
70 x	10 x T10 - 10 x T15 - 10 x T20 - 10 x T25 - 10 x T27 - 10 x T30	
70 x	10 x T40	
70 x	10 x TB10 - 10 x TB15 - 10 x TB20 - 10 x TB25 - 10 x TB27 - 10 x TB30	
	10 x TB40	

Micro BITS**Micro bit for slotted screws**

- Slotted
- External hexagon drive and locking ring
- For hand usage with a GEARplus spanner 503.4511
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



Item	mm	D mm	L mm	Content	kg
503.8221	4.0	8.0	15.0	1	10

Micro bit for hexagon screws


- Hexagon socket
- External hexagon drive and locking ring
- For hand usage with a GEARplus spanner 503.4511
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



Item	mm	D mm	L mm	Content	kg
503.8131	4,0	8,0	15,0	1	10
503.8132	5,0	8,0	15,0	1	10
503.8133	6,0	10,0	15,0	1	10
503.8134	7,0	10,0	15,0	1	10
503.8135	8,0	10,0	15,0	1	10

Micro bit for phillips screws PH


- PH
- External hexagon drive and locking ring
- For hand usage with a GEARplus spanner 503.4511
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



Item		D mm	L mm	Content	kg
503.8101	PH0	8,0	20,0	1	10
503.8102	PH1	8,0	20,0	1	10
503.8103	PH2	8,0	20,0	1	10

Micro bit for spline screws

- Spline
- External hexagon drive and locking ring
- For hand usage with a GEARplus spanner 503.4511
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



Item		D mm	L mm	Content	kg
503.8152	M5	8,0	23,0	1	10
503.8153	M6	10,0	23,0	1	10
503.8154	M8	10,0	23,0	1	10
503.8155	M10	10,0	23,0	1	10

Micro bit for TX screws

- TX
- External hexagon drive and locking ring
- For hand usage with a GEARplus spanner 503.4511
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



Item	D mm	L mm	Content	Image
503.8171	T10	8.0	23.0	1 10
503.8172	T15	8.0	23.0	1 10
503.8173	T20	8.0	23.0	1 10
503.8174	T25	8.0	23.0	1 10
503.8175	T27	8.0	23.0	1 10
503.8176	T30	8.0	23.0	1 10
503.8177	T40	10.0	23.0	1 10
503.8178	T45	10.0	23.0	1 10

Micro bit for TX tamperproof screws


- For tamperproof TX
- External hexagon drive and locking ring
- For hand usage with a GEARplus spanner 503.4511
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



Item	D mm	L mm	Content	Image
503.8201	TB10	8.0	23.0	1 10
503.8202	TB15	8.0	23.0	1 10
503.8203	TB20	8.0	23.0	1 10
503.8204	TB25	8.0	23.0	1 10
503.8205	TB27	8.0	23.0	1 10
503.8206	TB30	8.0	23.0	1 10
503.8207	TB40	10.0	23.0	1 10
503.8208	TB45	10.0	23.0	1 10

Square drive adaptor

- External hexagon drive
- 1/4" square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Ideally suited for fittings in trade and industry
- Chrome plated
- Special steel



1/4"

Item	•	■	L mm	Image
503.8231	1/4"	1/4"	22.5	6
503.8232	5/16"	1/4"	21.0	8
503.8233	10,0	1/4"	24.5	10

Micro bit set

- External hexagon drive and locking ring
- For manual operation
- Includes reversing GEARplus bit ratchet ring spanner
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular micro-bits
- Nickel plated
- Special steel



Item	Image	Content
503.4670	32 pcs	Micro bit set
		520
1 x	8 x 10 mm	
1 x	4 mm	
3 x	PH0 - PH1 - PH2	
5 x	4 - 5 - 6 - 7 - 8 mm	
4 x	5 - 6 - 8 - 10 mm	
9 x	T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45	
9 x	TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45	

5/16" CLASSIC BITS

CLASSIC bit for slotted screws

- Slotted
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel




5/16"

Item	mm	L mm	Content	Image
911.5141	8.0	30.0	1 10	
911.5142	10.0	30.0	1 10	
911.5143	12.0	30.0	1 10	

CLASSIC bit for phillips screws PH

- PH
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel




5/16"

Item	•	■	L mm	Content	Image
911.5132	PH1		30.0	1 10	
911.5133	PH2		30.0	1 10	
911.5134	PH3		30.0	1 10	
911.5135	PH4		30.0	1 10	

CLASSIC bit for phillips screws PZ

- PZ
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel




5/16"



Item		L mm	Content	g
911.5121	PZ1	30,0	1	10
911.5122	PZ2	30,0	1	10
911.5123	PZ3	30,0	1	10
911.5124	PZ4	30,0	1	10

CLASSIC bit for hexagon screws

- Hexagon socket
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel




5/16"



Item	mm	L mm	Content	g
911.5126	6,0	30,0	1	10
911.5127	7,0	30,0	1	10
911.5128	8,0	30,0	1	10
911.5129	10,0	30,0	1	10
911.5130	12,0	30,0	1	10
911.5131	14,0	30,0	1	10

CLASSIC bit for spline screws

- Spline
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel




5/16"



Item		L mm	Content	g
911.5154	M4	30,0	1	10
911.5155	M5	30,0	1	10
911.5156	M6	30,0	1	10
911.5157	M8	30,0	1	10
911.5158	M10	30,0	1	10
911.5159	M12	30,0	1	10

CLASSIC bit for TX screws

- TX
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel



5/16"




Item		L mm	Content	g
911.5144	T40	30,0	1	10
911.5145	T45	30,0	1	10

Item		L mm	Content	g
911.5146	T50	30,0	1	10
911.5147	T55	30,0	1	10
911.5148	T60	30,0	1	10

CLASSIC bit for TX tamperproof screws

- For tamperproof TX
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel



5/16"



Item		L mm	Content	g
911.5136	TB40	30,0	1	10
911.5137	TB45	30,0	1	10
911.5138	TB50	30,0	1	10
911.5139	TB55	30,0	1	10
911.5140	TB60	30,0	1	10

CLASSIC bit for RIBE® screws

- RIBE®
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Phosphate finish
- Special steel



5/16"



Item		L mm	Content	g
911.5165	M5	38,0	1	10
911.5166	M6	38,0	1	10
911.5167	M7	38,0	1	10
911.5168	M8	38,0	1	20
911.5169	M10	38,0	1	20
911.5170	M12	38,0	1	30

CLASSIC bit for RIBE® screws

- RIBE®
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Phosphate finish
- Special steel



5/16"



Item		L mm	Content	g
911.5171	M7	100,0	1	40
911.5172	M8	100,0	1	50
911.5173	M9	100,0	1	60
911.5174	M10	100,0	1	70
911.5175	M12	100,0	1	80
911.5176	M13	100,0	1	90
911.5177	M14	100,0	1	100

CLASSIC bit set

- Ideal set compilation for RIBE®-screws
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Precise arrangement of the popular 5/16" RIBE® bits
- Phosphate finish
- Special steel
- In durable plastic storage case





5/16"

Item		kg
911.4306	14 pcs CLASSIC bit set	0.82
1 x	1/2"	
6 x	M5 - M6 - M7 - M8 - M10 - M12	
7 x	M7 - M8 - M9 - M10 - M12 - M13 - M14	

10 mm CLASSIC BITS 30 mm
CLASSIC bit for slotted screws

- Slotted
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel




10

Item	mm	L mm	Content	kg
930.3015	8.0	30.0	1	40
930.3016	10.0	30.0	1	40

CLASSIC bit for phillips screws PH

- PH
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel



10



Item	mm	L mm	Content	kg
930.3019	PH1	30.0	1	40
930.3017	PH2	30.0	1	40
930.3018	PH3	30.0	1	40

CLASSIC bit for phillips screws PZ

- PZ
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel

10 mm


Item	L mm	Content	kg
930.3020	30.0	1	40
930.3021	30.0	1	40
930.3022	30.0	1	40


CLASSIC bit for hexagon screws

- 10 mm hexagon shaft
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel

10 mm


Item	mm	L mm	Content	kg
930.1004	4,0	30,0	1	40
930.1005	5,0	30,0	1	40
930.1006	6,0	30,0	1	40
930.1007	7,0	30,0	1	40
930.1008	8,0	30,0	1	40
930.1010	10,0	30,0	1	40
930.1012	12,0	30,0	1	40


CLASSIC bit for spline screws

- Spline
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel


10 mm

Item	mm	L mm	Content	kg
930.3005	M5	30,0	1	40
930.3006	M6	30,0	1	40
930.3008	M8	30,0	1	40
930.3010	M10	30,0	1	40
930.3012	M12	30,0	1	40



CLASSIC bit for TX screws

- TX
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel




10 mm

Item		L mm	Content	g
930.2010	T10	30,0	1	40
930.2015	T15	30,0	1	40
930.2020	T20	30,0	1	40
930.2025	T25	30,0	1	40
930.2027	T27	30,0	1	40
930.2030	T30	30,0	1	40
930.2040	T40	30,0	1	40
930.2045	T45	30,0	1	40
930.2050	T50	30,0	1	40
930.2055	T55	30,0	1	40
930.2060	T60	30,0	1	40

CLASSIC bit for TX tamperproof screws

- For tamperproof TX
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel



10 mm

Item		L mm	Content	g
930.2110	TB10	30,0	1	40
930.2115	TB15	30,0	1	40
930.2120	TB20	30,0	1	40
930.2125	TB25	30,0	1	40
930.2127	TB27	30,0	1	40
930.2130	TB30	30,0	1	40
930.2140	TB40	30,0	1	40
930.2145	TB45	30,0	1	40
930.2150	TB50	30,0	1	40
930.2155	TB55	30,0	1	40
930.2160	TB60	30,0	1	40

10 mm CLASSIC BITS 75 mm**CLASSIC bit for hexagon screws**

- Hexagon socket
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel



10 mm

Item	mm	L mm	Content	g
975.1004	4,0	75,0	1	70
975.1005	5,0	75,0	1	70
975.1006	6,0	75,0	1	70
975.1007	7,0	75,0	1	70
975.1008	8,0	75,0	1	70

Item	mm	L mm	Content	g
975.1010	10,0	75,0	1	70
975.1012	12,0	75,0	1	70

CLASSIC bit for spline screws

- Spline
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel



10 mm

Item		L mm	Content	g
975.3005	M5	75,0	1	70
975.3006	M6	75,0	1	70
975.3008	M8	75,0	1	70
975.3010	M10	75,0	1	70
975.3012	M12	75,0	1	70

CLASSIC bit for TX screws

- TX
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel




10 mm

Item		L mm	Content	g
975.2010	T10	75,0	1	70
975.2015	T15	75,0	1	70
975.2020	T20	75,0	1	70
975.2025	T25	75,0	1	70
975.2027	T27	75,0	1	70
975.2030	T30	75,0	1	70
975.2040	T40	75,0	1	70
975.2045	T45	75,0	1	70
975.2050	T50	75,0	1	70
975.2055	T55	75,0	1	70
975.2060	T60	75,0	1	70
975.2065	T65	75,0	1	70
975.2075	T70	75,0	1	70

CLASSIC bit for TX tamperproof screws

- For tamperproof TX
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel



10 mm

Item		L mm	Content	g
975.2110	TB10	75,0	1	70
975.2115	TB15	75,0	1	70
975.2120	TB20	75,0	1	70
975.2125	TB25	75,0	1	70
975.2127	TB27	75,0	1	70
975.2130	TB30	75,0	1	70
975.2140	TB40	75,0	1	70
975.2145	TB45	75,0	1	70
975.2150	TB50	75,0	1	70
975.2155	TB55	75,0	1	70
975.2160	TB60	75,0	1	70

10 mm CLASSIC BITS 120 mm

CLASSIC bit for TX screws

- TX
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Nickel plated
- Special steel



10 mm

Item		L mm	Content	g
975.4040	T40	120,0	1	80
975.4045	T45	120,0	1	80
975.4050	T50	120,0	1	80
975.4055	T55	120,0	1	80

CLASSIC bit set

- Ideal set compilation for hexagon socket screws
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Includes 1/2" socket adapter for 10 mm bits
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Precise arrangement of the popular 10 mm hexagon socket bits
- Nickel plated
- Special steel
- In durable plastic storage case



CLASSIC bit set

- Ideal set compilation for TX screws
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Includes 1/2" socket adapter for 10 mm bits
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Precise arrangement of the popular 10 mm TX bits
- Nickel plated
- Special steel
- In durable plastic storage case

10 mm

Item		g
911.5040	15 pcs CLASSIC bit set	0.58
1 x		1/2" x 10 mm
7 x		4 - 5 - 6 - 7 - 8 - 10 - 12 mm
7 x		4 - 5 - 6 - 7 - 8 - 10 - 12 mm



10 mm

Item		g
911.5020	15 pcs CLASSIC bit set	0.58
1 x		1/2" x 10 mm
7 x		T20 - T25 - T30 - T40 - T45 - T50 - T55
7 x		T20 - T25 - T30 - T40 - T45 - T50 - T55

Spline (XZN°) bit box

- Ideal set compilation for Spline (XZN°) screws
- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Includes 1/2" socket adapter for 10 mm bits
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Precise arrangement of the popular 10 mm Spline (XZN°) bits
- Nickel plated
- Special steel
- In durable steel storage case



10 mm

Item		g
911.5030	11 pcs Spline (XZN°) bit box	0.60
1 x		1/2" x 10 mm
5 x		M5 - M6 - M8 - M10 - M12
5 x		M5 - M6 - M8 - M10 - M12

CLASSIC bit set

- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Includes 3/8" + 1/2" socket adapter for 10 mm bits
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Precise arrangement of the popular 10 mm bits
- Nickel plated
- Special steel
- In durable plastic storage case



10 mm

Item		kg
911.4304	42 pcs CLASSIC bit set	1.60
2 x	3/8" - 1/2"	
7 x	4 - 5 - 6 - 7 - 8 - 10 - 12 mm	
8 x	T20 - T25 - T30 - T40 - T45 - T50 - T55 - T60	
5 x	M5 - M6 - M8 - M10 - M12	
2 x	8 - 10 mm	
2 x	PH2 - PH3	
4 x	5 - 6 - 8 - 10 mm	
8 x	T20 - T25 - T30 - T40 - T45 - T50 - T55 - T60	
4 x	M6 - M8 - M10 - M12	

CLASSIC bit set

- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
- Includes 10 mm reversing ratchet
- Ideally suited for fittings in trade and industry
- Reinforced execution
- Precise arrangement of the popular 10 mm bits and sockets
- Nickel plated
- Special steel
- In durable ABS storage case



10 mm

TX socket set and bit set

- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" 3/8" 1/2"

Item		kg
911.4305	57 pcs TX socket set and bit set	2.00
2 x	3/8" x 10mm - 1/2" x 1/4"	
12 x	1/4": E4 - E5 - E6 - E7 - E8; 3/8": E10 - E11 - E12 - E14 1/2": E16 - E18 - E20	
7 x	4 - 5 - 6 - 7 - 8 - 10 - 12 mm	
9 x	TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60	
5 x	M5 - M6 - M8 - M10 - M12	
2 x	8 - 10 mm	
2 x	PH2 - PH3	
5 x	5 - 6 - 7 - 8 - 10 mm	
9 x	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60	
4 x	M6 - M8 - M10 - M12	

Item

Item		kg
911.4310	37 pcs CLASSIC bit set	1.60
1 x	10 mm	
6 x	5 - 6 - 7 - 8 - 10 - 12 mm	
8 x	TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55	
5 x	M5 - M6 - M8 - M10 - M12	
2 x	PH2 - PH3	
8 x	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55	
4 x	M6 - M8 - M10 - M12	
3 x	T40 - T45 - T50	

